



FRENUTUBO

  **HIGH PERFORMANCE RACING HOSES**

VARIOUS MATERIALS PRICE LIST

EDITION 06/2018 NOVEMBER



EXPORT DEALER PRICE LIST - WITHOUT V.A.T.

VARIOUS MATERIALS PRICE LIST

STAINLESS STEEL BRAIDED HOSES SUITABLE FOR RE-USABLE FITTINGS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
PTFE/INOX HOSE 1/8" / BLUE COVERED	A01010-BL***	MT.	13,43	15,63
PTFE/INOX HOSE 1/8" / YELLOW COVERED	A01010-GI***	MT.	13,43	15,63
PTFE/INOX HOSE 1/8" / BLACK COVERED	A01010-NE***	MT.	13,43	15,63
PTFE/INOX HOSE 1/8" / RED COVERED	A01010-RO***	MT.	13,43	15,63
PTFE/INOX HOSE 1/8" / CLEAR COVERED	A01010-TR***	MT.	13,43	15,63
PTFE/INOX HOSE 1/8" / WHITE COVERED	A01010-BIA***	MT.	13,43	15,63
PTFE/INOX HOSE 1/8" / ORANGE COVERED	A01010-ARA***	MT.	13,43	15,63
PTFE/INOX HOSE 1/8" / GREEN COVERED	A01010-VE***	MT.	13,43	15,63
PTFE/INOX HOSE 1/8" / GREY COVERED	A01010-GR***	MT.	13,43	15,63
TEFLON HOSE 1/8" / SOFT TRANSPARENT COVERED	A01012***	MT.	13,43	15,63
INOX TEFLONRING HOSE 3/8"	030015***	MT.	16,80	19,55

*** MINIMUM QUANTITY 10 MTS REEL.



HOSE FOR FUEL

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
GASOLINE RUBBER HOSE 6X13,5 - 120 BAR	050042***	MT.	8,26	9,61
GASOLINE RUBBER HOSE 8X15 - 100 BAR	050043***	MT.	12,91	15,02
GASOLINE RUBBER HOSE 10X16 - 80 BAR	050044***	MT.	11,57	13,46
GASOLINE RUBBER HOSE 11X19 - 70 BAR	050045***	MT.	12,24	14,24
*** MINIMUM QUANTITY 10 MTS REEL.				

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
GASOLINE/ ENGINE OIL RUBBER HOSE Ø7,5X16 / ALUMINIUM BRAIDED	A05110**	MT.	28,00	32,58
GASOLINE RUBBER HOSE 8X14 / CARBON FIBRE BRAIDED	050070**	MT.	40,00	46,54
** MINIMUM QUANTITY 5 MTS REEL.				

HOSE FOR BRAKE FLUID

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
RUBBER HOSE EPDM UNI 5X9,5	A05010**	MT.	4,00	4,65
BRAIDED RUBBER HOSE 5X9,5	A05010-X1**	MT.	11,50	13,38
RUBBER HOSE 8X13	A05011**	MT.	4,60	5,35
BRAIDED RUBBER HOSE 8X14	A05011-X1**	MT.	12,00	13,96
RUBBER HOSE 5X10 / BLUE NYLON BRAIDED	A05013**	MT.	11,00	12,80
RUBBER HOSE 5X10 / RED NYLON BRAIDED	A05014**	MT.	11,00	12,80
RUBBER HOSE 5X10 / YELLOW NYLON BRAIDED	A05015**	MT.	11,00	12,80
RUBBER HOSE 8X12 / BLUE NYLON BRAIDED	A05016**	MT.	14,00	16,29
RUBBER HOSE 8X12 / RED NYLON BRAIDED	A05017**	MT.	14,00	16,29
RUBBER HOSE 8X12 / YELLOW NYLON BRAIDED	A05018**	MT.	14,00	16,29
RUBBER HOSE 5X10 / CARBON FIBRE BRAIDED	A05025**	MT.	35,00	40,72

**** MINIMUM QUANTITY 5 MTS REEL.**

SLEEVES AND PROTECTIONS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
HEAT SHRINKABLE SLEEVE Ø12,7 / BLACK	A16001	MT.	3,50	4,07
HEAT SHRINKABLE SLEEVE Ø9,5 / TRANSPARENT	A16002	MT.	3,50	4,07
HEAT SHRINKABLE SLEEVE Ø12,7 / RED	A16003	MT.	3,50	4,07
HEAT SHRINKABLE SLEEVE Ø12,7 / BLUE	A16004	MT.	3,50	4,07
HEAT SHRINKABLE SLEEVE Ø12,7 / YELLOW	A16005	MT.	3,50	4,07
HEAT SHRINKABLE SLEEVE Ø19,1 / BLACK	A16015	MT.	4,10	4,77
10 PIECES OF L=70 MM. BLACK HEAT SHRINKABLE SLEEVE Ø25,4 (1") * 50% RETRACTABLE	A16100*	N.	1,50	1,75
10 PIECES OF L=70 MM. BLACK HEAT SHRINKABLE SLEEVE Ø19,1 (3/4") * 50% RETRACTABLE	A16101*	N.	2,00	2,33
NYLON SLEEVE 6 10X8,5 / BLACK	B23001	MT.	1,47	1,71
NYLON SLEEVE 6 10X8,5 / CLEAR	B23002	MT.	1,47	1,71
NYLON SLEEVE 6 11,5X9 / BLACK	B23003	MT.	1,68	1,95
NYLON SLEEVE 6 11,5X9 / CLEAR	B23004	MT.	1,68	1,95
PVC CRYSTAL HOSE 7X10 MM. / TRANSPARENT	B24001	MT.	1,20	1,40
PVC BLACK HOSE 8,5X10,5 MM. / BLACK	B24002	MT.	1,10	1,28
4X6 CLEAR SPIRAL	B25001	MT.	0,65	0,76
4X6 BLACK SPIRAL	B25002	MT.	0,65	0,76
GLASS FIBRE BRAIDED PROTECTION SILICONE COVERED	B25003***	MT.	4,50	5,24
GLASS FIBRE BRAIDED PROTECTION BLACK SILICONE COVERED	B25004***	MT.	5,00	5,82
EXTENSIBLE INOX STAINLESS-STEEL BRAIDING Ø7 (2-12)	B26000***	MT.	5,16	6,00
*** MINIMUM QUANTITY 10 MTS REEL.				
EXTENSIBLE INOX STAINLESS-STEEL BRAIDING MIN Ø5 / MAX Ø10	B26020**	MT.	8,00	9,31
** MINIMUM QUANTITY 5 MTS REEL.				

RE-USABLE STEEL ZINC-PLATED, STEEL CHROME PLATED AND STAINLESS STEEL FITTINGS FOR INTERNAL Ø 1/8"
HOSE

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
		CURRENT EXCHANGE RATE €/\$ = 1,1635		
BASS NIPPLE FOR RE-USABLE 1/8" FITTINGS	B16201	N.	0,80	0,93
NUT FOR RE-USABLE 1/8" FITTINGS	B16202	N.	1,50	1,75
NUT FOR RE-USABLE 1/8" CHROMIUM-PLATED FITTINGS	B16202CR	N.	2,30	2,68
NUT FOR RE-USABLE 1/8" INOX STAINLESS STEEL FITTINGS	B16202INOX	N.	2,80	3,26
BANJO STRAIGHT FITTING Ø10 RE-USABLE	B16205	N.	3,60	4,19
BANJO STRAIGHT FITTING Ø10 RE-USABLE / CHROMIUM-PLATED	B16205CR	N.	4,36	5,07
INOX STAINLESS STEEL BANJO STRAIGHT FITTING Ø10 RE-USABLE	B16205INOX	N.	8,00	9,31
BANJO STRAIGHT FITTING Ø11 RE-USABLE	B16206	N.	3,90	4,54
BANJO STRAIGHT FITTING Ø11 RE-USABLE / CHROMIUM-PLATED	B16206CR	N.	4,80	5,58
BANJO STRAIGHT FITTING Ø12 RE-USABLE	B16207	N.	3,90	4,54
BANJO STRAIGHT FITTING Ø12 RE-USABLE / CHROMIUM-PLATED	B16207CR	N.	4,80	5,58
BANJO STRAIGHT FITTING Ø8 RE-USABLE	B16208	N.	3,90	4,54
BANJO STRAIGHT FITTING Ø8 RE-USABLE / CHROMIUM-PLATED	B16208CR	N.	4,80	5,58
BANJO FITTING Ø8 - 2 WAYS - 55° RE-USABLE	B16209	N.	10,50	12,22
BANJO FITTING Ø8 - 2 WAYS - 55° RE-USABLE / CHROMIUM-PLATED	B16209CR	N.	11,50	13,38
BANJO FITTING 15° Ø10 RE-USABLE	B16210	N.	3,60	4,19
BANJO FITTING 15° Ø10 RE-USABLE / CHROMIUM-PLATED	B16210CR	N.	4,36	5,07
BANJO FITTING 15° Ø10 RE-USABLE / INOX STAINLESS STEEL	B16210INOX	N.	8,50	9,89
BANJO FITTING 15° Ø8 RE-USABLE	B16211	N.	5,00	5,82
BANJO FITTING 30° Ø10 RE-USABLE	B16215	N.	4,03	4,69
BANJO FITTING 30° Ø10 RE-USABLE / CHROMIUM-PLATED	B16215CR	N.	5,24	6,10
BANJO FITTING 30° Ø10 RE-USABLE / INOX STAINLESS STEEL	B16215INOX	N.	8,70	10,12
BANJO FITTING 60° Ø10 RE-USABLE	B16217	N.	4,70	5,47
BANJO FITTING 60° Ø10 RE-USABLE / CHROMIUM-PLATED	B16217CR	N.	5,50	6,40

BANJO FITTING 60° Ø10 RE-USABLE / INOX STAINLESS STEEL	B16217INOX	N.	9,00	10,47
BANJO FITTING 90° Ø10 RE-USABLE	B16220	N.	4,70	5,47
BANJO FITTING 90° Ø10 RE-USABLE / CHROMIUM-PLATED	B16220CR	N.	5,55	6,46
BANJO FITTING 90° Ø10 RE-USABLE / INOX STAINLESS STEEL	B16220INOX	N.	9,00	10,47
BANJO FITTING 45° Ø10 RE-USABLE	B16221	N.	4,70	5,47
BANJO FITTING 45° Ø10 RE-USABLE / CHROMIUM-PLATED	B16221CR	N.	5,55	6,46
BANJO FITTING 45° Ø10 RE-USABLE / INOX STAINLESS STEEL	B16221INOX	N.	9,00	10,47
RACCORDO M FISSO 10X1 RE-USABLE	B16235	N.	3,60	4,19
RACCORDO M FISSO 10X1 RE-USABLE / CHROMIUM-PLATED	B16235CR	N.	4,36	5,07
RACCORDO M FISSO 10X1,25 RE-USABLE	B16236	N.	3,60	4,19
RACCORDO M FISSO 10X1,25 RE-USABLE / CHROMIUM-PLATED	B16236CR	N.	4,36	5,07
RE-USABLE MALE FITTING, NOT SWIVELING 3/8" HARLEY DAV.	B16238	N.	3,90	4,54
RE-USABLE MALE FITTING, NOT SWIVELING 3/8" HARLEY DAV./CHROMIUM-PLATED	B16238CR	N.	4,80	5,58
RE-USABLE 10X1 SWIVELING MALE FITTING	B16240	N.	4,70	5,47
RE-USABLE 10X1 SWIVELING MALE FITTING / CHROMIUM-PLATED	B16240CR	N.	5,55	6,46
RE-USABLE 10X1,25 SWIVELING MALE FITTING	B16241	N.	4,70	5,47
RE-USABLE 10X1,25 SWIVELING MALE FITTING / CHROMIUM-PLATED	B16241CR	N.	5,55	6,46
RE-USABLE 3/8" HARLEY DAVIDSON SWIVELING MALE FITTING	B16242	N.	5,22	6,07
RE-USABLE 3/8" HARLEY DAV. SWIVELING MALE FITTING / CHROMIUM-PLATED	B16242CR	N.	6,12	7,12
RE-USABLE SWIVELING MALE FITTING 12X1	B16243	N.	5,70	6,63
RE-USABLE SWIVELING MALE FITTING 90° 10X1	B16245	N.	4,70	5,47
RE-USABLE SWIVELING MALE FITTING 90° 10X1 / CHROMIUM-PLATED	B16245CR	N.	5,55	6,46
RE-USABLE SWIVELING MALE FITTING 90° 10X1,25	B16246	N.	4,70	5,47
RE-USABLE SWIVELING MALE FITTING 90° 10X1,25 / CHROMIUM-PLATED	B16246CR	N.	5,55	6,46
RE-USABLE SWIVELING MALE FITTING 90° 3/8" HARLEY DAVIDSON	B16247	N.	5,22	6,07
RE-USABLE SWIVELING MALE FITTING 90° 3/8" HARLEY DAV. / CHROMIUM-PLATED	B16247CR	N.	6,12	7,12
RE-USABLE SWIVELING MALE FITTING 45° 10X1	B16248	N.	4,70	5,47
RE-USABLE SWIVELING MALE FITTING 45° 10X1 / CHROMIUM-PLATED	B16248CR	N.	6,00	6,98
RE-USABLE FEMALE FITTING, NOT SWIVELING 10X1	B16250	N.	3,60	4,19

RE-USABLE FEMALE FITTING, NOT SWIVELING 10X1 / CHROMIUM-PLATED	B16250CR	N.	4,36	5,07
RE-USABLE FEMALE FITTING, NOT SWIVELING 10X1,25	B16251	N.	3,60	4,19
RE-USABLE FEMALE FITTING, NOT SWIVELING 10X1,25 / CHROMIUM-PLATED	B16251CR	N.	4,36	5,07
RE-USABLE FEMALE FITTING, NOT SWIVELING 3/8" HARLEY DAV.	B16252	N.	3,90	4,54
RE-USABLE FEMALE FITTING, NOT SWIVELING 3/8" HARLEY DAV. / CHROMIUM-PLATED	B16252CR	N.	4,80	5,58
RE-USABLE SWIVELING FEMALE FITTING 10X1	B16255	N.	3,60	4,19
RE-USABLE SWIVELING FEMALE FITTING 10X1 / CHROMIUM-PLATED	B16255CR	N.	4,36	5,07
RE-USABLE SWIVELING FEMALE FITTING 10x1,25	B16256	N.	3,60	4,19
RE-USABLE SWIVELING FEMALE FITTING 10X1,25 / CHROMIUM-PLATED	B16256CR	N.	4,36	5,07
RE-USABLE SWIVELING FEMALE FITTING 45° 10X1	B16263	N.	4,70	5,47
RE-USABLE SWIVELING FEMALE FITTING 45° 10X1 / CHROMIUM-PLATED	B16263CR	N.	5,55	6,46
RE-USABLE SWIVELING FEMALE FITTING 45° 1/8"	B16264	N.	4,70	5,47
RE-USABLE SWIVELING FEMALE FITTING 45° 1/8" / CHROMIUM-PLATED	B16264CR	N.	5,55	6,46
RE-USABLE SWIVELING FEMALE FITTING 90° 10X1	B16265	N.	4,70	5,47
RE-USABLE SWIVELING FEMALE FITTING 90° 10X1 / CHROMIUM-PLATED	B16265CR	N.	5,55	6,46
RE-USABLE SWIVELING FEMALE FITTING 90° 10X1,25	B16266	N.	4,70	5,47
RE-USABLE SWIVELING FEMALE FITTING 90° 10X1,25 / CHROMIUM-PLATED	B16266CR	N.	5,55	6,46
BANJO FITTING 30° Ø10 RE-USABLE	B16270	N.	4,00	4,65
BANJO FITTING 30° Ø10 RE-USABLE / CHROMIUM-PLATED	B16270CR	N.	5,24	6,10
BANJO FITTING 30° Ø10 RE-USABLE / INOX STAINLESS STEEL	B16270INOX	N.	8,70	10,12
BANJO FITTING 45° Ø10 RE-USABLE	B16273	N.	4,70	5,47
BANJO FITTING 45° Ø10 RE-USABLE / CHROMIUM-PLATED	B16273CR	N.	5,55	6,46
BANJO FITTING 45° Ø10 RE-USABLE / INOX STAINLESS STEEL	B16273INOX	N.	9,00	10,47
BANJO FITTING 90° Ø10 RE-USABLE	B16276	N.	4,70	5,47
BANJO FITTING 90° Ø10 RE-USABLE / CHROMIUM-PLATED	B16276CR	N.	5,55	6,46
BANJO FITTING 90° Ø10 RE-USABLE / INOX STAINLESS STEEL	B16276INOX	N.	9,00	10,47
RE-USABLE 3-WAY CONNECTOR	B16280	N.	7,54	8,77
RE-USABLE 3-WAY CONNECTOR / CHROMIUM-PLATED	B16280CR	N.	9,27	10,79
LONG RE-USABLE STRAIGHT MALE FITTING 10X1	B16290	N.	4,70	5,47

LONG RE-USABLE STRAIGHT MALE FITTING 10X1 / CHROMIUM-PLATED	B16290CR	N.	5,55	6,46
RE-USABLE STRAIGHT MALE FITTING 3/8" UNF 24 - LONG	B16291	N.	4,70	5,47
RE-USABLE STRAIGHT MALE FITTING 3/8" UNF 24 - LONG / CHROMIUM-PLATED	B16291CR	N.	5,55	6,46
RE-USABLE FEMALE FITTING 10X1 WITH FEMALE HEAD WITH GROOVE	B16292	N.	4,70	5,47
RE-USABLE BANJO FITTING 30° Ø11,3 / CHROMIUM-PLATED	B16293CR	N.	5,55	6,46
RE-USABLE BANJO FITTING 45° Ø11,3 / CHROMIUM-PLATED	B16294CR	N.	5,55	6,46
RE-USABLE BANJO FITTING 90° Ø11,3 / CHROMIUM-PLATED	B16295CR	N.	5,55	6,46
RE-USABLE FEMALE FITTING 10X1 WITH MALE HEAD WITH GROOVE	B16296	N.	4,70	5,47
SQUARE-HEADED FITTING 15 WITH HOLE Ø6 - 3 WAYS	B16297	N.	9,66	11,24
SQUARE-HEADED FITTING 15 WITH HOLE Ø6 - 3 WAYS / CHROMIUM-PLATED	B16297CR	N.	10,69	12,44
SQUARE-HEADED FITTING 15 - HOLE Ø6 - 3 WAYS (1 WAY M10X1)	B16298	N.	10,02	11,66
SQUARE-HEADED FITTING 15 - HOLE Ø6 - 3 WAYS (1 WAY M10X1 FEMALE SEAL)	B16298/C	N.	10,02	11,66
SQUARE-HEADED FITTING 15 - HOLE Ø6 - 3 WAYS (1 WAY M10X1) / CHROMIUM-PLATED	B16298CR	N.	11,05	12,86
SQUARE-HEADED FITTING 15 - HOLE Ø6 - 3 WAYS (1 WAY M10X1 FEMALE SEAL) / CHROMIUM-PLATED	B16298/C-CR	N.	11,05	12,86
SQUARE-HEADED FITTING 15 - HOLE Ø6 - 2 WAYS (1 WAY M10X1)	B16299	N.	7,75	9,02
SQUARE-HEADED FITTING 15 - HOLE Ø6 - 2 WAYS (1 WAY M10X1 FEMALE SEAL)	B16299/C	N.	7,75	9,02
SQUARE-HEADED FITTING 15 - HOLE Ø6 - 2 WAYS (1 WAY M10X1) / CHROMIUM-PLATED	B16299CR	N.	8,78	10,22
SQUARE-HEADED FITTING 15 - HOLE Ø6 - 2 WAYS (1 WAY M10X1 FEMALE SEAL) / CHROMIUM-PLATED	B16299/C-CR	N.	8,78	10,22
SQUARE-HEADED FITTING 15 - HOLE Ø6 - 2 WAYS 90°	B16300	N.	10,02	11,66
SQUARE-HEADED FITTING 15 - HOLE Ø6 - 2 WAYS 90° / CHROMIUM-PLATED	B16300CR	N.	11,05	12,86
FITTING 7/32" 24F 45°	B16301	N.	7,75	9,02
FITTING 7/32" 24F 90°	B16302	N.	8,00	9,31
FITTING 3/8" 24F 45°	B16303	N.	4,70	5,47
FITTING 3/8" 24F 90° / LONG TYPE	B16304	N.	5,50	6,40
RE-USABLE BANJO FITTING 15° Ø11,3 / CHROMIUM-PLATED	B16305CR	N.	5,55	6,46
MALE FITTING - FEMALE SEAL 10X1	B16600	N.	4,70	5,47
FEMALE FITTING - FEMALE SEAL 10X1,25	B16601	N.	4,70	5,47
RE-USABLE MALE FITTING, NOT SWIVELING 12X1	B16602	N.	3,90	4,54

RE-USABLE MALE FITTING, NOT SWIVELING 12X1,25	B16603	N.	3,90	4,54
RE-USABLE MALE FITTING, NOT SWIVELING 12X1,5	B16604	N.	3,90	4,54
SQUARE-HEADED FITTING 15 WITH HOLE Ø6 2 WAYS	B16605	N.	9,00	10,47
SQUARE-HEADED FITTING 15 WITH HOLE Ø6 2 WAYS / CHROMIUM-PLATED	B16605CR	N.	10,50	12,22

RE-USABLE ALUMINIUM FITTINGS FOR INTERNAL Ø 1/8" HOSE

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
BRASS NIPPLE FOR RE-USABLE 1/8" FITTINGS	B16201	N.	0,80	0,93
ALUMINIUM NUT FOR RE-USABLE 1/8" BLUE ALUMINIUM FITTINGS	B16202AL-BL	N.	2,50	2,91
ALUMINIUM NUT FOR RE-USABLE 1/8" BLACK ALUMINIUM FITTINGS	B16202AL-NE	N.	2,50	2,91
ALUMINIUM NUT FOR RE-USABLE 1/8" RED ALUMINIUM FITTINGS	B16202AL-RO	N.	2,50	2,91
RE-USABLE STRAIGHT BANJO FITTING Ø10 / BLUE ALUMINIUM	B16205AL-BL	N.	4,83	5,62
RE-USABLE STRAIGHT BANJO FITTING Ø10 / BLACK ALUMINIUM	B16205AL-NE	N.	4,83	5,62
RE-USABLE STRAIGHT BANJO FITTING Ø10 / RED ALUMINIUM	B16205AL-RO	N.	4,83	5,62
RE-USABLE STRAIGHT BANJO FITTING Ø11 / RED ALUMINIUM	B16206AL-RO	N.	4,83	5,62
RE-USABLE BANJO FITTING 15° Ø10 / BLUE ALUMINIUM	B16210AL-BL	N.	4,83	5,62
RE-USABLE BANJO FITTING 15° Ø10 / BLACK ALUMINIUM	B16210AL-NE	N.	4,83	5,62
RE-USABLE BANJO FITTING 15° Ø10 / RED ALUMINIUM	B16210AL-RO	N.	4,83	5,62
RE-USABLE BANJO FITTING 30° Ø10 / BLUE ALUMINIUM	B16215AL-BL	N.	5,42	6,31
RE-USABLE BANJO FITTING 30° Ø10 / BLACK ALUMINIUM	B16215AL-NE	N.	5,42	6,31
RE-USABLE BANJO FITTING 30° Ø10 / RED ALUMINIUM	B16215AL-RO	N.	5,42	6,31
RE-USABLE BANJO FITTING 90° Ø10 / BLUE ALUMINIUM	B16220AL-BL	N.	6,33	7,36
RE-USABLE BANJO FITTING 90° Ø10 / BLACK ALUMINIUM	B16220AL-NE	N.	6,33	7,36
RE-USABLE BANJO FITTING 90° Ø10 / RED ALUMINIUM	B16220AL-RO	N.	6,33	7,36
RE-USABLE BANJO FITTING 45° Ø10 / BLUE ALUMINIUM	B16221AL-BL	N.	6,33	7,36
RE-USABLE BANJO FITTING 45° Ø10 / BLACK ALUMINIUM	B16221AL-NE	N.	6,33	7,36
RE-USABLE BANJO FITTING 45° Ø10 / RED ALUMINIUM	B16221AL-RO	N.	6,33	7,36
RE-USABLE MALE FITTING, NOT SWIVELING 10X1 / RED ALUMINIUM	B16235AL-RO	N.	4,83	5,62
RE-USABLE MALE FITTING, NOT SWIVELING 10X1 / BLACK ALUMINIUM	B16235AL-NE	N.	4,83	5,62
RE-USABLE MALE FITTING, NOT SWIVELING 10X1,25/ RED ALUMINIUM	B16236AL-RO	N.	4,83	5,62
RE-USABLE MALE FITTING, NOT SWIVELING 3/8" HARLEY DAV. / RED ALUMINIUM	B16238AL-RO	N.	5,22	6,07
RE-USABLE SWIVELING MALE FITTING 10X1 / RED OR BLUE ALUMINIUM	B16240AL	N.	6,33	7,36

RE-USABLE SWIVELING MALE FITTING 10X1 / BLACK ALUMINIUM	B16240AL-NE	N.	6,33	7,36
RE-USABLE SWIVELING MALE FITTING 10X1,25 / RED OR BLUE ALUMINIUM	B16241AL	N.	6,33	7,36
RE-USABLE SWIVELING MALE FITTING 10X1,25 / BLACK ALUMINIUM	B16241AL-NE	N.	6,33	7,36
RE-USABLE SWIVELING MALE FITTING 3/8" HARLEY DAV./ RED OR BLUE ALUMINIUM	B16242AL	N.	6,85	7,97
RE-USABLE SWIVELING MALE FITTING 3/8" HARLEY DAV./ BLACK ALUMINIUM	B16242AL-NE	N.	6,85	7,97
RE-USABLE SWIVELING MALE FITTING 90° 10X1 / RED OR BLUE ALUMINIUM	B16245AL	N.	6,33	7,36
RE-USABLE SWIVELING MALE FITTING 90° 10X1,25 / RED OR BLUE ALUMINIUM	B16246AL	N.	6,33	7,36
RE-USABLE SWIVELING MALE FITTING 3/8" 24F 90° / RED OR BLUE ALUMINIUM	B16247AL	N.	6,33	7,36
RE-USABLE FEMALE FITTING, NOT SWIVELING 10X1 / RED ALUMINIUM	B16250AL-RO	N.	4,83	5,62
RE-USABLE FEMALE FITTING, NOT SWIVELING 10X1,25 / RED ALUMINIUM	B16251AL-RO	N.	4,83	5,62
RE-USABLE FEMALE FITTING, NOT SWIVELING 3/8" HARLEY DAV. / RED ALUMINIUM	B16252AL-RO	N.	5,35	6,22
RE-USABLE SWIVELING FEMALE FITTING 10X1 / RED OR BLUE ALUMINIUM	B16255AL	N.	4,83	5,62
RE-USABLE SWIVELING FEMALE FITTING 10X1 / BLACK ALUMINIUM	B16255AL-NE	N.	4,83	5,62
RE-USABLE SWIVELING FEMALE FITTING 10X1,25 / RED OR BLUE ALUMINIUM	B16256AL	N.	4,83	5,62
RE-USABLE SWIVELING FEMALE FITTING 10X1,25 / BLACK ALUMINIUM	B16256AL-NE	N.	4,83	5,62
RE-USABLE SWIVELING FEMALE FITTING 90° 10X1 / RED OR BLUE ALUMINIUM	B16265AL	N.	6,33	7,36
RE-USABLE SWIVELING FEMALE FITTING 90° 10X1,25 / RED OR BLUE ALUMINIUM	B16266AL	N.	6,33	7,36
RE-USABLE BANJO FITTING 30° Ø10 / BLUE ALUMINIUM	B16270AL-BL	N.	5,53	6,43
RE-USABLE BANJO FITTING 30° Ø10 / BLACK ALUMINIUM	B16270AL-NE	N.	5,53	6,43
RE-USABLE BANJO FITTING 30° Ø10 / RED ALUMINIUM	B16270AL-RO	N.	5,53	6,43
RE-USABLE BANJO FITTING 45° Ø10 / BLUE ALUMINIUM	B16273AL-BL	N.	6,33	7,36
RE-USABLE BANJO FITTING 45° Ø10 / BLACK ALUMINIUM	B16273AL-NE	N.	6,33	7,36
RE-USABLE BANJO FITTING 45° Ø10 / RED ALUMINIUM	B16273AL-RO	N.	6,33	7,36
RE-USABLE BANJO FITTING 90° Ø10 / BLUE ALUMINIUM	B16276AL-BL	N.	6,51	7,57
RE-USABLE BANJO FITTING 90° Ø10 / BLACK ALUMINIUM	B16276AL-NE	N.	6,51	7,57
RE-USABLE BANJO FITTING 90° Ø10 / RED ALUMINIUM	B16276AL-RO	N.	6,51	7,57
3-WAY RE-USABLE CONNECTOR / RED ALUMINIUM	B16280AL-RO	N.	14,00	16,29
3-WAY RE-USABLE CONNECTOR / BLACK ALUMINIUM	B16280AL-NE	N.	14,00	16,29
RE-USABLE BANJO FITTING 30° Ø11,3 / RED ALUMINIUM	B16293AL-RO	N.	6,33	7,36

RE-USABLE BANJO FITTING 45° Ø11,3 / RED ALUMINIUM	B16294AL-RO	N.	6,33	7,36
RE-USABLE BANJO FITTING 90° Ø11,3 / RED ALUMINIUM	B16295AL-RO	N.	6,33	7,36
SQUARE-HEADED FITTING 15 HOLE Ø6 3-WAYS / BLACK ALUMINIUM	B16297AL-NE	N.	13,40	15,59
SQUARE-HEADED FITTING 15 HOLE Ø6 3-WAYS / RED ALUMINIUM	B16297AL-RO	N.	13,40	15,59
SQUARE-HEADED FITTING 15 HOLE Ø6 3-WAYS / BLUE ALUMINIUM	B16297AL-BL	N.	13,40	15,59
SQUARE-HEADED FITTING - 15 HOLE Ø6 3-WAYS (1 WAY M10X1 - FEMALE SEAL) / RED ALUMINIUM	B16298/C-ALRO	N.	13,30	15,47
SQUARE-HEADED FITTING - 15 HOLE Ø6 3-WAYS (1 WAY M10X1 - MALE SEAL) / RED ALUMINIUM	B16298AL-RO	N.	13,30	15,47
SQUARE-HEADED FITTING - 15 HOLE Ø6 2-WAYS (1 WAY M10X1 - FEMALE SEAL) / RED ALUMINIUM	B16299/C-ALRO	N.	10,46	12,17
SQUARE-HEADED FITTING - 15 HOLE Ø6 2-WAYS (1 WAY M10X1 - MALE SEAL) / RED ALUMINIUM	B16299AL-RO	N.	10,46	12,17
RE-USABLE BANJO FITTING 15° Ø11,3 / BLACK ALUMINIUM	B16305AL-NE	N.	6,33	7,36

SCREWS FOR BRAKES

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
ZINC-PLATED BOLT 6X1	B19000	N.	8,50	9,89
WHITE ZINC-PLATED BOLT 10X1	B19001	N.	1,10	1,28
BLUE ALUMINIUM BOLT 10X1	B19001AL-BL	N.	1,80	2,09
BLACK ALUMINIUM BOLT 10X1	B19001AL-NE	N.	1,80	2,09
RED ALUMINIUM BOLT 10X1	B19001AL-RO	N.	1,80	2,09
CHROMIUM-PLATED BOLT 10X1	B19001CR	N.	1,70	1,98
INOX-STAINLESS STEEL BOLT 10X1	B19001INOX	N.	4,20	4,89
TITANIUM BOLT 10X1	B19001TI	N.	26,80	31,18
ZINC-PLATED BOLT 10X1,25	B19002	N.	1,10	1,28
BLUE ALUMINIUM BOLT 10X1,25	B19002AL-BL	N.	1,80	2,09
BLACK ALUMINIUM BOLT 10X1,25	B19002AL-NE	N.	1,80	2,09
RED ALUMINIUM BOLT 10X1,25	B19002AL-RO	N.	1,80	2,09
CHROMIUM-PLATED BOLT 10X1,25	B19002CR	N.	1,70	1,98
INOX-STAINLESS STEELBOLT 10X1,25	B19002INOX	N.	4,20	4,89
BOLT 10X1,25 TITANIUM	B19002TI	N.	26,80	31,18
1/8" ZINC-PLATED BOLT	B19003	N.	1,10	1,28
1/8" CHROMIUM-PLATED BOLT	B19003CR	N.	1,70	1,98
ZINC-PLATED BOLT 8X1	B19004	N.	2,80	3,26
BOLT 8X1 - BLUE ALUMINIUM	B19004AL-BL	N.	4,20	4,89
BOLT 8X1 - RED ALUMINIUM	B19004AL-RO	N.	4,20	4,89
CHROMIUM-PLATED BOLT 8X1	B19004CR	N.	1,70	1,98
DOUBLE BOLT 10X1 / ZINC-PLATED	B19005	N.	1,70	1,98
DOUBLE BOLT 10x1 / BLUE ALUMINIUM	B19005AL-BL	N.	2,75	3,20
DOUBLE BOLT 10X1 / BLACK ALUMINIUM	B19005AL-NE	N.	2,75	3,20
DOUBLE BOLT 10X1 / RED ALUMINIUM	B19005AL-RO	N.	2,75	3,20

DOUBLE BOLT 10X1 / CHROMIUM-PLATED	B19005CR	N.	2,35	2,73
DOUBLE BOLT 10X1 / INOX-STAINLESS STEEL	B19005INOX	N.	7,70	8,96
DOUBLE BOLT 10X1 / TITANIUM	B19005TI	N.	38,00	44,21
DOUBLE BOLT 10X1,25 / ZINC-PLATED	B19006	N.	1,70	1,98
DOUBLE BOLT 10X1,25 / BLUE ALUMINIUM	B19006AL-BL	N.	2,75	3,20
DOUBLE BOLT 10X1,25 / BLACK ALUMINIUM	B19006AL-NE	N.	2,75	3,20
DOUBLE BOLT 10X1,25 / RED ALUMINIUM	B19006AL-RO	N.	2,75	3,20
DOUBLE BOLT 10X1,25 / CHROMIUM-PLATED	B19006CR	N.	2,35	2,73
DOUBLE BOLT 10X1,25 / INOX STAINLESS STEEL	B19006INOX	N.	7,70	8,96
DOUBLE BOLT 10X1,25 / TITANIUM	B19006TI	N.	38,00	44,21
BOLT WITH BLEED 10X1 / WHITE ZINC-PLATED	B19007	N.	1,90	2,21
BOLT WITH BLEED 10X1 / BLUE ALUMINIUM	B19007AL-BL	N.	2,90	3,37
BOLT WITH BLEED 10X1 / BLACK ALUMINIUM	B19007AL-NE	N.	2,90	3,37
BOLT WITH BLEED 10X1 / RED ALUMINIUM	B19007AL-RO	N.	2,90	3,37
BOLT WITH BLEED 10X1 / CHROMIUM-PLATED	B19007CR	N.	2,85	3,32
BOLT WITH BLEED 10X1 / YELLOW ZINC-PLATED	B19007ZG	N.	1,90	2,21
BOLT WITH BLEED 10X1,25 / ZINC-PLATED	B19008	N.	1,90	2,21
BOLT WITH BLEED 10X1,25 / BLUE ALUMINIUM	B19008AL-BL	N.	2,90	3,37
BOLT WITH BLEED 10X1,25 / BLACK ALUMINIUM	B19008AL-NE	N.	2,90	3,37
BOLT WITH BLEED 10X1,25 / RED ALUMINIUM	B19008AL-RO	N.	2,90	3,37
BOLT WITH BLEED 10X1,25 / CHROMIUM-PLATED	B19008CR	N.	2,95	3,43
DOUBLE BOLT WITH BLEED 10X1 / ZINC-PLATED	B19009	N.	2,75	3,20
DOUBLE BOLT WITH BLEED 10X1 / BLUE ALUMINIUM	B19009AL-BL	N.	4,20	4,89
DOUBLE BOLT WITH BLEED 10X1 / BLACK ALUMINIUM	B19009AL-NE	N.	4,20	4,89
DOUBLE BOLT WITH BLEED 10X1 / RED ALUMINIUM	B19009AL-RO	N.	4,20	4,89
DOUBLE BOLT WITH BLEED 10X1 / CHROMIUM-PLATED	B19009CR	N.	4,10	4,77
DOUBLE BOLT WITH BLEED 10X1,25 / ZINC-PLATED	B19010	N.	2,75	3,20
DOUBLE BOLT WITH BLEED 10X1,25 / BLUE ALUMINIUM	B19010AL-BL	N.	4,20	4,89
DOUBLE BOLT WITH BLEED 10X1,25 / BLACK ALUMINIUM	B19010AL-NE	N.	4,20	4,89

DOUBLE BOLT WITH BLEED 10X1,25 / RED ALUMINIUM	B19010AL-RO	N.	4,20	4,89
DOUBLE BOLT WITH BLEED 10X1,25 / CHROMIUM-PLATED	B19010CR	N.	4,10	4,77
BOLT 3/8" 24 THREAD (HARLEY DAVIDSON) / ZINC-PLATED	B19012	N.	1,10	1,28
BOLT 3/8" 24 THREAD (HARLEY DAVIDSON) / BLUE ALUMINIUM	B19012AL-BL	N.	1,80	2,09
BOLT 3/8" 24 THREAD (HARLEY DAVIDSON) / BLACK ALUMINIUM	B19012AL-NE	N.	1,80	2,09
BOLT 3/8" 24 THREAD (HARLEY DAVIDSON) / RED ALUMINIUM	B19012AL-RO	N.	1,80	2,09
BOLT 3/8" 24 THREAD (HARLEY DAVIDSON) / CHROMIUM-PLATED	B19012CR	N.	1,70	1,98
BOLT (HARLEY DAVIDSON) Ø11,3 / NATURAL SILVER ALUMINIUM COLOUR	B19013AL	N.	3,00	3,49
BOLT (HARLEY DAVIDSON) Ø11,3 / BLUE ALUMINIUM	B19013AL-BL	N.	3,50	4,07
BOLT (HARLEY DAVIDSON) Ø11,3 / RED ALUMINIUM	B19013AL-RO	N.	3,50	4,07
BOLT 7/32" Ø11,3 CHROMIUM-PLATED	B19013CR	N.	3,00	3,49
BOLT 8X1,25 AVP	B19016	N.	1,20	1,40
BOLT 8X1,25 / CHROMIUM-PLATED	B19016CR	N.	2,10	2,44
BOLT 1/8" GAS CH.13 / BLACK ALUMINIUM	B19018AL-NE	N.	2,80	3,26
BOLT 12X1 CH.17	B19019	N.	3,60	4,19
BOLT 12X1,5 / ZINC-PLATED	B19020	N.	3,50	4,07
BOLT 14X1,5 / ZINC-PLATED	B19021	N.	4,20	4,89
BOLT 14X1,5 / BLACK ALUMINIUM	B19021AL-NE	N.	5,60	6,52
BOLT 14X1,5 / RED ALUMINIUM	B19021AL-RO	N.	5,60	6,52
BOLT 16X1,5 / ZINC-PLATED	B19022	N.	2,60	3,03
BOLT 16X1,5 / BLACK ALUMINIUM	B19022AL-NE	N.	5,80	6,75
BOLT 16X1,5 / RED ALUMINIUM	B19022AL-RO	N.	5,80	6,75
DOUBLE BOLT 1/8" - LOWER HEAD WITH GROOVE	B19024	N.	9,10	10,59
DOUBLE BOLT 1/8" GAS / ZINC-PLATED	B19025	N.	9,10	10,59
DOUBLE BOLT 1/8" GAS / BLACK ALUMINIUM	B19025AL-NE	N.	10,50	12,22
DOUBLE BOLT 12X1,5 / ZINC-PLATED	B19030	N.	3,30	3,84
DOUBLE BOLT 14X1,5 / ZINC-PLATED	B19031	N.	3,50	4,07
DOUBLE BOLT 16X1,5 / ZINC-PLATED	B19032	N.	4,60	5,35
BOLT 1/4" GAS	B19033	N.	2,10	2,44

BOLT CH.19 M 12X1,25 / BLUE ALUMINIUM	B19034AL-BL	N.	5,00	5,82
BOLT CH.19 M 12X1,25 / BLACK ALUMINIUM	B19034AL-NE	N.	5,00	5,82
BOLT CH.19 M 12X1,25 / RED ALUMINIUM	B19034AL-RO	N.	5,00	5,82

WASHERS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
COPPER WASHER, ZINC-PLATED 8X13X1,5	B22000	N.	0,20	0,23
COPPER WASHER, ZINC-PLATED 10X14X1,5	B22001	N.	0,20	0,23
ALUMINIUM WASHER 10X14X1,5	B22001AL	N.	0,20	0,23
COPPER WASHER, ZINC-PLATED 11,3X14X1,5	B22003	N.	0,80	0,93
COPPER WASHER, ZINC-PLATED 12X18X1,5	B22004	N.	0,90	1,05
ALUMINIUM WASHER 12X18X1,5	B22004AL	N.	0,90	1,05
COPPER WASHER, ZINC-PLATED 16X22X1,5	B22006	N.	0,95	1,11
ALUMINIUM WASHER 16X22X1,5	B22006AL	N.	0,95	1,11
ALUMINIUM WASHER 14X18X1,5	B22008AL	N.	0,95	1,11
ALUMINIUM WASHER 16X20X1,5	B22009AL	N.	1,50	1,75

VARIOUS RUBBER PARTS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
HOSE PROTECTION	B21005	N.	0,46	0,54
RUBBER CAP	B21007	N.	1,81	2,11
RUBBER PROTECTION EXT.Ø23.5X9 WITH GROOVE 2MM.	B21008	N.	1,45	1,69
RUBBER PROTECTION Ø14X21 HOLE 7	B21010	N.	0,57	0,66
REEL HOSE PROTECTION	B21010-10	N.	0,88	1,02
REEL HOSE PROTECTION	B21010-7	N.	1,26	1,47
RUBBER PROTECTION L=40 MM FOR ØEXT.7,5 HOSE	B21015	N.	0,46	0,54
RUBBER PROTECTION L=40 MM. FOR ØEXT. 8 HOSE	B21015A	N.	0,46	0,54
RUBBER PROTECTION L=60 MM	B21016	N.	0,57	0,66
STRAIGHT CALIPER'S COVER	B21020	N.	0,85	0,99
STRAIGHT MASTER CYLINDER'S COVER	B21025	N.	1,21	1,41
RUBBER PROTECTION HOLE Ø 10	B21029	N.	0,37	0,43
90° MASTER CYLINDER'S COVER	B21030	N.	1,58	1,84
STRAIGHT MASTER CYLINDER'S COVER	B21031	N.	1,39	1,62
RUBBER PROTECTION HOLE Ø 8	B21032	N.	1,58	1,84
RUBBER PROTECTION L=29 MM.	B21100	N.	0,57	0,66
CAR RUBBER PROTECTION ØINT. 7,5 - Ø EXT. 39	B21102	N.	1,50	1,75

HOSE CLAMPS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
		CURRENT EXCHANGE RATE €/€ = 1,1635		
HOSE CLAMP HOLE 6 - HOSE PASSAGE 8	B21035	N.	1,85	2,15
HOSE CLAMP HOLE 8 - HOSE PASSAGE 10	B21035-10	N.	2,15	2,50
HOSE CLAMP INOX 316 - 8/14	B21041*	N.	4,80	5,58
HOSE CLAMP INOX 316 - 11/17	B21042*	N.	4,50	5,24
HOSE CLAMP INOX 316 - 15/24	B21043*	N.	4,80	5,58
HOSE CLAMP INOX 316 - 19/28	B21044*	N.	4,80	5,58
HOSE CLAMP / BLUE ALUMINIUM Ø5 TUBO Ø6/7,5	B21150*	N.	3,00	3,49
HOSE CLAMP / RED ALUMINIUM Ø5 TUBO Ø6/7,5	B21151*	N.	3,00	3,49
HOSE CLAMP / BLACK ALUMINIUM Ø5 TUBO Ø6/7,5	B21152*	N.	3,00	3,49
* MINIMO 6 PZ.				
SPRING HOSE CLAMP FOR ITEM A05010 Ø 9,8X10,4 (20 PC.)	B21045	N.	5,00	5,82

SPRINGS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
		CURRENT EXCHANGE RATE €/€ = 1,1635		
SPRING 12X14 L=1000 MM. / CHROMIUM-PLATED	B26002CR	N.	15,00	17,45

PLIERS AND TOOLS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
		CURRENT EXCHANGE RATE €/€ = 1,1635		
HOSE PLIER 1/8"	PT010	N.	30,00	34,91
SPARE BLADES FOR HOSE PLIER PT010 (2PC.)	PT011	N.	20,00	23,27
TOOL TO ENLARGE INTERNAL Ø 1/8" HOSES HOLE	UT012	N.	12,00	13,96
TOOL TO ENLARGE INTERNAL Ø 3/8" HOSES HOLE	UT013	N.	15,00	17,45
ELECTRIC HOSE CUTTER WITH CE TRADEMARK	UT014	N.	594,00	691,12
SPRAY LUBRICATING GREASE - 400 ML CAN (NET) ASSEMBLY FITTINGS AND TO LUBRICATE SEALS AND THREADS	LU001	N.	15,00	17,45

RE-USABLE STEEL AND ALUMINIUM FITTINGS FOR INTERNAL Ø 3/8" HOSE - JOINTS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
		CURRENT EXCHANGE RATE €/\$ = 1,1635		
BRASS NIPPLE FOR RE-USABLE 3/8" FITTINGS	B17001	N.	1,30	1,51
NUT FOR RE-USABLE 3/8" FITTINGS	B17002	N.	2,00	2,33
NUT FOR RE-USABLE 3/8" FITTINGS / BLUE ALUMINIUM	B17002AL-BL	N.	2,60	3,03
NUT FOR RE-USABLE 3/8" FITTINGS / RED ALUMINIUM	B17002AL-RO	N.	2,60	3,03
RE-USABLE SWIVELING FEMALE FITTING 9/16" 18 UNF	B17003	N.	4,60	5,35
RE-USABLE SWIVELING FEMALE FITTING 9/16" 18 UNF / RED OR BLUE ALUMINIUM	B17003AL	N.	5,50	6,40
RE-USABLE FITTING FOR Ø10 SMOOTH PIN	B17006	N.	7,75	9,02
RE-USABLE FITTING FOR Ø12 SMOOTH PIN	B17007	N.	7,75	9,02
RE-USABLE MALE FITTING 9/16" 18 UNF - BANJO Ø12	B17008	N.	9,10	10,59
RE-USABLE MALE FITTING 9/16" 18 UNF - BANJOØ12 / BLUE ALUMINIUM	B17008AL-BL	N.	12,00	13,96
RE-USABLE MALE FITTING 9/16" 18 UNF - BANJO Ø14	B17009	N.	9,30	10,82
RE-USABLE MALE FITTING 9/16" 18 UNF - BANJO Ø14 / BLUE ALUMINIUM	B17009AL-BL	N.	12,00	13,96
RE-USABLE MALE FITTING 9/16" 18UNF - BANJO Ø14 / BLACK ALUMINIUM	B17009AL-NE	N.	12,00	13,96
RE-USABLE MALE FITTING 9/16" 18 UNF - BANJO Ø16	B17010	N.	10,50	12,22
RE-USABLE MALE FITTING 9/16" 18 UNF - BANJO Ø16 / BLUE ALUMINIUM	B17010AL-BL	N.	12,50	14,54
RE-USABLE MALE FITTING 9/16" 18 UNF - BANJO Ø18	B17011	N.	11,65	13,55
SWIVELING MALE-FEMALE 45° 9/16" 18 UNF	B17012	N.	7,15	8,32
SWIVELING MALE-FEMALE 45° 9/16"18 UNF / RED OR BLUE ALUMINIUM	B17012AL	N.	9,10	10,59
SWIVELING MALE-FEMALE 45° 9/16" UNF / BLACK ALUMINIUM	B17012AL-NE	N.	9,10	10,59
SWIVELING MALE-FEMALE 90° 9/16" 18 UNF	B17013	N.	7,15	8,32
SWIVELING MALE-FEMALE 90°9/16" 18 UNF / RED OR BLUE ALUMINIUM	B17013AL	N.	9,10	10,59
SWIVELING MALE-FEMALE 90°9/16"18 UNF / BLACK ALUMINIUM	B17013AL-NE	N.	9,10	10,59
SWIVELING FEMALE-FEMALE 45° 9/16" 18 UNF	B17014	N.	5,20	6,05
SWIVELING FEMALE-FEMALE 45° 9/16" 18 UNF / RED OR BLUE ALUMINIUM	B17014AL	N.	6,50	7,56
NIPPLE 9/16"	B17015	N.	2,10	2,44

NIPPLE 9/16" / BLUE ALUMINIUM	B17015AL-BL	N.	3,90	4,54
JOINT 9/16" - 1/4"	B17016	N.	2,10	2,44
JOINT 9/16" - 14X1,5	B17017	N.	3,70	4,30
JOINT 9/16"-14X1,5 / BLUE ALUMINIUM	B17017AL-BL	N.	4,00	4,65
JOINT 9/16" - 14X1,5 / BLACK ALUMINIUM	B17017AL-NE	N.	4,00	4,65
JOINT 9/16"-14X1,5 / RED ALUMINIUM	B17017AL-RO	N.	4,00	4,65
JOINT 9/16" - 3/8"	B17018	N.	2,40	2,79
JOINT 9/16" - 1/2"	B17019	N.	2,60	3,03
JOINT 3/4" 16 UNF	B17020	N.	2,00	2,33
JOINT 3/4" 16 UNF / BLUE ALUMINIUM	B17020AL-BL	N.	8,00	9,31
JOINT 3/4" 16 UNF / BLACK ALUMINIUM	B17020AL-NE	N.	8,00	9,31
JOINT 3/4" 16 UNF / RED ALUMINIUM	B17020AL-RO	N.	8,00	9,31
JOINT 9/16" - M 16X1,5	B17021	N.	3,50	4,07
JOINT 9/16" - M 16X1,5 / BLUE ALUMINIUM	B17021AL-BL	N.	4,15	4,83
JOINT 9/16" - M 16X1,5 / BLACK ALUMINIUM	B17021AL-NE	N.	4,15	4,83
NIPPLE 10X1 - 1/8" GAS / BLUE ALUMINIUM	B17022AL-BL	N.	3,00	3,49
NIPPLE 10X1 - 1/8" GAS / BLACK ALUMINIUM	B17022AL-NE	N.	3,00	3,49
NIPPLE 10X1 - 1/8" GAS / RED ALUMINIUM	B17022AL-RO	N.	3,00	3,49
MALE/FEMALE JOINT 90° 3/4"16 UNF / BLACK ALUMINIUM	B17023AL-NE	N.	20,00	23,27
JOINT 3/4" UNF / 18,5 FOR O-RING - ENGINE CONNECTION MV AGUSTA / BLUE ALUMINIUM	B17024AL-BL	N.	12,00	13,96
JOINT 3/4" UNF / 18,5 FOR O-RING - ENGINE CONNECTION MV AGUSTA / BLACK ALUMINIUM	B17024AL-NE	N.	12,00	13,96
JOINT 3/4" UNF / 18,5 FOR O-RING - ENGINE CONNECTION MV AGUSTA / RED ALUMINIUM	B17024AL-RO	N.	12,00	13,96
"T-FITTING" MALE/ 2 SWIVELING FEMALES 9/16" 18 UNF	B17100AL	N.	11,65	13,55
4-WAYS FITTING MALE/ 3 SWIVELING FEMALES 9/16" 18 UNF / ALUMINIUM	B17101AL	N.	14,20	16,52
3-WAYS FITTING MALE/ 2 SWIVELING FEMALES 9/16" 18 UNF / ALUMINIUM	B17102AL	N.	12,00	13,96
FLANGE AXLE BASE FITTING - 28 GROOVE FOR O-RING M9/16"18UNF	B17103AL	N.	13,00	15,13
FLANGE AXLE BASE FITTING - 28 SMOOTH M9/16" 18 UNF	B17104AL	N.	13,00	15,13

"T" FITTINGS, JOINTS AND ADAPTERS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
STRAIGHT BANJO ADAPTER Ø8 / BLUE ALUMINIUM	170004AL-BL	N.	4,50	5,24
STRAIGHT BANJO ADAPTER Ø8 / BLACK ALUMINIUM	170004AL-NE	N.	4,50	5,24
STRAIGHT BANJO ADAPTER Ø8 / RED ALUMINIUM	170004AL-RO	N.	4,50	5,24
STRAIGHT BANJO ADAPTER Ø10 / BLUE ALUMINIUM	170005AL-BL	N.	4,50	5,24
STRAIGHT BANJO ADAPTER Ø10 / BLACK ALUMINIUM	170005AL-NE	N.	4,50	5,24
STRAIGHT BANJO ADAPTER Ø10 / RED ALUMINIUM	170005AL-RO	N.	4,50	5,24
CHROMIUM-PLATED STRAIGHT BANJO ADAPTER Ø10	170005CR	N.	3,65	4,25
INOX-STAINLESS STEEL STRAIGHT BANJO ADAPTER Ø10 L=42	170005INOX-L	N.	5,00	5,82
STRAIGHT BANJO ADAPTER Ø11,3 / BLUE ALUMINIUM	170006AL-BL	N.	5,20	6,05
STRAIGHT BANJO ADAPTER Ø11,3 / CHROMIUM-PLATED	170006CR	N.	4,10	4,77
STRAIGHT BANJO ADAPTER Ø12 / BLUE ALUMINIUM	170007AL-BL	N.	6,20	7,21
STRAIGHT BANJO ADAPTER Ø12 / BLACK ALUMINIUM	170007AL-NE	N.	6,20	7,21
STRAIGHT BANJO ADAPTER Ø12 / RED ALUMINIUM	170007AL-RO	N.	6,20	7,21
STRAIGHT BANJO ADAPTER Ø12 / CHROMIUM-PLATED	170007CR	N.	4,10	4,77
BANJO ADAPTER 15° Ø10 / BLUE ALUMINIUM	170010AL-BL	N.	4,50	5,24
BANJO ADAPTER 15° Ø10 / BLACK ALUMINIUM	170010AL-NE	N.	4,50	5,24
BANJO ADAPTER 15° Ø10 / RED ALUMINIUM	170010AL-RO	N.	4,50	5,24
BANJO ADAPTER 15° Ø10 / CHROMIUM-PLATED	170010CR	N.	3,65	4,25
BANJO ADAPTER 15° Ø10 L=42 / INOX-STAINLESS STEEL	170010INOX-L	N.	5,50	6,40
BANJO ADAPTER 30° Ø10 / BLUE ALUMINIUM	170015AL-BL	N.	5,10	5,93
BANJO ADAPTER 30° Ø10 / BLACK ALUMINIUM	170015AL-NE	N.	5,10	5,93
BANJO ADAPTER 30° Ø10 / RED ALUMINIUM	170015AL-RO	N.	5,10	5,93
BANJO ADAPTER 30° Ø10 / CHROMIUM-PLATED	170015CR	N.	4,10	4,77
BANJO ADAPTER 30° Ø10 / INOX-STAINLESS STEEL	170015INOX	N.	5,50	6,40
BANJO ADAPTER 45° Ø10 / BLUE ALUMINIUM	170020AL-BL	N.	6,00	6,98

BANJO ADAPTER 45° Ø10 / BLACK ALUMINIUM	170020AL-NE	N.	6,00	6,98
BANJO ADAPTER 45° Ø10 / RED ALUMINIUM	170020AL-RO	N.	6,00	6,98
BANJO ADAPTER 45° Ø10 / CHROMIUM-PLATED	170020CR	N.	4,70	5,47
BANJO ADAPTER 45° Ø10 / INOX-STAINLESS STEEL	170020INOX	N.	5,50	6,40
BANJO ADAPTER 90° Ø10 / BLUE ALUMINIUM	170021AL-BL	N.	6,10	7,10
BANJO ADAPTER 90° Ø 10 / BLACK ALUMINIUM	170021AL-NE	N.	6,10	7,10
BANJO ADAPTER 90° Ø10 / RED ALUMINIUM	170021AL-RO	N.	6,10	7,10
BANJO ADAPTER 90° Ø10 / CHROMIUM-PLATED	170021CR	N.	4,80	5,58
BANJO ADAPTER 90° Ø10 INOX-STAINLESS STEEL	170021INOX	N.	7,00	8,14
NIPPLE 9/16"-9/16" UNF 18F.	170022	N.	4,50	5,24
NIPPLE 10X1 / STEEL	170023	N.	1,65	1,92
NIPPLE 10X1 / BLUE ALUMINIUM	170023AL-BL	N.	2,20	2,56
NIPPLE 10X1 / BLACK ALUMINIUM	170023AL-NE	N.	2,20	2,56
NIPPLE 10x1 / RED ALUMINIUM	170023AL-RO	N.	2,20	2,56
NIPPLE 10X1 / CHROMIUM-PLATED	170023CR	N.	2,35	2,73
NIPPLE M10X1 - M10X1,25 / STEEL	170024	N.	1,65	1,92
NIPPLE M10X1 - M10X1,25 / BLUE ALUMINIUM	170024AL-BL	N.	2,20	2,56
NIPPLE M10X1 - M10X1,25 / BLACK ALUMINIUM	170024AL-NE	N.	2,20	2,56
NIPPLE M10X1 - M10X1,25 / RED ALUMINIUM	170024AL-RO	N.	2,20	2,56
NIPPLE M10X1 - M10X1,25 / CHROMIUM-PLATED	170024CR	N.	2,35	2,73
NIPPLE MF 10X1	170025	N.	2,00	2,33
NIPPLE MF 10X1 - SHORT TYPE / BLACK ZINC-PLATED	170025/ZN	N.	2,00	2,33
NIPPLE MF 10X1 / BLUE ALUMINIUM	170025AL-BL	N.	2,75	3,20
NIPPLE MF 10X1 / BLACK ALUMINIUM	170025AL-NE	N.	2,75	3,20
NIPPLE MF 10X1 / RED ALUMINIUM	170025AL-RO	N.	2,75	3,20
NIPPLE MF 10X1 / CHROMIUM-PLATED	170025CR	N.	2,85	3,32
NIPPLE MF 10X1 / INOX-STAINLESS STEEL	170025INOX	N.	6,00	6,98
ADAPTER M10X1 - 3/8" UNF / STEEL	170026	N.	2,15	2,50
ADAPTER M10X1 - 3/8" UNF / BLUE ALUMINIUM	170026AL-BL	N.	4,50	5,24

ADAPTER M10X1 - 3/8" UNF / BLACK ALUMINIUM	170026AL-NE	N.	4,50	5,24
ADAPTER M10X1 - 3/8" UNF / RED ALUMINIUM	170026AL-RO	N.	4,50	5,24
ADAPTER M10X1 - 3/8" UNF / CHROMIUM-PLATED	170026CR	N.	2,80	3,26
NIPPLE M10X1 - M 1/8" NPT	170027	N.	2,15	2,50
NIPPLE M10X1 - M 1/8" NPT / CHROMIUM-PLATED	170027CR	N.	2,80	3,26
NIPPLE M 9/16" - M 1/8" NPT	170028	N.	2,60	3,03
NIPPLE M 9/16" - M 1/8" NPT / CHROMIUM-PLATED	170028CR	N.	3,20	3,72
JOINT 90° MF 1/8" NPT	170029	N.	3,90	4,54
JOINT 90° MF 1/8" NPT / CHROMIUM-PLATED	170029CR	N.	4,60	5,35
SHORT/LONG ADAPTER 10X1 / STEEL	170031	N.	2,15	2,50
SHORT/LONG ADAPTER 10X1 / CHROMIUM-PLATED	170031CR	N.	2,80	3,26
ADAPTER 10X1 SHORT - 3/8" LONG / STEEL	170032	N.	2,15	2,50
ADAPTER 10X1 SHORT - 3/8" LONG / CHROMIUM-PLATED	170032CR	N.	2,80	3,26
NIPPLE M 10X1 CH.14 L=23 MM.	170033	N.	1,60	1,86
BANJO ADAPTER 60° Ø10 / BLUE ALUMINIUM	170035AL-BL	N.	6,10	7,10
BANJO ADAPTER 60° Ø10 / BLACK ALUMINIUM	170035AL-NE	N.	6,10	7,10
BANJO ADAPTER 60° Ø10 / RED ALUMINIUM	170035AL-RO	N.	6,10	7,10
BANJO ADAPTER 60° Ø10 / CHROMIUM-PLATED	170035CR	N.	4,80	5,58
BANJO ADAPTER 60° Ø10 / INOX-STAINLESS STEEL	170035INOX	N.	6,50	7,56
BANJO ADAPTER 30° Ø10 / BLUE ALUMINIUM	170070AL-BL	N.	5,20	6,05
BANJO ADAPTER 30° Ø10 / BLACK ALUMINIUM	170070AL-NE	N.	5,20	6,05
BANJO ADAPTER 30° Ø10 / RED ALUMINIUM	170070AL-RO	N.	5,20	6,05
BANJO ADAPTER 30° Ø10 / CHROMIUM-PLATED	170070CR	N.	4,10	4,77
BANJO ADAPTER 30° Ø10 / INOX-STAINLESS STEEL	170070INOX	N.	5,50	6,40
BANJO ADAPTER 45° Ø10 / BLUE ALUMINIUM	170073AL-BL	N.	6,00	6,98
BANJO ADAPTER 45° Ø10 / BLACK ALUMINIUM	170073AL-NE	N.	6,00	6,98
BANJO ADAPTER 45° Ø10 / RED ALUMINIUM	170073AL-RO	N.	5,94	6,91
BANJO ADAPTER 45° Ø10 / CHROMIUM-PLATED	170073CR	N.	4,70	5,47
BANJO ADAPTER 45° Ø10 / INOX-STAINLESS STEEL	170073INOX	N.	6,50	7,56

BANJO ADAPTER 90° Ø10 / BLUE ALUMINIUM	170076AL-BL	N.	6,10	7,10
BANJO ADAPTER 90° Ø10 / BLACK ALUMINIUM	170076AL-NE	N.	6,10	7,10
BANJO ADAPTER 90° Ø10 / RED ALUMINIUM	170076AL-RO	N.	6,10	7,10
BANJO ADAPTER 90° Ø10 / CHROMIUM-PLATED	170076CR	N.	4,80	5,58
BANJO ADAPTER 90° Ø10 / INOX-STAINLESS STEEL	170076INOX	N.	7,00	8,14
BANJO ADAPTER 30° Ø11,3 / BLUE ALUMINIUM	170077AL-BL	N.	5,50	6,40
BANJO ADAPTER 30° Ø11,3 / BLACK ALUMINIUM	170077AL-NE	N.	5,50	6,40
BANJO ADAPTER 45° Ø11,3 / RED ALUMINIUM	170077AL-RO	N.	5,50	6,40
BANJO ADAPTER 30° Ø11,3 / CHROMIUM-PLATED	170077CR	N.	4,10	4,77
BANJO ADAPTER 45° Ø11,3 / BLUE ALUMINIUM	170078AL-BL	N.	6,00	6,98
BANJO ADAPTER 45° Ø11,3 / BLACK ALUMINIUM	170078AL-NE	N.	6,00	6,98
BANJO ADAPTER 45° Ø11,3 / RED ALUMINIUM	170078AL-RO	N.	6,00	6,98
BANJO ADAPTER 45° Ø11,3 / CHROMIUM-PLATED	170078CR	N.	4,70	5,47
BANJO ADAPTER 90° Ø11,3 / BLUE ALUMINIUM	170079AL-BL	N.	7,00	8,14
BANJO ADAPTER 90° Ø11,3 / BLACK ALUMINIUM	170079AL-NE	N.	7,00	8,14
BANJO ADAPTER 90° Ø11,3 / RED ALUMINIUM	170079AL-RO	N.	7,00	8,14
BANJO ADAPTER 90° Ø11,3 / CHROMIUM-PLATED	170079CR	N.	4,80	5,58
LATERAL BANJO ADAPTER 30° Ø11,3 / BLUE ALUMINIUM	170080AL-BL	N.	5,20	6,05
LATERAL BANJO ADAPTER 30° Ø11,3 / BLACK ALUMINIUM	170080AL-NE	N.	5,20	6,05
LATERAL BANJO ADAPTER 30° Ø11,3 / RED ALUMINIUM	170080AL-RO	N.	5,20	6,05
LATERAL BANJO ADAPTER 30° Ø11,3 / CHROMIUM-PLATED	170080CR	N.	4,10	4,77
LATERAL BANJO ADAPTER 45° Ø11,3 / BLUE ALUMINIUM	170081AL-BL	N.	6,50	7,56
LATERAL BANJO ADAPTER 45° Ø11,3 / BLACK ALUMINIUM	170081AL-NE	N.	6,50	7,56
LATERAL BANJO ADAPTER 45° Ø11,3 / RED ALUMINIUM	170081AL-RO	N.	6,50	7,56
LATERAL BANJO ADAPTER 45° Ø11,3 / CHROMIUM-PLATED	170081CR	N.	4,70	5,47
LATERAL BANJO ADAPTER 90° Ø11,3 / BLUE ALUMINIUM	170082AL-BL	N.	7,00	8,14
LATERAL BANJO ADAPTER 90° Ø11,3 / BLACK ALUMINIUM	170082AL-NE	N.	7,00	8,14
LATERAL BANJO ADAPTER 90° Ø11,3 / RED ALUMINIUM	170082AL-RO	N.	7,00	8,14
LATERAL BANJO ADAPTER 90° Ø11,3 / CHROMIUM-PLATED	170082CR	N.	4,80	5,58

BANJO ADAPTER 15° Ø 11,3 / BLACK ALUMINIUM	170083AL-NE	N.	5,50	6,40
BANJO ADAPTER 15° Ø11,3 / CHROMIUM-PLATED	170083CR	N.	4,10	4,77
INOX STAINLESS-STEEL ADAPTER Ø10 FOR RADIAL MASTER CYLINDER - BOLTS AND BUSHINGS INCLUDED	170100	N.	20,00	23,27
RE-USABLE 3 WAYS FITTING 10X1 (3 MALES 10X1 - FEMALE SEAL) / SILVER ALUMINIUM	B20010AL	N.	14,10	16,41
RE-USABLE 3 WAYS FITTING 10X1 (3 MALES 10X1 - FEMALE SEAL) / BLUE ALUMINIUM	B20010AL-BL	N.	14,10	16,41
RE-USABLE 3 WAYS FITTING 10X1 (3 MALES 10X1 - FEMALE SEAL) / BLACK ALUMINIUM	B20010AL-NE	N.	14,10	16,41
RE-USABLE 3 WAYS FITTING 10X1 (3 MALES 10X1 - FEMALE SEAL) / RED ALUMINIUM	B20010AL-RO	N.	14,10	16,41
3-WAY CONNECTOR 10X1 / BLUE ALUMINIUM	RIP001AL-BL	N.	8,00	9,31
3-WAY CONNECTOR 10X1 / BLACK ALUMINIUM	RIP001AL-NE	N.	8,00	9,31
3-WAY CONNECTOR 10X1 / RED ALUMINIUM	RIP001AL-RO	N.	8,00	9,31

READY TO FIT HOSE KITS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
		CURRENT EXCHANGE RATE €/€ = 1,1635		
CASE WITH RE-USABLE STEEL FITTINGS SYSTEM FOR 1/8" HOSE	BOX001	N.	400,00	465,40
CASE WITH RE-USABLE ALUMINIUM FITTINGS SYSTEM FOR 1/8" HOSE	BOX002	N.	548,00	637,60
CASE WITH RE-USABLE CHROMED-PLATED FITTINGS SYSTEM FOR 1/8" HOSE	BOX003	N.	488,00	567,79
CASE WITH HARLEY DAVIDSON RE-USABLE CHROMED FITTINGS SYSTEM FOR 1/8" HOSE	BOX004	N.	510,00	593,39
BLUE ALUMINIUM ADAPTERS CASE	BOX005	N.	390,00	453,77
CHROMIUM-PLATED ADAPTERS CASE	BOX006	N.	354,00	411,88
BLACK ALUMINIUM ADAPTERS CASE	BOX007	N.	387,00	450,27
CASE WITH BLUE ALUMINIUM ADAPTERS SET AND KEVLAR HOSE	BOX008	N.	1320,00	1535,82
CASE WITH RE-USABLE ALUMINIUM FITTINGS AND ADAPTERS FOR 3/8" HOSE	BOX010	N.	635,00	738,82

BOX001 - RE-USABLE STEEL FITTINGS SYSTEM FOR 1/8" HOSE IN CARRYING CASE, CONTAINING:

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	NUMBER OF PIECES
		CURRENT EXCHANGE RATE €/\$ = 1,1635	
HOSE PLIER	PT010	N.	1
BANJO STRAIGHT FITTING Ø10 RE-USABLE	B16205	N.	10
BANJO FITTING 15° Ø10 RE-USABLE	B16210	N.	10
BANJO FITTING 30° Ø10 RE-USABLE	B16215	N.	10
BANJO FITTING 90° Ø10 RE-USABLE	B16220	N.	6
BANJO FITTING 30° Ø10 RE-USABLE	B16270	N.	6
BANJO FITTING 90° Ø10 RE-USABLE	B16276	N.	6
RE-USABLE SWIVELING FEMALE FITTING 10X1	B16255	N.	6
RE-USABLE 10X1 SWIVELING MALE FITTING	B16240	N.	6
RE-USABLE 10X1,25 SWIVELING MALE FITTING	B16241	N.	6
NIPPLE 10X1	170023	N.	6
ZINC-PLATED BOLT 10X1	B19001	N.	12
ZINC-PLATED BOLT 10X1,25	B19002	N.	12
ZINC-PLATED DOUBLE BOLT 10X1	B19005	N.	4
ZINC-PLATED DOUBLE BOLT 10X1,25	B19006	N.	4
BRASS NIPPLE	B16201	N.	66
NUT FOR RE-USABLE STEEL FITTINGS	B16202	N.	66
COPPER WASHER, ZINC-PLATED 10X14X1,5	B22001	N.	200
TOOL TO ENLARGE INTERNAL Ø 1/8" HOSES HOLE	UT012	N.	1

NOTE: THE ITEM A01010 = TEFLONRING 1/8" STEEL BRAIDING HOSE HAS TO BE ORDERED SEPARATELY ==> MINIMUM QUANTITY ONE REEL OF 10 MTS.

BOX002 - RE-USABLE ALUMINIUM FITTINGS SYSTEM FOR 1/8" HOSE IN CARRYING CASE, CONTAINING:

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	NUMBER OF PIECES
CURRENT EXCHANGE RATE €/\$ = 1,1635			
HOSE PLIER	PT010	N.	1
STRAIGHT BANJO FITTING Ø10 RE-USABLE / ALUMINIUM	B16205AL	N.	10
BANJO FITTING 15° Ø10 RE-USABLE / ALUMINIUM	B16210AL	N.	10
BANJO FITTING 30° Ø10 RE-USABLE / ALUMINIUM	B16215AL	N.	10
BANJO FITTING 90° Ø10 RE-USABLE / ALUMINIUM	B16220AL	N.	6
BANJO FITTING 30° Ø10 RE-USABLE / ALUMINIUM	B16270AL	N.	6
BANJO FITTING 90° Ø10 RE-USABLE / ALUMINIUM	B16276AL	N.	6
RE-USABLE SWIVELING FEMALE FITTING 10X1 / RED OR BLUE ALUMINIUM	B16255AL	N.	6
RE-USABLE SWIVELING MALE FITTING 10X1 / RED OR BLUE ALUMINIUM	B16240AL	N.	6
RE-USABLE SWIVELING MALE FITTING 10X1,25 / RED OR BLUE ALUMINIUM	B16241AL	N.	6
NIPPLE 10X1 ALUMINIUM	170023AL-BL	N.	6
ALUMINIUM BOLT 10X1	B19001AL	N.	12
ALUMINIUM BOLT 10X1,25	B19002AL	N.	12
ALUMINIUM DOUBLE BOLT 10X1	B19005AL	N.	4
ALUMINIUM DOUBLE BOLT 10X1,25	B19006AL	N.	4
BRASS NIPPLE	B16201	N.	66
NUT FOR ALUMINIUM RE-USABLE FITTINGS	B16202AL	N.	66
ALUMINIUM WASHER 10X14X1,5	B22001AL	N.	200
TOOL TO ENLARGE INTERNAL Ø 1/8" HOSES HOLE	UT012	N.	1

NOTE: THE ITEM A01010 = TEFLONRING 1/8" STEEL BRAIDING HOSE HAS TO BE ORDERED SEPARATELY ==> MINIMUM QUANTITY ONE REEL OF 10 MTS.

BOX003 - RE-USABLE CHROMED FITTINGS SYSTEM FOR 1/8" HOSE IN CARRYING CASE, CONTAINING:

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	NUMBER OF PIECES
		CURRENT EXCHANGE RATE €/\$ = 1,1635	
HOSE PLIER	PT010	N.	1
STRAIGHT BANJO FITTING Ø10 RE-USABLE / CHROMIUM-PLATED	B16205CR	N.	10
BANJO FITTING 15° Ø10 RE-USABLE / CHROMIUM-PLATED	B16210CR	N.	10
BANJO FITTING 30° Ø10 RE-USABLE / CHROMIUM-PLATED	B16215CR	N.	10
BANJO FITTING 90° Ø10 RE-USABLE / CHROMIUM-PLATED	B16220CR	N.	6
BANJO FITTING 30° Ø10 RE-USABLE / CHROMIUM-PLATED	B16270CR	N.	6
BANJO FITTING 90° Ø10 RE-USABLE / CHROMIUM-PLATED	B16276CR	N.	6
RE-USABLE SWIVELING FEMALE FITTING 10X1 / CHROMIUM-PLATED	B16255CR	N.	6
RE-USABLE 10X1 SWIVELING MALE FITTING / CHROMIUM-PLATED	B16240CR	N.	6
RE-USABLE 10X1,25 SWIVELING MALE FITTING / CHROMIUM-PLATED	B16241CR	N.	6
NIPPLE 10X1 / CHROMIUM-PLATED	170023CR	N.	6
CHROMIUM-PLATED BOLT 10X1	B19001CR	N.	12
CHROMIUM-PLATED BOLT 10X1,25	B19002CR	N.	12
DOUBLE BOLT 10X1 / CHROMIUM-PLATED	B19005CR	N.	4
DOUBLE BOLT 10X1,25 / CHROMIUM-PLATED	B19006CR	N.	4
BRASS NIPPLE	B16201	N.	66
CHROMIUM-PLATED NUT	B16202CR	N.	66
COPPER WASHER, ZINC-PLATED 10X14X1,5	B22001	N.	200
TOOL TO ENLARGE INTERNAL Ø 1/8" HOSES HOLE	UT012	N.	1

NOTE: THE ITEM A01010 = TEFLONRING 1/8" STEEL BRAIDING HOSE HAS TO BE ORDERED SEPARATELY ==> MINIMUM QUANTITY ONE REEL OF 10 MTS.



BOX004 - RE-USABLE CHROMED FITTINGS SYSTEM FOR 1/8" HOSE IN CARRYING CASE FOR HARLEY DAVIDSON, CONTAINING:

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	NUMBER OF PIECES
CURRENT EXCHANGE RATE €/\$ = 1,1635			
HOSE PLIER	PT010	N.	1
STRAIGHT BANJO FITTING Ø10 RE-USABLE / CHROMIUM-PLATED	B16205CR	N.	6
BANJO FITTING 15° Ø10 RE-USABLE / CHROMIUM-PLATED	B16210CR	N.	9
BANJO FITTING 30° Ø10 RE-USABLE / CHROMIUM-PLATED	B16215CR	N.	4
BANJO FITTING 90° Ø10 RE-USABLE / CHROMIUM-PLATED	B16220CR	N.	3
RE-USABLE MALE FITTING, NOT SWIVELING 3/8" HARLEY DAV. /CHROMIUM-PLATED	B16238CR	N.	6
RE-USABLE 10X1 SWIVELING MALE FITTING / CHROMIUM-PLATED	B16240CR	N.	6
RE-USABLE BANJO STRAIGHT FITTING Ø11 / CHROMIUM-PLATED	B16206CR	N.	12
RE-USABLE BANJO FITTING 30° Ø11,3 / CHROMIUM-PLATED	B16293CR	N.	4
RE-USABLE BANJO FITTING 90° Ø11,3 / CHROMIUM-PLATED	B16295CR	N.	3
NIPPLE M10X1 - M 1/8" NPT / CHROMIUM-PLATED	170027CR	N.	3
CHROMIUM-PLATED BOLT 10X1	B19001CR	N.	7
BOLT 3/8" 24 THREAD (HARLEY DAVIDSON) / CHROMIUM-PLATED	B19012CR	N.	14
BOLT 7/32" Ø11,3 CHROMIUM-PLATED	B19013CR	N.	19
BRASS NIPPLE	B16201	N.	56
CHROMIUM-PLATED NUT	B16202CR	N.	56
COPPER WASHER, ZINC-PLATED 10X14X1,5	B22001	N.	50
COPPER WASHER, ZINC-PLATED 11,3X14X1,5	B22003	N.	28
TOOL TO ENLARGE INTERNAL Ø 1/8" HOSES HOLE	UT012	N.	1
3-WAY CONNECTOR / BLACK ALUMINIUM	RIP001AL-NE	N.	3

NOTE: THE ITEM A01010 = TEFLONRING 1/8" STEEL BRAIDING HOSE HAS TO BE ORDERED SEPARATELY ==> MINIMUM QUANTITY ONE REEL OF 10 MTS.

BOX005 - BLUE COLOUR ALUMINIUM ADAPTERS SET IN CARRYING CASE, CONTAINING:

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	NUMBER OF PIECES
		CURRENT EXCHANGE RATE €/\$ = 1,1635	
HOSE CLAMP HOLE 6 - HOSE PASSAGE 8	B21035	N.	4
REEL HOSE PROTECTION	B21010-7	N.	10
STRAIGHT BANJO ADAPTER Ø10 / BLUE ALUMINIUM	170005AL-BL	N.	5
BANJO ADAPTER 15° Ø10 / BLUE ALUMINIUM	170010AL-BL	N.	5
BANJO ADAPTER 30° Ø10 / BLUE ALUMINIUM	170015AL-BL	N.	5
BANJO ADAPTER 45° Ø10 / BLUE ALUMINIUM	170020AL-BL	N.	5
BANJO ADAPTER 90° Ø10 / BLUE ALUMINIUM	170021AL-BL	N.	5
NIPPLE 10X1 / BLUE ALUMINIUM	170023AL-BL	N.	5
NIPPLE M10X1 - M10X1,25 / BLUE ALUMINIUM	170024AL-BL	N.	5
NIPPLE MF 10X1 / BLUE ALUMINIUM	170025AL-BL	N.	5
BANJO ADAPTER 30° Ø10 / BLUE ALUMINIUM	170070AL-BL	N.	5
BANJO ADAPTER 45° Ø10 / BLUE ALUMINIUM	170073AL-BL	N.	5
BANJO ADAPTER 90° Ø10 / BLUE ALUMINIUM	170076AL-BL	N.	5
ALUMINIUM BOLT 10X1	B19001AL	N.	12
ALUMINIUM BOLT 10X1,25	B19002AL	N.	12
ALUMINIUM DOUBLE BOLT 10X1	B19005AL	N.	5
ALUMINIUM DOUBLE BOLT 10X1,25	B19006AL	N.	5
RE-USABLE 3 WAYS FITTING 10X1 (3 MALES 10X1 - FEMALE SEAL) / BLUE ALUMINIUM	B20010AL-BL	N.	2
ALUMINIUM WASHER 10X14X1,5	B22001AL	N.	100
4X6 CLEAR SPIRAL	B25001	N.	1

NOTE: THE ITEM A01010 = TEFLONRING 1/8" STEEL BRAIDING HOSE HAS TO BE ORDERED SEPARATELY ==> MINIMUM QUANTITY ONE REEL OF 10 MTS.



BOX006 - CHROMED-PLATED ADAPTERS SET IN CARRYING CASE, CONTAINING:

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	NUMBER OF PIECES
		CURRENT EXCHANGE RATE €/\$ = 1,1635	
STRAIGHT BANJO ADAPTER Ø10 / CHROMIUM-PLATED	170005CR	N.	5
STRAIGHT BANJO ADAPTER Ø11,3 / CHROMIUM-PLATED	170006CR	N.	5
BANJO ADAPTER 15° Ø10 / CHROMIUM-PLATED	170010CR	N.	5
BANJO ADAPTER 30° Ø10 / CHROMIUM-PLATED	170015CR	N.	5
BANJO ADAPTER 45° Ø10 / CHROMIUM-PLATED	170020CR	N.	5
BANJO ADAPTER 90° Ø10 / CHROMIUM-PLATED	170021CR	N.	5
NIPPLE 10X1 / CHROMIUM-PLATED	170023CR	N.	5
NIPPLE M10X1 - M10X1,25 / CHROMIUM-PLATED	170024CR	N.	5
NIPPLE MF 10X1 / CHROMIUM-PLATED	170025CR	N.	5
ADAPTER M10X1 - 3/8" UNF / CHROMIUM-PLATED	170026CR	N.	5
NIPPLE M10X1 - M 1/8" NPT / CHROMIUM-PLATED	170027CR	N.	3
JOINT 90° MF 1/8" NPT / CHROMIUM-PLATED	170029CR	N.	5
BANJO ADAPTER 45° Ø10 / CHROMIUM-PLATED	170073CR	N.	5
/ CHROMIUM-PLATED BOLT 10X1	B19001CR	N.	10
/ CHROMIUM-PLATED BOLT 10X1,25	B19002CR	N.	10
DOUBLE BOLT 10X1 / CHROMIUM-PLATED	B19005CR	N.	5
DOUBLE BOLT 10X1,25 / CHROMIUM-PLATED	B19006CR	N.	5
BOLT 3/8" 24 THREAD (HARLEY DAVIDSON) / CHROMIUM-PLATED	B19012CR	N.	5
RE-USABLE 3 WAYS FITTING 10X1 (3 MALES 10X1 - FEMALE SEAL) / CHROMIUM-PLATED	B20010CR	N.	3
REEL HOSE PROTECTION	B21010-7	N.	10
HOSE CLAMP HOLE 6 - HOSE PASSAGE 8	B21035	N.	4
COPPER WASHER, ZINC-PLATED 10X14X1,5	B22001	N.	100
COPPER WASHER, ZINC-PLATED 11,3X14X1,5	B22003	N.	10

BOX007 - BLACK ALUMINIUM COLOUR ADAPTERS SET IN CARRYING CASE, CONTAINING:

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	NUMBER OF PIECES
		CURRENT EXCHANGE RATE €/\$ = 1,1635	
STRAIGHT BANJO ADAPTER Ø10 / BLACK ALUMINIUM	170005AL-NE	N.	5
BANJO ADAPTER 15° Ø10 / BLACK ALUMINIUM	170010AL-NE	N.	5
BANJO ADAPTER 30° Ø10 / BLACK ALUMINIUM	170015AL-NE	N.	5
BANJO ADAPTER 45° Ø10 / BLACK ALUMINIUM	170020AL-NE	N.	5
BANJO ADAPTER 90° Ø 10 / BLACK ALUMINIUM	170021AL-NE	N.	5
NIPPLE 10X1 / BLACK ALUMINIUM	170023AL-NE	N.	5
NIPPLE M10X1 - M10X1,25 / BLACK ALUMINIUM	170024AL-NE	N.	5
NIPPLE MF 10X1 / BLACK ALUMINIUM	170025AL-NE	N.	5
BANJO ADAPTER 30° Ø10 / BLACK ALUMINIUM	170070AL-NE	N.	5
BANJO ADAPTER 45° Ø10 / BLACK ALUMINIUM	170073AL-NE	N.	5
BANJO ADAPTER 90° Ø10 / BLACK ALUMINIUM	170076AL-NE	N.	5
BOLT 10X1 / BLACK ALUMINIUM	B19001AL-NE	N.	5
BOLT 10X1,25 / BLACK ALUMINIUM	B19002AL-NE	N.	12
DOUBLE BOLT 10X1 / BLACK ALUMINIUM	B19005AL-NE	N.	12
DOUBLE BOLT 10X1,25 / BLACK ALUMINIUM	B19006AL-NE	N.	5
RE-USABLE 3 WAYS FITTING 10X1 (3 MALES 10X1 - FEMALE SEAL) / BLACK ALUMINIUM	B20010AL-NE	N.	5
REEL HOSE PROTECTION	B21010-7	N.	2
HOSE CLAMP HOLE 6 - HOSE PASSAGE 8	B21035	N.	10
ALUMINIUM WASHER 10X14X1,5	B22001AL	N.	4
4X6 CLEAR SPIRAL	B25001	N.	100

BOX008 - BLUE ALUMINIUM COLOUR ADAPTERS SET AND KEVLAR BRAIDED HOSES IN CARRYING CASE, CONTAINING:

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	NUMBER OF PIECES
		CURRENT EXCHANGE RATE €/\$ = 1,1635	
STRAIGHT BANJO ADAPTER Ø10 / BLUE ALUMINIUM	170005AL-BL	N.	9
BANJO ADAPTER 15° Ø10 / BLUE ALUMINIUM	170010AL-BL	N.	7
BANJO ADAPTER 30° Ø10 / BLUE ALUMINIUM	170015AL-BL	N.	7
BANJO ADAPTER 45° Ø10 / BLUE ALUMINIUM	170020AL-BL	N.	7
BANJO ADAPTER 90° Ø10 / BLUE ALUMINIUM	170021AL-BL	N.	5
NIPPLE 10X1 / BLUE ALUMINIUM	170023AL-BL	N.	5
NIPPLE M10X1 - M10X1,25 / BLUE ALUMINIUM	170024AL-BL	N.	5
BANJO ADAPTER 30° Ø10 / BLUE ALUMINIUM	170070AL-BL	N.	5
BANJO ADAPTER 45° Ø10 / BLUE ALUMINIUM	170073AL-BL	N.	5
ALUMINIUM BOLT 10X1	B19001AL	N.	24
ALUMINIUM BOLT 10X1,25	B19002AL	N.	24
ALUMINIUM DOUBLE BOLT 10X1	B19005AL	N.	5
ALUMINIUM DOUBLE BOLT 10X1,25	B19006AL	N.	5
REEL HOSE PROTECTION	B21010-7	N.	24
HOSE CLAMP HOLE 6 - HOSE PASSAGE 8	B21035	N.	4
ALUMINIUM WASHER 10X14X1,5	B22001AL	N.	100
SPRAY LUBRICATING GREASE - 400 ML CAN (NET)	LU001	N.	1
TUV HOSE L=425 MM. WITH 2 B15073AL	A06K0425	N.	1
TUV HOSE L=475 MM. WITH 2 B15073AL	A06K0475	N.	1
TUV HOSE L=550 MM. WITH 2 B15073AL	A06K0550	N.	2
TUV HOSE L=600 MM. WITH 2 B15073AL	A06K0600	N.	2
TUV HOSE L=625 MM. WITH 2 B15073AL	A06K0625	N.	1
TUV HOSE L=650 MM. WITH 2 B15073AL	A06K0650	N.	2
TUV HOSE L=675 MM. WITH 2 B15073AL	A06K0675	N.	2
TUV HOSE L=700 MM. WITH 2 B15073AL	A06K0700	N.	2
TUV HOSE L=750 MM. WITH 2 B15073AL	A06K0750	N.	2
TUV HOSE L=850 MM. WITH 2 B15073AL	A06K0850	N.	2

BOX 010 - RE-USABLE ALUMINIUM FITTINGS AND ADAPTERS FOR 3/8" HOSE IN CARRYING CASE, CONTAINING:

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	NUMBER OF PIECES
		CURRENT EXCHANGE RATE €/\$ = 1,1635	
BRASS NIPPLE	B17001	N.	35
NUT FOR ALUMINIUM RE-USABLE FITTINGS	B17002AL	N.	30
RE-USABLE SWIVELING FEMALE FITTING 9/16" 18 UNF / RED OR BLUE ALUMINIUM	B17003AL	N.	30
RE-USABLE MALE FITTING 9/16" 18 UNF - BANJO Ø12 / ALUMINIUM	B17008AL	N.	2
RE-USABLE MALE FITTING 9/16" 18 UNF - BANJO Ø14 / ALUMINIUM	B17009AL	N.	2
RE-USABLE MALE FITTING 9/16" 18 UNF - BANJO Ø16 / ALUMINIUM	B17010AL	N.	2
FITTING 45° RE-USABLE ALUMINIUM	B17012AL	N.	6
FITTING 90° RE-USABLE ALUMINIUM	B17013AL	N.	7
SWIVELING FEMALE-FEMALE 45° 9/16" 18 UNF / RED OR BLUE ALUMINIUM	B17014AL	N.	5
NIPPLE 9/16" / ALUMINIUM	B17015AL	N.	4
JOINT 9/16"-14X1,5 / ALUMINIUM	B17017AL	N.	4
JOINT 9/16" - M16X1,5 ALUMINIUM	B17021AL	N.	2
"T-FITTING" MALE/ 2 SWIVELING FEMALES 9/16" 18 UNF	B17100AL	N.	2
4-WAYS FITTING MALE/ 3 SWIVELING FEMALES 9/16" 18 UNF / ALUMINIUM	B17101AL	N.	1
3-WAYS FITTING MALE/ 2 SWIVELING FEMALES 9/16" 18 UNF / ALUMINIUM	B17102AL	N.	2
BOLT 14X1,5 ALUMINIUM	B19021AL	N.	2
BOLT 16X1,5 ALUMINIUM	B19022AL	N.	2
ALUMINIUM WASHER 14X20X1,5	B22005AL	N.	4
ALUMINIUM WASHER 16X22X1,5	B22006AL	N.	4
TOOL TO ENLARGE INTERNAL Ø 3/8" HOSES HOLE	UT013	N.	1

NOTE: THE ITEM 030015 = TEFLONRING 3/8" STEEL BRAIDING HOSE HAS TO BE ORDERED SEPARATELY ==> MINIMUM QUANTITY ONE REEL OF 10 MTS.

SYSTEM WITH ADAPTERS FOR BRAKES - CATEGORIES 97 & 98

STAINLESS STEEL BRAIDED HOSE WITH CHROME-PLATED UNIONS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
	X1 = TRANSPARENT COATED	CURRENT EXCHANGE RATE €/\$ = 1,1635		
TUV HOSE L=100 MM. WITH 2 B15073CR	A06-0100	N.	12,96	15,08
COATED TUV HOSE L=100 MM. WITH 2 B15073CR	A06-0100-X1	N.	12,96	15,08
TUV HOSE L=125 MM. WITH 2 B15073CR	A06-0125	N.	13,38	15,57
COATED TUV HOSE L=125 MM. WITH 2 B15073CR	A06-0125-X1	N.	13,38	15,57
TUV HOSE L=130 MM. WITH 2 B15073CR	A06-0130	N.	13,45	15,65
COATED TUV HOSE L=130 MM. WITH 2 B15073CR	A06-0130-X1	N.	13,45	15,65
TUV HOSE L=150 MM. WITH 2 B15073CR	A06-0150	N.	13,69	15,93
COATED TUV HOSE L=150 MM. WITH 2 B15073CR	A06-0150-X1	N.	13,69	15,93
TUV HOSE L=175 MM. WITH 2 B15073CR	A06-0175	N.	14,05	16,35
COATED TUV HOSE L=175 MM. WITH 2 B15073CR	A06-0175-X1	N.	14,05	16,35
TUV HOSE L=200 MM. WITH 2 B15073CR	A06-0200	N.	14,41	16,77
COATED TUV HOSE L=200 MM. WITH 2 B15073CR	A06-0200-X1	N.	14,41	16,77
TUV HOSE L=225 MM. WITH 2 B15073CR	A06-0225	N.	14,77	17,18
COATED TUV HOSE L=225 MM. WITH 2 B15073CR	A06-0225-X1	N.	14,77	17,18
TUV HOSE L=250 MM. WITH 2 B15073CR	A06-0250	N.	15,13	17,60
COATED TUV HOSE L=250 MM. WITH 2 B15073CR	A06-0250-X1	N.	15,13	17,60
TUV HOSE L=275 MM. WITH 2 B15073CR	A06-0275	N.	15,44	17,96
COATED TUV HOSE L=275 MM. WITH 2 B15073CR	A06-0275-X1	N.	15,44	17,96
TUV HOSE L=300 MM. WITH 2 B15073CR	A06-0300	N.	15,80	18,38
COATED TUV HOSE L=300 MM. WITH 2 B15073CR	A06-0300-X1	N.	15,80	18,38
TUV HOSE L=325 MM. WITH 2 B15073CR	A06-0325	N.	16,22	18,87
COATED TUV HOSE L=325 MM. WITH 2 B15073CR	A06-0325-X1	N.	16,22	18,87

TUV HOSE L=350 MM. WITH 2 B15073CR	A06-0350	N.	16,53	19,23
COATED TUV HOSE L=350 MM. WITH 2 B15073CR	A06-0350-X1	N.	16,53	19,23
TUV HOSE L=375 MM. WITH 2 B15073CR	A06-0375	N.	16,89	19,65
COATED TUV HOSE L=375 MM. WITH 2 B15073CR	A06-0375-X1	N.	16,89	19,65
TUV HOSE L=400 MM. WITH 2 B15073CR	A06-0400	N.	17,25	20,07
COATED TUV HOSE L=400 MM. WITH 2 B15073CR	A06-0400-X1	N.	17,25	20,07
TUV HOSE L=425 MM. WITH 2 B15073CR	A06-0425	N.	17,56	20,43
COATED TUV HOSE L=425 MM. WITH 2 B15073CR	A06-0425-X1	N.	17,56	20,43
TUV HOSE L=450 MM. WITH 2 B15073CR	A06-0450	N.	17,97	20,91
COATED TUV HOSE L=450 MM. WITH 2 B15073CR	A06-0450-X1	N.	17,97	20,91
TUV HOSE L=475 MM. WITH 2 B15073CR	A06-0475	N.	18,28	21,27
COATED TUV HOSE L=475 MM. WITH 2 B15073CR	A06-0475-X1	N.	18,28	21,27
TUV HOSE L=500 MM. WITH 2 B15073CR	A06-0500	N.	18,64	21,69
COATED TUV HOSE L=500 MM. WITH 2 B15073CR	A06-0500-X1	N.	18,64	21,69
TUV HOSE L=525 MM. WITH 2 B15073CR	A06-0525	N.	18,95	22,05
COATED TUV HOSE L=525 MM. WITH 2 B15073CR	A06-0525-X1	N.	18,95	22,05
TUV HOSE L=550 MM. WITH 2 B15073CR	A06-0550	N.	19,37	22,54
COATED TUV HOSE L=550 MM. WITH 2 B15073CR	A06-0550-X1	N.	19,37	22,54
TUV HOSE L=575 MM. WITH 2 B15073CR	A06-0575	N.	19,68	22,90
COATED TUV HOSE L=575 MM. WITH 2 B15073CR	A06-0575-X1	N.	19,68	22,90
TUV HOSE L=600 MM. WITH 2 B15073CR	A06-0600	N.	20,09	23,37
COATED TUV HOSE L=600 MM. WITH 2 B15073CR	A06-0600-X1	N.	20,09	23,37
TUV HOSE L=625 MM. WITH 2 B15073CR	A06-0625	N.	20,40	23,74
COATED TUV HOSE L=625 MM. WITH 2 B15073CR	A06-0625-X1	N.	20,40	23,74
TUV HOSE L=650 MM. WITH 2 B15073CR	A06-0650	N.	20,81	24,21
COATED TUV HOSE L=650 MM. WITH 2 B15073CR	A06-0650-X1	N.	20,81	24,21
TUV HOSE L=675 MM. WITH 2 B15073CR	A06-0675	N.	21,12	24,57
COATED TUV HOSE L=675 MM. WITH 2 B15073CR	A06-0675-X1	N.	21,12	24,57
TUV HOSE L=700 MM. WITH 2 B15073CR	A06-0700	N.	21,48	24,99

COATED TUV HOSE L=700 MM. WITH 2 B15073CR	A06-0700-X1	N.	21,48	24,99
TUV HOSE L=725 MM. WITH 2 B15073CR	A06-0725	N.	21,79	25,35
COATED TUV HOSE L=725 MM. WITH 2 B15073CR	A06-0725-X1	N.	21,79	25,35
TUV HOSE L=750 MM. WITH 2 B15073CR	A06-0750	N.	22,21	25,84
COATED TUV HOSE L=750 MM. WITH 2 B15073CR	A06-0750-X1	N.	22,21	25,84
TUV HOSE L=775 MM. WITH 2 B15073CR	A06-0775	N.	22,52	26,20
COATED TUV HOSE L=775 MM. WITH 2 B15073CR	A06-0775-X1	N.	22,52	26,20
TUV HOSE L=800 MM. WITH 2 B15073CR	A06-0800	N.	22,93	26,68
COATED TUV HOSE L=800 MM. WITH 2 B15073CR	A06-0800-X1	N.	22,93	26,68
TUV HOSE L=825 MM. WITH 2 B15073CR	A06-0825	N.	23,24	27,04
COATED TUV HOSE L=825 MM. WITH 2 B15073CR	A06-0825-X1	N.	23,24	27,04
TUV HOSE L=850 MM. WITH 2 B15073CR	A06-0850	N.	23,65	27,52
COATED TUV HOSE L=850 MM. WITH 2 B15073CR	A06-0850-X1	N.	23,65	27,52
TUV HOSE L=875 MM. WITH 2 B15073CR	A06-0875	N.	23,96	27,88
COATED TUV HOSE L=875 MM. WITH 2 B15073CR	A06-0875-X1	N.	23,96	27,88
TUV HOSE L=900 MM. WITH 2 B15073CR	A06-0900	N.	24,33	28,31
COATED TUV HOSE L=900 MM. WITH 2 B15073CR	A06-0900-X1	N.	24,33	28,31
TUV HOSE L=925 MM. WITH 2 B15073CR	A06-0925	N.	24,63	28,66
COATED TUV HOSE L=925 MM. WITH 2 B15073CR	A06-0925-X1	N.	24,63	28,66
TUV HOSE L=950 MM. WITH 2 B15073CR	A06-0950	N.	25,05	29,15
COATED TUV HOSE L=950 MM. WITH 2 B15073CR	A06-0950-X1	N.	25,05	29,15
TUV HOSE L=975 MM. WITH 2 B15073CR	A06-0975	N.	25,36	29,51
COATED TUV HOSE L=975 MM. WITH 2 B15073CR	A06-0975-X1	N.	25,36	29,51
TUV HOSE L=1000 MM. WITH 2 B15073CR	A06-1000	N.	25,77	29,98
COATED TUV HOSE L=1000 MM. WITH 2 B15073CR	A06-1000-X1	N.	25,77	29,98
TUV HOSE L=1050 MM. WITH 2 B15073CR	A06-1050	N.	26,49	30,82
COATED TUV HOSE L=1050 MM. WITH 2 B15073CR	A06-1050-X1	N.	26,49	30,82
TUV HOSE L=1100 MM. WITH 2 B15073CR	A06-1100	N.	27,17	31,61
COATED TUV HOSE L=1100 MM. WITH 2 B15073CR	A06-1100-X1	N.	27,17	31,61

TUV HOSE L=1150 MM. WITH 2 B15073CR	A06-1150	N.	27,89	32,45
COATED TUV HOSE L=1150 MM. WITH 2 B15073CR	A06-1150-X1	N.	27,89	32,45
TUV HOSE L=1200 MM. WITH 2 B15073CR	A06-1200	N.	28,61	33,29
COATED TUV HOSE L=1200 MM. WITH 2 B15073CR	A06-1200-X1	N.	28,61	33,29
TUV HOSE L=1250 MM. WITH 2 B15073CR	A06-1250	N.	29,33	34,13
COATED TUV HOSE L=1250 MM. WITH 2 B15073CR	A06-1250-X1	N.	29,33	34,13
TUV HOSE L=1300 MM. WITH 2 B15073CR	A06-1300	N.	30,01	34,92
COATED TUV HOSE L=1300 MM. WITH 2 B15073CR	A06-1300-X1	N.	30,01	34,92
TUV HOSE L=1350 MM. WITH 2 B15073CR	A06-1350	N.	30,73	35,75
COATED TUV HOSE L=1350 MM. WITH 2 B15073CR	A06-1350-X1	N.	30,73	35,75
TUV HOSE L=1400 MM. WITH 2 B15073CR	A06-1400	N.	31,45	36,59
COATED TUV HOSE L=1400 MM. WITH 2 B15073CR	A06-1400-X1	N.	31,45	36,59
TUV HOSE L=1450 MM. WITH 2 B15073CR	A06-1450	N.	32,18	37,44
COATED TUV HOSE L=1450 MM. WITH 2 B15073CR	A06-1450-X1	N.	32,18	37,44
TUV HOSE L=1500 MM. WITH 2 B15073CR	A06-1500	N.	32,85	38,22
COATED TUV HOSE L=1500 MM. WITH 2 B15073CR	A06-1500-X1	N.	32,85	38,22
TUV HOSE L=1550 MM. WITH 2 B15073CR	A06-1550	N.	33,57	39,06
COATED TUV HOSE L=1550 MM. WITH 2 B15073CR	A06-1550-X1	N.	33,57	39,06
TUV HOSE L=1600 MM. WITH 2 B15073CR	A06-1600	N.	34,32	39,93
COATED TUV HOSE L=1600 MM. WITH 2 B15073CR	A06-1600-X1	N.	34,32	39,93
TUV HOSE L=1650 MM. WITH 2 B15073CR	A06-1650	N.	35,07	40,80
COATED TUV HOSE L=1650 MM. WITH 2 B15073CR	A06-1650-X1	N.	35,07	40,80
TUV HOSE L=1700 MM. WITH 2 B15073CR	A06-1700	N.	35,82	41,68
COATED TUV HOSE L=1700 MM. WITH 2 B15073CR	A06-1700-X1	N.	35,82	41,68
TUV HOSE L=1750 MM. WITH 2 B15073CR	A06-1750	N.	36,57	42,55
COATED TUV HOSE L=1750 MM. WITH 2 B15073AL	A06-1750-X1	N.	36,57	42,55
TUV HOSE L=1800 MM. WITH 2 B15073CR	A06-1800	N.	37,32	43,42
COATED TUV HOSE L=1800 MM. WITH 2 B15073CR	A06-1800-X1	N.	37,32	43,42
TUV HOSE L=1850 MM. WITH 2 B15073CR	A06-1850	N.	38,07	44,29

COATED TUV HOSE L=1850 MM. WITH 2 B15073CR	A06-1850-X1	N.	38,07	44,29
TUV HOSE L=1900 MM. WITH 2 B15073CR	A06-1900	N.	38,82	45,17
COATED TUV HOSE L=1900 MM. WITH 2 B15073CR	A06-1900-X1	N.	38,82	45,17
TUV HOSE L=1950 MM. WITH 2 B15073CR	A06-1950	N.	39,57	46,04
COATED TUV HOSE L=1950 MM. WITH 2 B15073CR	A06-1950-X1	N.	39,57	46,04
TUV HOSE L=2000 MM. WITH 2 B15073CR	A06-2000	N.	40,32	46,91
COATED TUV HOSE L=2000 MM. WITH 2 B15073CR	A06-2000-X1	N.	40,32	46,91
TUV HOSE L=2050 MM. WITH 2 B15073CR	A06-2050	N.	41,07	47,78
COATED TUV HOSE L=2050 MM. WITH 2 B15073CR	A06-2050-X1	N.	41,07	47,78
TUV HOSE L=2100 MM. WITH 2 B15073CR	A06-2100	N.	41,82	48,66
COATED TUV HOSE L=2100 MM. WITH 2 B15073CR	A06-2100-X1	N.	41,82	48,66
TUV HOSE L=2150 MM. WITH 2 B15073CR	A06-2150	N.	42,57	49,53
COATED TUV HOSE L=2150 MM. WITH 2 B15073CR	A06-2150-X1	N.	42,57	49,53
TUV HOSE L=2200 MM. WITH 2 B15073CR	A06-2200	N.	43,32	50,40
COATED TUV HOSE L=2200 MM. WITH 2 B15073CR	A06-2200-X1	N.	43,32	50,40
TUV HOSE L=2300 MM. WITH 2 B15073CR	A06-2300	N.	44,82	52,15
COATED TUV HOSE L=2300 MM. WITH 2 B15073CR	A06-2300-X1	N.	44,82	52,15

SYSTEM WITH ADAPTERS FOR BRAKES - CATEGORIES 99 & 100

STAINLESS STEEL BRAIDED HOSE WITH ALUMINIUM UNIONS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
	X1 = TRANSPARENT COATED	CURRENT EXCHANGE RATE €/\$ = 1,1635		
TUV HOSE L=100 MM. WITH 2 B15073AL	A06-A0100	N.	15,91	18,51
COATED TUV HOSE L=100 MM. WITH 2 B15073AL	A06-A0100-X1	N.	15,91	18,51
TUV HOSE L=125 MM. WITH 2 B15073AL	A06-A0125	N.	16,42	19,10
COATED TUV HOSE L=125 MM. WITH 2 B15073AL	A06-A0125-X1	N.	16,42	19,10
TUV HOSE L=130 MM. WITH 2 B15073AL	A06-A0130	N.	16,50	19,20
COATED TUV HOSE L=130 MM. WITH 2 B15073AL	A06-A0130-X1	N.	16,50	19,20
TUV HOSE L=150 MM. WITH 2 B15073AL	A06-A0150	N.	16,78	19,52
COATED TUV HOSE L=150 MM. WITH 2 B15073AL	A06-A0150-X1	N.	16,78	19,52
TUV HOSE L=175 MM. WITH 2 B15073AL	A06-A0175	N.	17,20	20,01
COATED TUV HOSE L=175 MM. WITH 2 B15073AL	A06-A0175-X1	N.	17,20	20,01
TUV HOSE L=200 MM. WITH 2 B15073AL	A06-A0200	N.	17,66	20,55
COATED TUV HOSE L=200 MM. WITH 2 B15073AL	A06-A0200-X1	N.	17,66	20,55
TUV HOSE L=225 MM. WITH 2 B15073AL	A06-A0225	N.	18,08	21,04
COATED TUV HOSE L=225 MM. WITH 2 B15073AL	A06-A0225-X1	N.	18,08	21,04
TUV HOSE L=250 MM. WITH 2 B15073AL	A06-A0250	N.	18,59	21,63
COATED TUV HOSE L=250 MM. WITH 2 B15073AL	A06-A0250-X1	N.	18,59	21,63
TUV HOSE L=275 MM. WITH 2 B15073AL	A06-A0275	N.	18,95	22,05
COATED TUV HOSE L=275 MM. WITH 2 B15073AL	A06-A0275-X1	N.	18,95	22,05
TUV HOSE L=300 MM. WITH 2 B15073AL	A06-A0300	N.	19,37	22,54
COATED TUV HOSE L=300 MM. WITH 2 B15073AL	A06-A0300-X1	N.	19,37	22,54
TUV HOSE L=325 MM. WITH 2 B15073AL	A06-A0325	N.	19,88	23,13
COATED TUV HOSE L=325 MM. WITH 2 B15073AL	A06-A0325-X1	N.	19,88	23,13
TUV HOSE L=350 MM. WITH 2 B15073AL	A06-A0350	N.	20,25	23,56

COATED TUV HOSE L=350 MM. WITH 2 B15073AL	A06-A0350-X1	N.	20,25	23,56
TUV HOSE L=375 MM. WITH 2 B15073AL	A06-A0375	N.	20,66	24,04
COATED TUV HOSE L=375 MM. WITH 2 B15073AL	A06-A0375-X1	N.	20,66	24,04
TUV HOSE L=400 MM. WITH 2 B15073AL	A06-A0400	N.	21,17	24,63
COATED TUV HOSE L=400 MM. WITH 2 B15073AL	A06-A0400-X1	N.	21,17	24,63
TUV HOSE L=425 MM. WITH 2 B15073AL	A06-A0425	N.	21,48	24,99
COATED TUV HOSE L=425 MM. WITH 2 B15073AL	A06-A0425-X1	N.	21,48	24,99
TUV HOSE L=450 MM. WITH 2 B15073AL	A06-A0450	N.	22,05	25,66
COATED TUV HOSE L=450 MM. WITH 2 B15073AL	A06-A0450-X1	N.	22,05	25,66
TUV HOSE L=475 MM. WITH 2 B15073AL	A06-A0475	N.	22,36	26,02
COATED TUV HOSE L=475 MM. WITH 2 B15073AL	A06-A0475-X1	N.	22,36	26,02
TUV HOSE L=500 MM. WITH 2 B15073AL	A06-A0500	N.	22,83	26,56
COATED TUV HOSE L=500 MM. WITH 2 B15073AL	A06-A0500-X1	N.	22,83	26,56
TUV HOSE L=525 MM. WITH 2 B15073AL	A06-A0525	N.	23,14	26,92
COATED TUV HOSE L=525 MM. WITH 2 B15073AL	A06-A0525-X1	N.	23,14	26,92
TUV HOSE L=550 MM. WITH 2 B15073AL	A06-A0550	N.	23,71	27,59
COATED TUV HOSE L=550 MM. WITH 2 B15073AL	A06-A0550-X1	N.	23,71	27,59
TUV HOSE L=575 MM. WITH 2 B15073AL	A06-A0575	N.	24,02	27,95
COATED TUV HOSE L=575 MM. WITH 2 B15073AL	A06-A0575-X1	N.	24,02	27,95
TUV HOSE L=600 MM. WITH 2 B15073AL	A06-A0600	N.	24,63	28,66
COATED TUV HOSE L=600 MM. WITH 2 B15073AL	A06-A0600-X1	N.	24,63	28,66
TUV HOSE L=625 MM. WITH 2 B15073AL	A06-A0625	N.	24,94	29,02
COATED TUV HOSE L=625 MM. WITH 2 B15073AL	A06-A0625-X1	N.	24,94	29,02
TUV HOSE L=650 MM. WITH 2 B15073AL	A06-A0650	N.	25,51	29,68
COATED TUV HOSE L=650 MM. WITH 2 B15073AL	A06-A0650-X1	N.	25,51	29,68
TUV HOSE L=675 MM. WITH 2 B15073AL	A06-A0675	N.	25,82	30,04
COATED TUV HOSE L=675 MM. WITH 2 B15073AL	A06-A0675-X1	N.	25,82	30,04
TUV HOSE L=700 MM. WITH 2 B15073AL	A06-A0700	N.	26,29	30,59
COATED TUV HOSE L=700 MM. WITH 2 B15073AL	A06-A0700-X1	N.	26,29	30,59

TUV HOSE L=725 MM. WITH 2 B15073AL	A06-A0725	N.	26,60	30,95
COATED TUV HOSE L=725 MM. WITH 2 B15073AL	A06-A0725-X1	N.	26,60	30,95
TUV HOSE L=750 MM. WITH 2 B15073AL	A06-A0750	N.	27,22	31,67
COATED TUV HOSE L=750 MM. WITH 2 B15073AL	A06-A0750-X1	N.	27,22	31,67
TUV HOSE L=775 MM. WITH 2 B15073AL	A06-A0775	N.	27,53	32,03
COATED TUV HOSE L=775 MM. WITH 2 B15073AL	A06-A0775-X1	N.	27,53	32,03
TUV HOSE L=800 MM. WITH 2 B15073AL	A06-A0800	N.	28,10	32,69
COATED TUV HOSE L=800 MM. WITH 2 B15073AL	A06-A0800-X1	N.	28,10	32,69
TUV HOSE L=825 MM. WITH 2 B15073AL	A06-A0825	N.	28,41	33,06
COATED TUV HOSE L=825 MM. WITH 2 B15073AL	A06-A0825-X1	N.	28,41	33,06
TUV HOSE L=850 MM. WITH 2 B15073AL	A06-A0850	N.	28,97	33,71
COATED TUV HOSE L=850 MM. WITH 2 B15073AL	A06-A0850-X1	N.	28,97	33,71
TUV HOSE L=875 MM. WITH 2 B15073AL	A06-A0875	N.	29,28	34,07
COATED TUV HOSE L=875 MM. WITH 2 B15073AL	A06-A0875-X1	N.	29,28	34,07
TUV HOSE L=900 MM. WITH 2 B15073AL	A06-A0900	N.	29,80	34,67
COATED TUV HOSE L=900 MM. WITH 2 B15073AL	A06-A0900-X1	N.	29,80	34,67
TUV HOSE L=925 MM. WITH 2 B15073AL	A06-A0925	N.	30,11	35,03
COATED TUV HOSE L=925 MM. WITH 2 B15073AL	A06-A0925-X1	N.	30,11	35,03
TUV HOSE L=950 MM. WITH 2 B15073AL	A06-A0950	N.	30,68	35,70
COATED TUV HOSE L=950 MM. WITH 2 B15073AL	A06-A0950-X1	N.	30,68	35,70
TUV HOSE L=975 MM. WITH 2 B15073AL	A06-A0975	N.	30,99	36,06
COATED TUV HOSE L=975 MM. WITH 2 B15073AL	A06-A0975-X1	N.	30,99	36,06
TUV HOSE L=1000 MM. WITH 2 B15073AL	A06-A1000	N.	31,56	36,72
COATED TUV HOSE L=1000 MM. WITH 2 B15073AL	A06-A1000-X1	N.	31,56	36,72
TUV HOSE L=1050 MM. WITH 2 B15073AL	A06-A1050	N.	32,49	37,80
COATED TUV HOSE L=1050 MM. WITH 2 B15073AL	A06-A1050-X1	N.	32,49	37,80
TUV HOSE L=1100 MM. WITH 2 B15073AL	A06-A1100	N.	33,26	38,70
COATED TUV HOSE L=1100 MM. WITH 2 B15073AL	A06-A1100-X1	N.	33,26	38,70
TUV HOSE L=1150 MM. WITH 2 B15073AL	A06-A1150	N.	34,14	39,72

COATED TUV HOSE L=1150 MM. WITH 2 B15073AL	A06-A1150-X1	N.	34,14	39,72
TUV HOSE L=1200 MM. WITH 2 B15073AL	A06-A1200	N.	35,07	40,80
COATED TUV HOSE L=1200 MM. WITH 2 B15073AL	A06-A1200-X1	N.	35,07	40,80
TUV HOSE L=1250 MM. WITH 2 B15073AL	A06-A1250	N.	35,95	41,83
COATED TUV HOSE L=1250 MM. WITH 2 B15073AL	A06-A1250-X1	N.	35,95	41,83
TUV HOSE L=1300 MM. WITH 2 B15073AL	A06-A1300	N.	36,72	42,72
COATED TUV HOSE L=1300 MM. WITH 2 B15073AL	A06-A1300-X1	N.	36,72	42,72
TUV HOSE L=1350 MM. WITH 2 B15073AL	A06-A1350	N.	37,65	43,81
COATED TUV HOSE L=1350 MM. WITH 2 B15073AL	A06-A1350-X1	N.	37,65	43,81
TUV HOSE L=1400 MM. WITH 2 B15073AL	A06-A1400	N.	38,53	44,83
COATED TUV HOSE L=1400 MM. WITH 2 B15073AL	A06-A1400-X1	N.	38,53	44,83
TUV HOSE L=1450 MM. WITH 2 B15073AL	A06-A1450	N.	39,41	45,85
COATED TUV HOSE L=1450 MM. WITH 2 B15073AL	A06-A1450-X1	N.	39,41	45,85
TUV HOSE L=1500 MM. WITH 2 B15073AL	A06-A1500	N.	40,23	46,81
COATED TUV HOSE L=1500 MM. WITH 2 B15073AL	A06-A1500-X1	N.	40,23	46,81
TUV HOSE L=1550 MM. WITH 2 B15073AL	A06-A1550	N.	41,11	47,83
COATED TUV HOSE L=1550 MM. WITH 2 B15073AL	A06-A1550-X1	N.	41,11	47,83

SYSTEM WITH ADAPTERS FOR BRAKES - CATEGORY 101

KEVLAR BRAIDED HOSE WITH ALUMINIUM UNIONS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
TUV HOSE L=100 MM. WITH 2 B15073AL	A06K0100	N.	18,33	21,33
TUV HOSE L=125 MM. WITH 2 B15073AL	A06K0125	N.	18,90	21,99
TUV HOSE L=130 MM. WITH 2 B15073AL	A06K0130	N.	18,98	22,08
TUV HOSE L=150 MM. WITH 2 B15073AL	A06K0150	N.	19,32	22,48
TUV HOSE L=175 MM. WITH 2 B15073AL	A06K0175	N.	19,78	23,01
TUV HOSE L=200 MM. WITH 2 B15073AL	A06K0200	N.	20,35	23,68
TUV HOSE L=225 MM. WITH 2 B15073AL	A06K0225	N.	20,81	24,21
TUV HOSE L=250 MM. WITH 2 B15073AL	A06K0250	N.	21,38	24,88
TUV HOSE L=275 MM. WITH 2 B15073AL	A06K0275	N.	21,79	25,35
TUV HOSE L=300 MM. WITH 2 B15073AL	A06K0300	N.	22,31	25,96
TUV HOSE L=325 MM. WITH 2 B15073AL	A06K0325	N.	22,88	26,62
TUV HOSE L=350 MM. WITH 2 B15073AL	A06K0350	N.	23,29	27,10
TUV HOSE L=375 MM. WITH 2 B15073AL	A06K0375	N.	23,76	27,64
TUV HOSE L=400 MM. WITH 2 B15073AL	A06K0400	N.	24,38	28,37
TUV HOSE L=425 MM. WITH 2 B15073AL	A06K0425	N.	24,69	28,73
TUV HOSE L=450 MM. WITH 2 B15073AL	A06K0450	N.	25,36	29,51
TUV HOSE L=475 MM. WITH 2 B15073AL	A06K0475	N.	25,67	29,87
TUV HOSE L=500 MM. WITH 2 B15073AL	A06K0500	N.	26,29	30,59
TUV HOSE L=525 MM. WITH 2 B15073AL	A06K0525	N.	26,60	30,95
TUV HOSE L=550 MM. WITH 2 B15073AL	A06K0550	N.	27,27	31,73
TUV HOSE L=575 MM. WITH 2 B15073AL	A06K0575	N.	27,58	32,09
TUV HOSE L=600 MM. WITH 2 B15073AL	A06K0600	N.	28,35	32,99
TUV HOSE L=625 MM. WITH 2 B15073AL	A06K0625	N.	28,66	33,35

TUV HOSE L=650 MM. WITH 2 B15073AL	A06K0650	N.	29,33	34,13
TUV HOSE L=675 MM. WITH 2 B15073AL	A06K0675	N.	29,64	34,49
TUV HOSE L=700 MM. WITH 2 B15073AL	A06K0700	N.	30,26	35,21
TUV HOSE L=725 MM. WITH 2 B15073AL	A06K0725	N.	30,57	35,57
TUV HOSE L=750 MM. WITH 2 B15073AL	A06K0750	N.	31,30	36,42
TUV HOSE L=775 MM. WITH 2 B15073AL	A06K0775	N.	31,61	36,78
TUV HOSE L=800 MM. WITH 2 B15073AL	A06K0800	N.	32,33	37,62
TUV HOSE L=825 MM. WITH 2 B15073AL	A06K0825	N.	32,64	37,98
TUV HOSE L=850 MM. WITH 2 B15073AL	A06K0850	N.	33,31	38,76
TUV HOSE L=875 MM. WITH 2 B15073AL	A06K0875	N.	33,62	39,12
TUV HOSE L=900 MM. WITH 2 B15073AL	A06K0900	N.	34,29	39,90
TUV HOSE L=925 MM. WITH 2 B15073AL	A06K0925	N.	34,60	40,26
TUV HOSE L=950 MM. WITH 2 B15073AL	A06K0950	N.	35,33	41,11
TUV HOSE L=975 MM. WITH 2 B15073AL	A06K0975	N.	35,64	41,47
TUV HOSE L=1000 MM. WITH 2 B15073AL	A06K1000	N.	36,31	42,25
TUV HOSE L=1050 MM. WITH 2 B15073AL	A06K1050	N.	37,39	43,50
TUV HOSE L=1100 MM. WITH 2 B15073AL	A06K1100	N.	38,22	44,47
TUV HOSE L=1150 MM. WITH 2 B15073AL	A06K1150	N.	39,25	45,67
TUV HOSE L=1200 MM. WITH 2 B15073AL	A06K1200	N.	40,34	46,94
TUV HOSE L=1250 MM. WITH 2 B15073AL	A06K1250	N.	41,32	48,08
TUV HOSE L=1300 MM. WITH 2 B15073AL	A06K1300	N.	42,25	49,16
TUV HOSE L=1350 MM. WITH 2 B15073AL	A06K1350	N.	43,28	50,36
TUV HOSE L=1400 MM. WITH 2 B15073AL	A06K1400	N.	44,31	51,55
TUV HOSE L=1450 MM. WITH 2 B15073AL	A06K1450	N.	45,34	52,75
TUV HOSE L=1500 MM. WITH 2 B15073AL	A06K1500	N.	46,27	53,84
TUV HOSE L=1550 MM. WITH 2 B15073AL	A06K1550	N.	47,31	55,05
TUV HOSE L=1600 MM. WITH 2 B15073AL	A06K1600	N.	48,76	56,73
TUV HOSE L=1650 MM. WITH 2 B15073AL	A06K1650	N.	49,79	57,93
TUV HOSE L=1700 MM. WITH 2 B15073AL	A06K1700	N.	50,82	59,13

TUV HOSE L=1750 MM. WITH 2 B15073AL	A06K1750	N.	51,85	60,33
TUV HOSE L=1800 MM. WITH 2 B15073AL	A06K1800	N.	52,88	61,53
TUV HOSE L=1850 MM. WITH 2 B15073AL	A06K1850	N.	53,91	62,72
TUV HOSE L=1900 MM. WITH 2 B15073AL	A06K1900	N.	54,94	63,92
TUV HOSE L=1950 MM. WITH 2 B15073AL	A06K1950	N.	55,97	65,12
TUV HOSE L=2000 MM. WITH 2 B15073AL	A06K2000	N.	57,00	66,32
TUV HOSE L=2050 MM. WITH 2 B15073AL	A06K2050	N.	58,03	67,52
TUV HOSE L=2100 MM. WITH 2 B15073AL	A06K2100	N.	59,06	68,72
TUV HOSE L=2150 MM. WITH 2 B15073AL	A06K2150	N.	60,04	69,86
TUV HOSE L=2200 MM. WITH 2 B15073AL	A06K2200	N.	61,12	71,11
TUV HOSE L=2300 MM. WITH 2 B15073AL	A06K2300	N.	63,20	73,53

SYSTEM WITH ADAPTERS FOR BRAKES - CATEGORY 73

CARBOTECH HOSE WITH BLACK COLOUR ALUMINIUM UNIONS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
TUV HOSE L=100 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0100	N.	24,75	28,80
TUV HOSE L=125 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0125	N.	25,52	29,69
TUV HOSE L=130 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0130	N.	25,62	29,81
TUV HOSE L=150 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0150	N.	26,08	30,34
TUV HOSE L=175 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0175	N.	26,70	31,07
TUV HOSE L=200 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0200	N.	27,47	31,96
TUV HOSE L=225 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0225	N.	28,09	32,68
TUV HOSE L=250 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0250	N.	28,86	33,58
TUV HOSE L=275 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0275	N.	29,42	34,23
TUV HOSE L=300 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0300	N.	30,12	35,04
TUV HOSE L=325 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0325	N.	30,89	35,94
TUV HOSE L=350 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0350	N.	31,44	36,58
TUV HOSE L=375 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0375	N.	32,08	37,33
TUV HOSE L=400 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0400	N.	32,91	38,29
TUV HOSE L=425 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0425	N.	33,33	38,78
TUV HOSE L=450 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0450	N.	34,24	39,84
TUV HOSE L=475 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0475	N.	34,65	40,32
TUV HOSE L=500 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0500	N.	35,49	41,29
TUV HOSE L=525 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0525	N.	35,91	41,78
TUV HOSE L=550 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0550	N.	36,81	42,83
TUV HOSE L=575 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0575	N.	37,23	43,32
TUV HOSE L=600 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0600	N.	38,27	44,53
TUV HOSE L=625 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0625	N.	38,69	45,02

TUV HOSE L=650 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0650	N.	39,60	46,07
TUV HOSE L=675 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0675	N.	40,01	46,55
TUV HOSE L=700 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0700	N.	40,85	47,53
TUV HOSE L=725 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0725	N.	41,27	48,02
TUV HOSE L=750 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0750	N.	42,26	49,17
TUV HOSE L=775 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0775	N.	42,67	49,65
TUV HOSE L=800 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0800	N.	43,65	50,79
TUV HOSE L=825 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0825	N.	44,06	51,26
TUV HOSE L=850 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0850	N.	44,97	52,32
TUV HOSE L=875 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0875	N.	45,39	52,81
TUV HOSE L=900 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0900	N.	46,29	53,86
TUV HOSE L=925 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0925	N.	46,71	54,35
TUV HOSE L=950 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0950	N.	47,70	55,50
TUV HOSE L=975 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C0975	N.	48,11	55,98
TUV HOSE L=1000 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1000	N.	49,02	57,03
TUV HOSE L=1050 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1050	N.	50,48	58,73
TUV HOSE L=1100 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1100	N.	51,60	60,04
TUV HOSE L=1150 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1150	N.	52,99	61,65
TUV HOSE L=1200 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1200	N.	54,46	63,36
TUV HOSE L=1250 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1250	N.	55,78	64,90
TUV HOSE L=1300 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1300	N.	57,04	66,37
TUV HOSE L=1350 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1350	N.	58,43	67,98
TUV HOSE L=1400 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1400	N.	59,82	69,60
TUV HOSE L=1450 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1450	N.	61,21	71,22
TUV HOSE L=1500 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1500	N.	62,46	72,67
TUV HOSE L=1550 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1550	N.	63,87	74,31
TUV HOSE L=1600 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1600	N.	65,28	75,95
TUV HOSE L=1650 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1650	N.	66,70	77,61
TUV HOSE L=1700 MM. WITH 2 B 15073AL NERO	A09C1700	N.	68,10	79,23

TUV HOSE L=1750 MM. WITH 2 B 15073AL NERO	A09C1750	N.	69,51	80,87
TUV HOSE L=1800 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1800	N.	70,92	82,52
TUV HOSE L=1850 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1850	N.	72,33	84,16
TUV HOSE L=1900 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1900	N.	73,74	85,80
TUV HOSE L=1950 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C1950	N.	75,15	87,44
TUV HOSE L=2000 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C2000	N.	76,56	89,08
TUV HOSE L=2050 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C2050	N.	77,97	90,72
TUV HOSE L=2100 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C2100	N.	79,38	92,36
TUV HOSE L=2150 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C2150	N.	80,79	94,00
TUV HOSE L=2200 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C2200	N.	82,20	95,64
TUV HOSE L=2300 MM. WITH 2 B15073AL / BLACK ALUMINIUM	A09C2300	N.	85,02	98,92

SYSTEM WITH ADAPTERS FOR TUBE WITH INSIDE ϕ 3/16" - CATEGORY 110

STAINLESS STEEL BRAIDED HOSE WITH CHROMED FITTINGS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
INOX STAINLESS-STEEL HOSE L=100 MM WITH 2 B15072CR	A07-0100	N.	15,60	18,15
INOX STAINLESS-STEEL HOSE L=125 MM WITH 2 B15072CR	A07-0125	N.	16,06	18,69
INOX STAINLESS-STEEL HOSE L=150 MM WITH 2 B15072CR	A07-0150	N.	16,42	19,10
INOX STAINLESS-STEEL HOSE L=175 MM WITH 2 B15072CR	A07-0175	N.	16,84	19,59
INOX STAINLESS-STEEL HOSE L=200 MM WITH 2 B15072CR	A07-0200	N.	17,30	20,13
INOX STAINLESS-STEEL HOSE L=225 MM WITH 2 B15072CR	A07-0225	N.	17,71	20,61
INOX STAINLESS-STEEL HOSE L=250 MM WITH 2 B15072CR	A07-0250	N.	18,18	21,15
INOX STAINLESS-STEEL HOSE L=275 MM WITH 2 B15072CR	A07-0275	N.	18,54	21,57
INOX STAINLESS-STEEL HOSE L=300 MM WITH 2 B15072CR	A07-0300	N.	18,95	22,05
INOX STAINLESS-STEEL HOSE L=325 MM WITH 2 B15072CR	A07-0325	N.	19,47	22,65
INOX STAINLESS-STEEL HOSE L=350 MM WITH 2 B15072CR	A07-0350	N.	19,83	23,07
INOX STAINLESS-STEEL HOSE L=375 MM WITH 2 B15072CR	A07-0375	N.	20,25	23,56
INOX STAINLESS-STEEL HOSE L=400 MM WITH 2 B15072CR	A07-0400	N.	20,71	24,10
INOX STAINLESS-STEEL HOSE L=425 MM WITH 2 B15072CR	A07-0425	N.	21,07	24,51
INOX STAINLESS-STEEL HOSE L=450 MM WITH 2 B15072CR	A07-0450	N.	21,59	25,12
INOX STAINLESS-STEEL HOSE L=475 MM WITH 2 B15072CR	A07-0475	N.	21,95	25,54
INOX STAINLESS-STEEL HOSE L=500 MM WITH 2 B15072CR	A07-0500	N.	22,36	26,02
INOX STAINLESS-STEEL HOSE L=525 MM WITH 2 B15072CR	A07-0525	N.	22,78	26,50
INOX STAINLESS-STEEL HOSE L=550 MM WITH 2 B15072CR	A07-0550	N.	23,24	27,04
INOX STAINLESS-STEEL HOSE L=575 MM WITH 2 B15072CR	A07-0575	N.	23,60	27,46
INOX STAINLESS-STEEL HOSE L=600 MM WITH 2 B15072CR	A07-0600	N.	24,12	28,06
INOX STAINLESS-STEEL HOSE L=625 MM WITH 2 B15072CR	A07-0625	N.	24,48	28,48
INOX STAINLESS-STEEL HOSE L=650 MM WITH 2 B15072CR	A07-0650	N.	25,00	29,09

INOX STAINLESS-STEEL HOSE L=675 MM WITH 2 B15072CR	A07-0675	N.	25,36	29,51
INOX STAINLESS-STEEL HOSE L=700 MM WITH 2 B15072CR	A07-0700	N.	25,82	30,04



SYSTEM WITH ADAPTERS FOR TUBE WITH INSIDE ϕ 3/16" - CATEGORY 111

STAINLESS STEEL BRAIDED HOSE WITH ALUMINIUM FITTINGS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
INOX STAINLESS-STEEL HOSE L=100 MM WITH 2 B15072AL	A07-A0100	N.	19,11	22,23
INOX STAINLESS-STEEL HOSE L=125 MM WITH 2 B15072AL	A07-A0125	N.	19,73	22,96
INOX STAINLESS-STEEL HOSE L=150 MM WITH 2 B15072AL	A07-A0150	N.	20,14	23,43
INOX STAINLESS-STEEL HOSE L=175 MM WITH 2 B15072AL	A07-A0175	N.	20,66	24,04
INOX STAINLESS-STEEL HOSE L=200 MM WITH 2 B15072AL	A07-A0200	N.	21,17	24,63
INOX STAINLESS-STEEL HOSE L=225 MM WITH 2 B15072AL	A07-A0225	N.	21,69	25,24
INOX STAINLESS-STEEL HOSE L=250 MM WITH 2 B15072AL	A07-A0250	N.	22,31	25,96
INOX STAINLESS-STEEL HOSE L=275 MM WITH 2 B15072AL	A07-A0275	N.	22,72	26,43
INOX STAINLESS-STEEL HOSE L=300 MM WITH 2 B15072AL	A07-A0300	N.	23,24	27,04
INOX STAINLESS-STEEL HOSE L=325 MM WITH 2 B15072AL	A07-A0325	N.	23,86	27,76
INOX STAINLESS-STEEL HOSE L=350 MM WITH 2 B15072AL	A07-A0350	N.	24,27	28,24
INOX STAINLESS-STEEL HOSE L=375 MM WITH 2 B15072AL	A07-A0375	N.	24,79	28,84
INOX STAINLESS-STEEL HOSE L=400 MM WITH 2 B15072AL	A07-A0400	N.	25,41	29,56
INOX STAINLESS-STEEL HOSE L=425 MM WITH 2 B15072AL	A07-A0425	N.	25,77	29,98
INOX STAINLESS-STEEL HOSE L=450 MM WITH 2 B15072AL	A07-A0450	N.	26,44	30,76
INOX STAINLESS-STEEL HOSE L=475 MM WITH 2 B15072AL	A07-A0475	N.	26,86	31,25
INOX STAINLESS-STEEL HOSE L=500 MM WITH 2 B15072AL	A07-A0500	N.	27,37	31,84
INOX STAINLESS-STEEL HOSE L=525 MM WITH 2 B15072AL	A07-A0525	N.	27,73	32,26
INOX STAINLESS-STEEL HOSE L=550 MM WITH 2 B15072AL	A07-A0550	N.	28,46	33,11
INOX STAINLESS-STEEL HOSE L=575 MM WITH 2 B15072AL	A07-A0575	N.	28,82	33,53
INOX STAINLESS-STEEL HOSE L=600 MM WITH 2 B15072AL	A07-A0600	N.	29,54	34,37
INOX STAINLESS-STEEL HOSE L=625 MM WITH 2 B15072AL	A07-A0625	N.	29,95	34,85
INOX STAINLESS-STEEL HOSE L=650 MM WITH 2 B15072AL	A07-A0650	N.	30,63	35,64

INOX STAINLESS-STEEL HOSE L=675 MM WITH 2 B15072AL	A07-A0675	N.	30,99	36,06
INOX STAINLESS-STEEL HOSE L=700 MM WITH 2 B15072AL	A07-A0700	N.	31,56	36,72

SYSTEM WITH ADAPTERS FOR TUBE WITH INSIDE ϕ 3/8" - CATEGORY 112

STAINLESS STEEL BRAIDED HOSE WITH ZINC-PLATED FITTINGS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/€ = 1,1635				
INOX STAINLESS-STEEL HOSE L=100 MM WITH 2 B15080	A08-0100	N.	9,30	10,82
INOX STAINLESS-STEEL HOSE L=110 MM WITH 2 B15080	A08-0110	N.	9,30	10,82
INOX STAINLESS-STEEL HOSE L=120 MM WITH 2 B15080	A08-0120	N.	9,30	10,82
INOX STAINLESS-STEEL HOSE L=130 MM WITH 2 B15080	A08-0130	N.	9,30	10,82
INOX STAINLESS-STEEL HOSE L=140 MM WITH 2 B15080	A08-0140	N.	9,30	10,82
INOX STAINLESS-STEEL HOSE L=150 MM WITH 2 B15080	A08-0150	N.	9,30	10,82
INOX STAINLESS-STEEL HOSE L=160 MM WITH 2 B15080	A08-0160	N.	9,30	10,82
INOX STAINLESS-STEEL HOSE L=170 MM WITH 2 B15080	A08-0170	N.	9,30	10,82
INOX STAINLESS-STEEL HOSE L=180 MM WITH 2 B15080	A08-0180	N.	9,30	10,82
INOX STAINLESS-STEEL HOSE L=190 MM WITH 2 B15080	A08-0190	N.	9,30	10,82
INOX STAINLESS-STEEL HOSE L=200 MM WITH 2 B15080	A08-0200	N.	9,30	10,82
INOX STAINLESS-STEEL HOSE L=220 MM WITH 2 B15080	A08-0220	N.	12,39	14,42
INOX STAINLESS-STEEL HOSE L=240 MM WITH 2 B15080	A08-0240	N.	12,39	14,42
INOX STAINLESS-STEEL HOSE L=260 MM WITH 2 B15080	A08-0260	N.	12,39	14,42
INOX STAINLESS-STEEL HOSE L=280 MM WITH 2 B15080	A08-0280	N.	12,39	14,42
INOX STAINLESS-STEEL HOSE L=300 MM WITH 2 B15080	A08-0300	N.	12,39	14,42
INOX STAINLESS-STEEL HOSE L=320 MM WITH 2 B15080	A08-0320	N.	13,94	16,22
INOX STAINLESS-STEEL HOSE L=340 MM WITH 2 B15080	A08-0340	N.	13,94	16,22
INOX STAINLESS-STEEL HOSE L=360 MM WITH 2 B15080	A08-0360	N.	13,94	16,22
INOX STAINLESS-STEEL HOSE L=380 MM WITH 2 B15080	A08-0380	N.	13,94	16,22
INOX STAINLESS-STEEL HOSE L=400 MM WITH 2 B15080	A08-0400	N.	16,01	18,63
INOX STAINLESS-STEEL HOSE L=425 MM WITH 2 B15080	A08-0425	N.	16,01	18,63
INOX STAINLESS-STEEL HOSE L=450 MM WITH 2 B15080	A08-0450	N.	16,01	18,63

INOX STAINLESS-STEEL HOSE L=475 MM WITH 2 B15080	A08-0475	N.	16,01	18,63
INOX STAINLESS-STEEL HOSE L=500 MM WITH 2 B15080	A08-0500	N.	16,01	18,63
INOX STAINLESS-STEEL HOSE L=525 MM WITH 2 B15080	A08-0525	N.	18,08	21,04
INOX STAINLESS-STEEL HOSE L=550 MM WITH 2 B15080	A08-0550	N.	18,08	21,04
INOX STAINLESS-STEEL HOSE L=575 MM WITH 2 B15080	A08-0575	N.	18,08	21,04
INOX STAINLESS-STEEL HOSE L=600 MM WITH 2 B15080	A08-0600	N.	18,08	21,04
INOX STAINLESS-STEEL HOSE L=625 MM WITH 2 B15080	A08-0625	N.	18,85	21,93
INOX STAINLESS-STEEL HOSE L=650 MM WITH 2 B15080	A08-0650	N.	19,11	22,23
INOX STAINLESS-STEEL HOSE L=675 MM WITH 2 B15080	A08-0675	N.	19,63	22,84
INOX STAINLESS-STEEL HOSE L=700 MM WITH 2 B15080	A08-0700	N.	20,14	23,43
INOX STAINLESS-STEEL HOSE L=725 MM WITH 2 B15080	A08-0725	N.	20,92	24,34
INOX STAINLESS-STEEL HOSE L=750 MM WITH 2 B15080	A08-0750	N.	21,17	24,63
INOX STAINLESS-STEEL HOSE L=775 MM WITH 2 B15080	A08-0775	N.	21,69	25,24
INOX STAINLESS-STEEL HOSE L=800 MM WITH 2 B15080	A08-0800	N.	22,21	25,84
INOX STAINLESS-STEEL HOSE L=850 MM WITH 2 B15080	A08-0850	N.	23,24	27,04
INOX STAINLESS-STEEL HOSE L=900 MM WITH 2 B15080	A08-0900	N.	24,27	28,24
INOX STAINLESS-STEEL HOSE L=950 MM WITH 2 B15080	A08-0950	N.	25,31	29,45
INOX STAINLESS-STEEL HOSE L=1000 MM WITH 2 B15080	A08-1000	N.	26,34	30,65

SYSTEM WITH ADAPTERS FOR TUBE WITH INSIDE ϕ 3/8" - CATEGORY 113

STAINLESS STEEL BRAIDED HOSE WITH ALUMINIUM FITTINGS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
INOX STAINLESS-STEEL HOSE L=100 MM WITH 2 B15080AL	A08-A0100	N.	17,04	19,83
INOX STAINLESS-STEEL HOSE L=110 MM WITH 2 B15080AL	A08-A0110	N.	17,04	19,83
INOX STAINLESS-STEEL HOSE L=120 MM WITH 2 B15080AL	A08-A0120	N.	17,04	19,83
INOX STAINLESS-STEEL HOSE L=130 MM WITH 2 B15080AL	A08-A0130	N.	17,04	19,83
INOX STAINLESS-STEEL HOSE L=140 MM WITH 2 B15080AL	A08-A0140	N.	17,04	19,83
INOX STAINLESS-STEEL HOSE L=150 MM WITH 2 B15080AL	A08-A0150	N.	17,04	19,83
INOX STAINLESS-STEEL HOSE L=160 MM WITH 2 B15080AL	A08-A0160	N.	17,04	19,83
INOX STAINLESS-STEEL HOSE L=170 MM WITH 2 B15080AL	A08-A0170	N.	17,04	19,83
INOX STAINLESS-STEEL HOSE L=180 MM WITH 2 B15080AL	A08-A0180	N.	17,04	19,83
INOX STAINLESS-STEEL HOSE L=190 MM WITH 2 B15080AL	A08-A0190	N.	17,04	19,83
INOX STAINLESS-STEEL HOSE L=200 MM WITH 2 B15080AL	A08-A0200	N.	17,04	19,83
INOX STAINLESS-STEEL HOSE L=220 MM WITH 2 B15080AL	A08-A0220	N.	20,14	23,43
INOX STAINLESS-STEEL HOSE L=240 MM WITH 2 B15080AL	A08-A0240	N.	20,14	23,43
INOX STAINLESS-STEEL HOSE L=260 MM WITH 2 B15080AL	A08-A0260	N.	20,14	23,43
INOX STAINLESS-STEEL HOSE L=280 MM WITH 2 B15080AL	A08-A0280	N.	20,14	23,43
INOX STAINLESS-STEEL HOSE L=300 MM WITH 2 B15080AL	A08-A0300	N.	20,14	23,43
INOX STAINLESS-STEEL HOSE L=320 MM WITH 2 B15080AL	A08-A0320	N.	21,69	25,24
INOX STAINLESS-STEEL HOSE L=340 MM WITH 2 B15080AL	A08-A0340	N.	21,69	25,24
INOX STAINLESS-STEEL HOSE L=360 MM WITH 2 B15080AL	A08-A0360	N.	21,69	25,24
INOX STAINLESS-STEEL HOSE L=380 MM WITH 2 B15080AL	A08-A0380	N.	21,69	25,24
INOX STAINLESS-STEEL HOSE L=400 MM WITH 2 B15080AL	A08-A0400	N.	21,69	25,24
INOX STAINLESS-STEEL HOSE L=425 MM WITH 2 B15080AL	A08-A0425	N.	23,76	27,64
INOX STAINLESS-STEEL HOSE L=450 MM WITH 2 B15080AL	A08-A0450	N.	23,76	27,64

INOX STAINLESS-STEEL HOSE L=475 MM WITH 2 B15080AL	A08-A0475	N.	23,76	27,64
INOX STAINLESS-STEEL HOSE L=500 MM WITH 2 B15080AL	A08-A0500	N.	23,76	27,64
INOX STAINLESS-STEEL HOSE L=525 MM WITH 2 B15080AL	A08-A0525	N.	25,82	30,04
INOX STAINLESS-STEEL HOSE L=550 MM WITH 2 B15080AL	A08-A0550	N.	25,82	30,04
INOX STAINLESS-STEEL HOSE L=575 MM WITH 2 B15080AL	A08-A0575	N.	25,82	30,04
INOX STAINLESS-STEEL HOSE L=600 MM WITH 2 B15080AL	A08-A0600	N.	25,82	30,04
INOX STAINLESS-STEEL HOSE L=625 MM WITH 2 B15080AL	A08-A0625	N.	26,60	30,95
INOX STAINLESS-STEEL HOSE L=650 MM WITH 2 B15080AL	A08-A0650	N.	26,86	31,25
INOX STAINLESS-STEEL HOSE L=675 MM WITH 2 B15080AL	A08-A0675	N.	27,37	31,84
INOX STAINLESS-STEEL HOSE L=700 MM WITH 2 B15080AL	A08-A0700	N.	27,89	32,45
INOX STAINLESS-STEEL HOSE L=725 MM WITH 2 B15080AL	A08-A0725	N.	28,66	33,35
INOX STAINLESS-STEEL HOSE L=750 MM WITH 2 B15080AL	A08-A0750	N.	28,92	33,65
INOX STAINLESS-STEEL HOSE L=775 MM WITH 2 B15080AL	A08-A0775	N.	29,44	34,25
INOX STAINLESS-STEEL HOSE L=800 MM WITH 2 B15080AL	A08-A0800	N.	29,95	34,85
INOX STAINLESS-STEEL HOSE L=850 MM WITH 2 B15080AL	A08-A0850	N.	30,99	36,06
INOX STAINLESS-STEEL HOSE L=900 MM WITH 2 B15080AL	A08-A0900	N.	32,02	37,26
INOX STAINLESS-STEEL HOSE L=950 MM WITH 2 B15080AL	A08-A0950	N.	33,05	38,45
INOX STAINLESS-STEEL HOSE L=1000 MM WITH 2 B15080AL	A08-A1000	N.	34,09	39,66

SYSTEM WITH ADAPTERS FOR TUBE WITH INSIDE ϕ 3/8" - CATEGORY 114

KEVLAR BRAIDED HOSE WITH ALUMINIUM FITTINGS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/€ = 1,1635				
KEVLAR HOSE L=100 MM WITH 2 B15080AL	A08K0100	N.	20,66	24,04
KEVLAR HOSE L=110 MM WITH 2 B15080AL	A08K0110	N.	20,66	24,04
KEVLAR HOSE L=120 MM WITH 2 B15080AL	A08K0120	N.	20,66	24,04
KEVLAR HOSE L=130 MM WITH 2 B15080AL	A08K0130	N.	20,66	24,04
KEVLAR HOSE L=140 MM WITH 2 B15080AL	A08K0140	N.	20,66	24,04
KEVLAR HOSE L=150 MM WITH 2 B15080AL	A08K0150	N.	20,66	24,04
KEVLAR HOSE L=160 MM WITH 2 B15080AL	A08K0160	N.	20,66	24,04
KEVLAR HOSE L=170 MM WITH 2 B15080AL	A08K0170	N.	20,66	24,04
KEVLAR HOSE L=180 MM WITH 2 B15080AL	A08K0180	N.	20,66	24,04
KEVLAR HOSE L=190 MM WITH 2 B15080AL	A08K0190	N.	20,66	24,04
KEVLAR HOSE L=200 MM WITH 2 B15080AL	A08K0200	N.	20,66	24,04
KEVLAR HOSE L=220 MM WITH 2 B15080AL	A08K0220	N.	23,76	27,64
KEVLAR HOSE L=240 MM WITH 2 B15080AL	A08K0240	N.	23,76	27,64
KEVLAR HOSE L=260 MM WITH 2 B15080AL	A08K0260	N.	23,76	27,64
KEVLAR HOSE L=280 MM WITH 2 B15080AL	A08K0280	N.	23,76	27,64
KEVLAR HOSE L=300 MM WITH 2 B15080AL	A08K0300	N.	23,76	27,64
KEVLAR HOSE L=320 MM WITH 2 B15080AL	A08K0320	N.	26,86	31,25
KEVLAR HOSE L=340 MM WITH 2 B15080AL	A08K0340	N.	26,86	31,25
KEVLAR HOSE L=360 MM WITH 2 B15080AL	A08K0360	N.	26,86	31,25
KEVLAR HOSE L=380 MM WITH 2 B15080AL	A08K0380	N.	26,86	31,25
KEVLAR HOSE L=400 MM WITH 2 B15080AL	A08K0400	N.	26,86	31,25
KEVLAR HOSE L=425 MM WITH 2 B15080AL	A08K0425	N.	29,95	34,85
KEVLAR HOSE L=450 MM WITH 2 B15080AL	A08K0450	N.	29,95	34,85

KEVLAR HOSE L=475 MM WITH 2 B15080AL	A08K0475	N.	29,95	34,85
KEVLAR HOSE L=500 MM WITH 2 B15080AL	A08K0500	N.	29,95	34,85
KEVLAR HOSE L=525 MM WITH 2 B15080AL	A08K0525	N.	33,05	38,45
KEVLAR HOSE L=550 MM WITH 2 B15080AL	A08K0550	N.	33,05	38,45
KEVLAR HOSE L=575 MM WITH 2 B15080AL	A08K0575	N.	33,05	38,45
KEVLAR HOSE L=600 MM WITH 2 B15080AL	A08K0600	N.	33,05	38,45
KEVLAR HOSE L=625 MM WITH 2 B15080AL	A08K0625	N.	36,15	42,06
KEVLAR HOSE L=650 MM WITH 2 B15080AL	A08K0650	N.	36,15	42,06
KEVLAR HOSE L=675 MM WITH 2 B15080AL	A08K0675	N.	36,15	42,06
KEVLAR HOSE L=700 MM WITH 2 B15080AL	A08K0700	N.	36,15	42,06
KEVLAR HOSE L=725 MM WITH 2 B15080AL	A08K0725	N.	39,25	45,67
KEVLAR HOSE L=750 MM WITH 2 B15080AL	A08K0750	N.	39,25	45,67
KEVLAR HOSE L=775 MM WITH 2 B15080AL	A08K0775	N.	39,25	45,67
KEVLAR HOSE L=800 MM WITH 2 B15080AL	A08K0800	N.	39,25	45,67
KEVLAR HOSE L=850 MM WITH 2 B15080AL	A08K0850	N.	42,35	49,27
KEVLAR HOSE L=900 MM WITH 2 B15080AL	A08K0900	N.	42,35	49,27
KEVLAR HOSE L=950 MM WITH 2 B15080AL	A08K0950	N.	45,45	52,88
KEVLAR HOSE L=1000 MM WITH 2 B15080AL	A08K1000	N.	45,45	52,88

SYSTEM WITH ADAPTERS FOR TUBE WITH INSIDE ϕ 3/8" - CATEGORY 78

CARBON BRAIDED HOSE WITH ALUMINIUM FITTINGS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/€ = 1,1635				
CARBON FIBRE HOSE L=100 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0100	N.	36,27	42,20
CARBON FIBRE HOSE L=110 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0110	N.	36,27	42,20
CARBON FIBRE HOSE L=120 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0120	N.	36,27	42,20
CARBON FIBRE HOSE L=130 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0130	N.	36,27	42,20
CARBON FIBRE HOSE L=140 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0140	N.	36,27	42,20
CARBON FIBRE HOSE L=150 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0150	N.	36,27	42,20
CARBON FIBRE HOSE L=160 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0160	N.	36,27	42,20
CARBON FIBRE HOSE L=170 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0170	N.	36,27	42,20
CARBON FIBRE HOSE L=180 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0180	N.	36,27	42,20
CARBON FIBRE HOSE L=190 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0190	N.	36,27	42,20
CARBON FIBRE HOSE L=200 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0200	N.	36,27	42,20
CARBON FIBRE HOSE L=220 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0220	N.	41,71	48,53
CARBON FIBRE HOSE L=240 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0240	N.	41,71	48,53
CARBON FIBRE HOSE L=260 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0260	N.	41,71	48,53
CARBON FIBRE HOSE L=280 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0280	N.	41,71	48,53
CARBON FIBRE HOSE L=300 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0300	N.	41,71	48,53
CARBON FIBRE HOSE L=320 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0320	N.	47,14	54,85
CARBON FIBRE HOSE L=340 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0340	N.	47,14	54,85
CARBON FIBRE HOSE L=360 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0360	N.	47,14	54,85
CARBON FIBRE HOSE L=380 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0380	N.	47,14	54,85
CARBON FIBRE HOSE L=400 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0400	N.	47,14	54,85
CARBON FIBRE HOSE L=425 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0425	N.	52,56	61,15
CARBON FIBRE HOSE L=450 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0450	N.	52,56	61,15

CARBON FIBRE HOSE L=475 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0475	N.	52,56	61,15
CARBON FIBRE HOSE L=500 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0500	N.	52,56	61,15
CARBON FIBRE HOSE L=525 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0525	N.	58,01	67,49
CARBON FIBRE HOSE L=550 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0550	N.	58,01	67,49
CARBON FIBRE HOSE L=575 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0575	N.	58,01	67,49
CARBON FIBRE HOSE L=600 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0600	N.	58,01	67,49
CARBON FIBRE HOSE L=625 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0625	N.	63,44	73,81
CARBON FIBRE HOSE L=650 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0650	N.	63,44	73,81
CARBON FIBRE HOSE L=675 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0675	N.	63,44	73,81
CARBON FIBRE HOSE L=700 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0700	N.	63,44	73,81
CARBON FIBRE HOSE L=725 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0725	N.	68,89	80,15
CARBON FIBRE HOSE L=750 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0750	N.	68,89	80,15
CARBON FIBRE HOSE L=775 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0775	N.	68,89	80,15
CARBON FIBRE HOSE L=800 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0800	N.	68,89	80,15
CARBON FIBRE HOSE L=850 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0850	N.	74,33	86,48
CARBON FIBRE HOSE L=900 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0900	N.	74,33	86,48
CARBON FIBRE HOSE L=950 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C0950	N.	79,77	92,81
CARBON FIBRE HOSE L=1000 MM WITH 2 B15080AL / BLACK ALUMINIUM	A20C1000	N.	79,77	92,81

SYSTEM WITH ADAPTERS FOR BRAKES: CROSS/ENDURO MODELS - CATEGORY 200

STAINLESS STEEL BRAIDED HOSE WITH CHROMED FITTINGS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
	X1 = TRANSPARENT COATED	CURRENT EXCHANGE RATE €/\$ = 1,1635		
COMPLETED OF Ø 10 BLACK RIGID SLEEVE AND 2 B21015				
COATED TUV HOSE L= 500 MM. G=380 WITH 2 B15073CR	A06-CR0500-X1	N.	21,64	25,18
COATED TUV HOSE L= 550 MM. G=380 WITH 2 B15073CR	A06-CR0550-X1	N.	22,34	25,99
COATED TUV HOSE L= 580 MM. G=380 WITH 2 B15073CR	A06-CR0580-X1	N.	22,62	26,32
COATED TUV HOSE L= 610 MM. G=420 WITH 2 B15073CR	A06-CR0610-X1	N.	23,03	26,80
COATED TUV HOSE L= 640 MM. G=420 WITH 2 B15073CR	A06-CR0640-X1	N.	23,71	27,59
COATED TUV HOSE L= 670 MM. G=420 WITH 2 B15073CR	A06-CR0670-X1	N.	24,02	27,95
COATED TUV HOSE L= 700 MM. G=420 WITH 2 B15073CR	A06-CR0700-X1	N.	24,38	28,37
COATED TUV HOSE L= 750 MM. G=420 WITH 2 B15073CR	A06-CR0750-X1	N.	25,05	29,15
COATED TUV HOSE L= 800 MM. G=420 WITH 2 B15073CR	A06-CR0800-X1	N.	25,72	29,93
COATED TUV HOSE L= 850 MM. G=420 WITH 2 B15073CR	A06-CR0850-X1	N.	26,44	30,76
COATED TUV HOSE L=1150 MM. G=620 WITH 2 B15073CR	A06-CR1150-X1	N.	31,40	36,53
COATED TUV HOSE L=1200 MM. G=660 WITH 2 B15073CR	A06-CR1200-X1	N.	32,12	37,37
COATED TUV HOSE L=1250 MM. G=660 WITH 2 B15073CR	A06-CR1250-X1	N.	32,80	38,16
COATED TUV HOSE L=1300 MM. G=700 WITH 2 B15073CR	A06-CR1300-X1	N.	33,57	39,06
COATED TUV HOSE L=1350 MM. G=720 WITH 2 B15073CR	A06-CR1350-X1	N.	34,19	39,78
COATED TUV HOSE L=1400 MM. G=830 WITH 2 B15073CR	A06-CR1400-X1	N.	34,91	40,62
COATED TUV HOSE L=1450 MM. G=850 WITH 2 B15073CR	A06-CR1450-X1	N.	35,64	41,47
COATED TUV HOSE L=1500 MM. G=910 WITH 2 B15073CR	A06-CR1500-X1	N.	36,26	42,19
COATED TUV HOSE L=1540 MM. G=910 WITH 2 B15073CR	A06-CR1540-X1	N.	36,95	42,99
COATED TUV HOSE L=1600 MM. G=940 WITH 2 B15073CR	A06-CR1600-X1	N.	37,96	44,17

* L = HOSE LENGTH: HOSES LONGER THAN 1150 MM. ARE SUPPLIED WITH ONE RUBBER CAP B21031.

* G = RIGID SLEEVE LENGTH: THE SLEEVE CAN BE EASILY SHORTENED ON ONE SIDE.

SYSTEM WITH ADAPTERS FOR BRAKES: CROSS/ENDURO MODELS - CATEGORY 201

STAINLESS STEEL BRAIDED HOSE WITH ALUMINIUM FITTINGS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
	X1 = TRANSPARENT COATED	CURRENT EXCHANGE RATE €/\$ = 1,1635		
COMPLETED OF Ø 10 BLACK RIGID SLEEVE AND 2 B21015				
COATED TUV HOSE L= 500 MM. G=380 WITH 2 B15073AL	A06A-CR0500X1	N.	25,62	29,81
COATED TUV HOSE L= 550 MM. G=380 WITH 2 B15073AL	A06A-CR0550X1	N.	26,49	30,82
COATED TUV HOSE L= 580 MM. G=380 WITH 2 B15073AL	A06A-CR0580X1	N.	27,06	31,48
COATED TUV HOSE L= 610 MM. G=420 WITH 2 B15073AL	A06A-CR0610X1	N.	27,58	32,09
COATED TUV HOSE L= 640 MM. G=420 WITH 2 B15073AL	A06A-CR0640X1	N.	28,30	32,93
COATED TUV HOSE L= 670 MM. G=420 WITH 2 B15073AL	A06A-CR0670X1	N.	28,61	33,29
COATED TUV HOSE L= 700 MM. G=420 WITH 2 B15073AL	A06A-CR0700X1	N.	29,08	33,83
COATED TUV HOSE L= 750 MM. G=420 WITH 2 B15073AL	A06A-CR0750X1	N.	30,01	34,92
COATED TUV HOSE L= 800 MM. G=420 WITH 2 B15073AL	A06A-CR0800X1	N.	30,88	35,93
COATED TUV HOSE L= 850 MM. G=420 WITH 2 B15073AL	A06A-CR0850X1	N.	31,76	36,95
COATED TUV HOSE L=1150 MM. G=620 WITH 2 B15073AL	A06A-CR1150X1	N.	38,27	44,53
COATED TUV HOSE L=1200 MM. G=660 WITH 2 B15073AL	A06A-CR1200X1	N.	39,20	45,61
COATED TUV HOSE L=1250 MM. G=660 WITH 2 B15073AL	A06A-CR1250X1	N.	40,08	46,63
COATED TUV HOSE L=1300 MM. G=700 WITH 2 B15073AL	A06A-CR1300X1	N.	40,85	47,53
COATED TUV HOSE L=1350 MM. G=720 WITH 2 B15073AL	A06A-CR1350X1	N.	41,78	48,61
COATED TUV HOSE L=1400 MM. G=830 WITH 2 B15073AL	A06A-CR1400X1	N.	42,66	49,63
COATED TUV HOSE L=1450 MM. G=850 WITH 2 B15073AL	A06A-CR1450X1	N.	43,54	50,66
COATED TUV HOSE L=1500 MM. G=910 WITH 2 B15073AL	A06A-CR1500X1	N.	44,36	51,61
COATED TUV HOSE L=1540 MM. G=910 WITH 2 B15073AL	A06A-CR1540X1	N.	45,24	52,64
COATED TUV HOSE L=1600 MM. G=940 WITH 2 B15073AL	A06A-CR1600X1	N.	45,71	53,18

* L = HOSE LENGTH: HOSES LONGER THAN 1150 MM. ARE SUPPLIED WITH ONE RUBBER CAP B21031.

* G = RIGID SLEEVE LENGTH: THE SLEEVE CAN BE EASILY SHORTENED ON ONE SIDE.

SYSTEM WITH ADAPTERS FOR BRAKES: CROSS/ENDURO MODELS - CATEGORY 202

KEVLAR BRAIDED HOSE WITH ALUMINIUM FITTINGS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
COMPLETED OF Ø 10 BLACK RIGID SLEEVE AND 2 B21015				
KEVLAR HOSE L= 500 MM. G=380 WITH 2 B15073AL	A06K-CR0500	N.	29,08	33,83
KEVLAR HOSE L= 550 MM. G=380 WITH 2 B15073AL	A06K-CR0550	N.	30,06	34,97
KEVLAR HOSE L= 580 MM. G=380 WITH 2 B15073AL	A06K-CR0580	N.	30,47	35,45
KEVLAR HOSE L= 610 MM. G=420 WITH 2 B15073AL	A06K-CR0610	N.	30,99	36,06
KEVLAR HOSE L= 640 MM. G=420 WITH 2 B15073AL	A06K-CR0640	N.	32,02	37,26
KEVLAR HOSE L= 670 MM. G=420 WITH 2 B15073AL	A06K-CR0670	N.	32,43	37,73
KEVLAR HOSE L= 700 MM. G=420 WITH 2 B15073AL	A06K-CR0700	N.	33,05	38,45
KEVLAR HOSE L= 750 MM. G=420 WITH 2 B15073AL	A06K-CR0750	N.	33,78	39,30
KEVLAR HOSE L= 800 MM. G=420 WITH 2 B15073AL	A06K-CR0800	N.	35,12	40,86
KEVLAR HOSE L= 850 MM. G=420 WITH 2 B15073AL	A06K-CR0850	N.	36,15	42,06
KEVLAR HOSE L=1150 MM. G=620 WITH 2 B15073AL	A06K-CR1150	N.	42,35	49,27
KEVLAR HOSE L=1200 MM. G=660 WITH 2 B15073AL	A06K-CR1200	N.	43,43	50,53
KEVLAR HOSE L=1250 MM. G=660 WITH 2 B15073AL	A06K-CR1250	N.	44,47	51,74
KEVLAR HOSE L=1300 MM. G=700 WITH 2 B15073AL	A06K-CR1300	N.	45,34	52,75
KEVLAR HOSE L=1350 MM. G=720 WITH 2 B15073AL	A06K-CR1350	N.	46,38	53,96
KEVLAR HOSE L=1400 MM. G=830 WITH 2 B15073AL	A06K-CR1400	N.	47,41	55,16
KEVLAR HOSE L=1450 MM. G=850 WITH 2 B15073AL	A06K-CR1450	N.	48,44	56,36
KEVLAR HOSE L=1500 MM. G=910 WITH 2 B15073AL	A06K-CR1500	N.	49,37	57,44
KEVLAR HOSE L=1540 MM. G=910 WITH 2 B15073AL	A06K-CR1540	N.	50,41	58,65
KEVLAR HOSE L=1600 MM. G=940 WITH 2 B15073AL	A06K-CR1600	N.	50,87	59,19

* L = HOSE LENGTH: HOSES LONGER THAN 1150 MM. ARE SUPPLIED WITH ONE RUBBER CAP B21031.

* G = RIGID SLEEVE LENGTH: THE SLEEVE CAN BE EASILY SHORTENED ON ONE SIDE.

SYSTEM WITH ADAPTERS FOR BRAKES: CROSS/ENDURO MODELS - CATEGORY 203

CARBON BRAIDED HOSE WITH ALUMINIUM FITTINGS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
	X1 = TRANSPARENT COATED		CURRENT EXCHANGE RATE €/\$ = 1,1635	
COMPLETED OF Ø 10 BLACK RIGID SLEEVE AND 2 B21015				
CARBON FIBRE HOSE L=500 MM G=380 WITH 2 B15073AL NE	A09-CR0500	N.	39,26	45,68
CARBON FIBRE HOSE L=550 MM G=380 WITH 2 B15073AL NE	A09-CR0550	N.	40,58	47,21
CARBON FIBRE HOSE L=580 MM G=380 WITH 2 B15073AL NE	A09-CR0580	N.	41,13	47,85
CARBON FIBRE HOSE L=610 MM G=420 WITH 2 B15073AL NE	A09-CR0610	N.	41,84	48,68
CARBON FIBRE HOSE L=640 MM G=420 WITH 2 B15073AL NE	A09-CR0640	N.	43,27	50,34
CARBON FIBRE HOSE L=670 MM G=420 WITH 2 B15073AL NE	A09-CR0670	N.	43,78	50,94
CARBON FIBRE HOSE L=700 MM G=420 WITH 2 B15073AL NE	A09-CR0700	N.	44,62	51,92
CARBON FIBRE HOSE L=750 MM G=420 WITH 2 B15073AL NE	A09-CR0750	N.	45,60	53,06
CARBON FIBRE HOSE L=800 MM G=420 WITH 2 B15073AL NE	A09-CR0800	N.	47,41	55,16
CARBON FIBRE HOSE L=850 MM G=420 WITH 2 B15073AL NE	A09-CR0850	N.	48,80	56,78
CARBON FIBRE HOSE L=1150 MM G=620 WITH 2 B15073AL NE	A09-CR1150	N.	57,17	66,52
CARBON FIBRE HOSE L=1200 MM G=660 WITH 2 B15073AL NE	A09-CR1200	N.	58,63	68,22
CARBON FIBRE HOSE L=1250 MM G=660 WITH 2 B15073AL NE	A09-CR1250	N.	60,03	69,84
CARBON FIBRE HOSE L=1300 MM G=700 WITH 2 B15073AL NE	A09-CR1300	N.	61,21	71,22
CARBON FIBRE HOSE L=1350 MM G=720 WITH 2 B15073AL NE	A09-CR1350	N.	62,61	72,85
CARBON FIBRE HOSE L=1400 MM G=830 WITH 2 B15073AL NE	A09-CR1400	N.	64,00	74,46
CARBON FIBRE HOSE L=1450 MM G=850 WITH 2 B15073AL NE	A09-CR1450	N.	65,39	76,08
CARBON FIBRE HOSE L=1500 MM G=910 WITH 2 B15073AL NE	A09-CR1500	N.	66,65	77,55
CARBON FIBRE HOSE L=1540 MM G=910 WITH 2 B15073AL NE	A09-CR1540	N.	68,05	79,18
CARBON FIBRE HOSE L=1600 MM G=940 WITH 2 B15073AL NE	A09-CR1600	N.	68,67	79,90

* L = HOSE LENGTH: HOSES LONGER THAN 1150 MM. ARE SUPPLIED WITH ONE RUBBER CAP B21031.

* G = RIGID SLEEVE LENGTH: THE SLEEVE CAN BE EASILY SHORTENED ON ONE SIDE.

SYSTEM WITH ADAPTERS FOR BRAKES - CATEGORIES 181 & 182

INOX STAINLESS-STEEL BRAIDED HOSE WITH INOX STAINLESS-STEEL FITTINGS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
	X1 = TRANSPARENT COATED	CURRENT EXCHANGE RATE €/\$ = 1,1635		
INOX STAINLESS-STEEL HOSEL=100 MM. WITH 2 B15073INOX	A06I0100	N.	16,50	19,20
COATED INOX STAINLESS-STEEL HOSE L=100 MM. WITH 2 B15073INOX	A06I0100-X1	N.	16,50	19,20
INOX STAINLESS-STEEL HOSEL=125 MM. WITH 2 B15073INOX	A06I0125	N.	16,80	19,55
COATED INOX STAINLESS-STEEL HOSE L=125 MM. WITH 2 B15073INOX	A06I0125-X1	N.	16,80	19,55
INOX STAINLESS-STEEL HOSEL=130 MM. WITH 2 B15073INOX	A06I0130	N.	17,00	19,78
COATED INOX STAINLESS-STEEL HOSE L=130 MM. WITH 2 B15073INOX	A06I0130-X1	N.	17,00	19,78
INOX STAINLESS-STEEL HOSEL=150 MM. WITH 2 B15073INOX	A06I0150	N.	17,50	20,36
COATED INOX STAINLESS-STEEL HOSE L=150 MM. WITH 2 B15073INOX	A06I0150-X1	N.	17,50	20,36
INOX STAINLESS-STEEL HOSEL=175 MM. WITH 2 B15073INOX	A06I0175	N.	17,80	20,71
COATED INOX STAINLESS-STEEL HOSE L=175 MM. WITH 2 B15073INOX	A06I0175-X1	N.	17,80	20,71
INOX STAINLESS-STEEL HOSEL=200 MM. WITH 2 B15073INOX	A06I0200	N.	18,00	20,94
COATED INOX STAINLESS-STEEL HOSE L=200 MM. WITH 2 B15073INOX	A06I0200-X1	N.	18,00	20,94
INOX STAINLESS-STEEL HOSEL=225 MM. WITH 2 B15073INOX	A06I0225	N.	18,50	21,52
COATED INOX STAINLESS-STEEL HOSE L=225 MM. WITH 2 B15073INOX	A06I0225-X1	N.	18,50	21,52
INOX STAINLESS-STEEL HOSEL=250 MM. WITH 2 B15073INOX	A06I0250	N.	19,00	22,11
COATED INOX STAINLESS-STEEL HOSE L=250 MM. WITH 2 B15073INOX	A06I0250-X1	N.	19,00	22,11
INOX STAINLESS-STEEL HOSEL=275 MM. WITH 2 B15073INOX	A06I0275	N.	19,30	22,46
COATED INOX STAINLESS-STEEL HOSE L=275 MM. WITH 2 B15073INOX	A06I0275-X1	N.	19,30	22,46
INOX STAINLESS-STEEL HOSEL=300 MM. WITH 2 B15073INOX	A06I0300	N.	20,00	23,27
COATED INOX STAINLESS-STEEL HOSE L=300 MM. WITH 2 B15073INOX	A06I0300-X1	N.	20,00	23,27
INOX STAINLESS-STEEL HOSEL=325 MM. WITH 2 B15073INOX	A06I0325	N.	20,50	23,85
COATED INOX STAINLESS-STEEL HOSE L=325 MM. WITH 2 B15073INOX	A06I0325-X1	N.	20,50	23,85
INOX STAINLESS-STEEL HOSEL=350 MM. WITH 2 B15073INOX	A06I0350	N.	20,80	24,20

INOX STAINLESS-STEEL HOSERIF. L=350 MM. WITH 2 B15073INOX	A06I0350-X1	N.	20,80	24,20
INOX STAINLESS-STEEL HOSEL=375 MM. WITH 2 B15073INOX	A06I0375	N.	21,30	24,78
COATED INOX STAINLESS-STEEL HOSE L=375 MM. WITH 2 B15073INOX	A06I0375-X1	N.	21,30	24,78
INOX STAINLESS-STEEL HOSEL=400 MM. WITH 2 B15073INOX	A06I0400	N.	21,80	25,36
COATED INOX STAINLESS-STEEL HOSE L=400 MM. WITH 2 B15073INOX	A06I0400-X1	N.	21,80	25,36
INOX STAINLESS-STEEL HOSEL=425 MM. WITH 2 B15073INOX	A06I0425	N.	22,00	25,60
COATED INOX STAINLESS-STEEL HOSE L=425 MM. WITH 2 B15073INOX	A06I0425-X1	N.	22,00	25,60
INOX STAINLESS-STEEL HOSEL=450 MM. WITH 2 B15073INOX	A06I0450	N.	22,50	26,18
COATED INOX STAINLESS-STEEL HOSE L=450 MM. WITH 2 B15073INOX	A06I0450-X1	N.	22,50	26,18
INOX STAINLESS-STEEL HOSEL=475 MM. WITH 2 B15073INOX	A06I0475	N.	23,00	26,76
COATED INOX STAINLESS-STEEL HOSE L=475 MM. WITH 2 B15073INOX	A06I0475-X1	N.	23,00	26,76
INOX STAINLESS-STEEL HOSEL=500 MM. WITH 2 B15073INOX	A06I0500	N.	23,30	27,11
COATED INOX STAINLESS-STEEL HOSE L=500 MM. WITH 2 B15073INOX	A06I0500-X1	N.	23,30	27,11
INOX STAINLESS-STEEL HOSEL=525 MM. WITH 2 B15073INOX	A06I0525	N.	23,80	27,69
COATED INOX STAINLESS-STEEL HOSE L=525 MM. WITH 2 B15073INOX	A06I0525-X1	N.	23,80	27,69
INOX STAINLESS-STEEL HOSEL=550 MM. WITH 2 B15073INOX	A06I0550	N.	24,50	28,51
COATED INOX STAINLESS-STEEL HOSE L=550 MM. WITH 2 B15073INOX	A06I0550-X1	N.	24,50	28,51
INOX STAINLESS-STEEL HOSEL=575 MM. WITH 2 B15073INOX	A06I0575	N.	24,80	28,85
COATED INOX STAINLESS-STEEL HOSE L=575 MM. WITH 2 B15073INOX	A06I0575-X1	N.	24,80	28,85
INOX STAINLESS-STEEL HOSEL=600 MM. WITH 2 B15073INOX	A06I0600	N.	25,30	29,44
COATED INOX STAINLESS-STEEL HOSE L=600 MM. WITH 2 B15073INOX	A06I0600-X1	N.	25,30	29,44
INOX STAINLESS-STEEL HOSEL=625 MM. WITH 2 B15073INOX	A06I0625	N.	25,80	30,02
COATED INOX STAINLESS-STEEL HOSE L=625 MM. WITH 2 B15073INOX	A06I0625-X1	N.	25,80	30,02
INOX STAINLESS-STEEL HOSEL=650 MM. WITH 2 B15073INOX	A06I0650	N.	26,50	30,83
COATED INOX STAINLESS-STEEL HOSE L=650 MM. WITH 2 B15073INOX	A06I0650-X1	N.	26,50	30,83
INOX STAINLESS-STEEL HOSEL=675 MM. WITH 2 B15073INOX	A06I0675	N.	26,80	31,18
COATED INOX STAINLESS-STEEL HOSE L=675 MM. WITH 2 B15073INOX	A06I0675-X1	N.	26,80	31,18
INOX STAINLESS-STEEL HOSEL=700 MM. WITH 2 B15073INOX	A06I0700	N.	27,00	31,41
COATED INOX STAINLESS-STEEL HOSE L=700 MM. WITH 2 B15073INOX	A06I0700-X1	N.	27,00	31,41

INOX STAINLESS-STEEL HOSEL=725 MM. WITH 2 B15073INOX	A06I0725	N.	27,50	32,00
COATED INOX STAINLESS-STEEL HOSE L=725 MM. WITH 2 B15073INOX	A06I0725-X1	N.	27,50	32,00
INOX STAINLESS-STEEL HOSEL=750 MM. WITH 2 B15073INOX	A06I0750	N.	28,00	32,58
COATED INOX STAINLESS-STEEL HOSE L=750 MM. WITH 2 B15073INOX	A06I0750-X1	N.	28,00	32,58
INOX STAINLESS-STEEL HOSEL=775 MM. WITH 2 B15073INOX	A06I0775	N.	28,30	32,93
COATED INOX STAINLESS-STEEL HOSE L=775 MM. WITH 2 B15073INOX	A06I0775-X1	N.	28,30	32,93
INOX STAINLESS-STEEL HOSEL=800 MM. WITH 2 B15073INOX	A06I0800	N.	29,00	33,74
COATED INOX STAINLESS-STEEL HOSE L=800 MM. WITH 2 B15073INOX	A06I0800-X1	N.	29,00	33,74
INOX STAINLESS-STEEL HOSEL=825 MM. WITH 2 B15073INOX	A06I0825	N.	29,30	34,09
COATED INOX STAINLESS-STEEL HOSE L=825 MM. WITH 2 B15073INOX	A06I0825-X1	N.	29,30	34,09
INOX STAINLESS-STEEL HOSEL=850 MM. WITH 2 B15073INOX	A06I0850	N.	30,00	34,91
COATED INOX STAINLESS-STEEL HOSE L=850 MM. WITH 2 B15073INOX	A06I0850-X1	N.	30,00	34,91
INOX STAINLESS-STEEL HOSEL=875 MM. WITH 2 B15073INOX	A06I0875	N.	30,30	35,25
COATED INOX STAINLESS-STEEL HOSE L=875 MM. WITH 2 B15073INOX	A06I0875-X1	N.	30,30	35,25
INOX STAINLESS-STEEL HOSEL=900 MM. WITH 2 B15073INOX	A06I0900	N.	30,50	35,49
COATED INOX STAINLESS-STEEL HOSE L=900 MM. WITH 2 B15073INOX	A06I0900-X1	N.	30,50	35,49
INOX STAINLESS-STEEL HOSEL=925 MM. WITH 2 B15073INOX	A06I0925	N.	31,00	36,07
COATED INOX STAINLESS-STEEL HOSE L=925 MM. WITH 2 B15073INOX	A06I0925-X1	N.	31,00	36,07
INOX STAINLESS-STEEL HOSEL=950 MM. WITH 2 B15073INOX	A06I0950	N.	31,50	36,65
COATED INOX STAINLESS-STEEL HOSE L=950 MM. WITH 2 B15073INOX	A06I0950-X1	N.	31,50	36,65
INOX STAINLESS-STEEL HOSEL=975 MM. WITH 2 B15073INOX	A06I0975	N.	31,70	36,88
COATED INOX STAINLESS-STEEL HOSE L=975 MM. WITH 2 B15073INOX	A06I0975-X1	N.	31,70	36,88
INOX STAINLESS-STEEL HOSEL=1000 MM. WITH 2 B15073INOX	A06I1000	N.	32,50	37,81
COATED INOX STAINLESS-STEEL HOSE L=1000 MM. WITH 2 B15073INOX	A06I1000-X1	N.	32,50	37,81
INOX STAINLESS-STEEL HOSEL=1050 MM. WITH 2 B15073INOX	A06I1050	N.	33,40	38,86
COATED INOX STAINLESS-STEEL HOSE L=1050 MM. WITH 2 B15073INOX	A06I1050-X1	N.	33,40	38,86
INOX STAINLESS-STEEL HOSEL=1100 MM. WITH 2 B15073INOX	A06I1100	N.	34,30	39,91
COATED INOX STAINLESS-STEEL HOSE L=1100 MM. WITH 2 B15073INOX	A06I1100-X1	N.	34,30	39,91
INOX STAINLESS-STEEL HOSEL=1150 MM. WITH 2 B15073INOX	A06I1150	N.	35,00	40,72

COATED INOX STAINLESS-STEEL HOSE L=1150 MM. WITH 2 B15073INOX	A06I1150-X1	N.	35,00	40,72
INOX STAINLESS-STEEL HOSEL=1200 MM. WITH 2 B15073INOX	A06I1200	N.	36,00	41,89
COATED INOX STAINLESS-STEEL HOSE L=1200 MM. WITH 2 B15073INOX	A06I1200-X1	N.	36,00	41,89
INOX STAINLESS-STEEL HOSEL=1250 MM. WITH 2 B15073INOX	A06I1250	N.	36,80	42,82
COATED INOX STAINLESS-STEEL HOSE L=1250 MM. WITH 2 B15073INOX	A06I1250-X1	N.	36,80	42,82
INOX STAINLESS-STEEL HOSEL=1300 MM. WITH 2 B15073INOX	A06I1300	N.	37,80	43,98
COATED INOX STAINLESS-STEEL HOSE L=1300 MM. WITH 2 B15073INOX	A06I1300-X1	N.	37,80	43,98
INOX STAINLESS-STEEL HOSEL=1350 MM. WITH 2 B15073INOX	A06I1350	N.	38,50	44,79
COATED INOX STAINLESS-STEEL HOSE L=1350 MM. WITH 2 B15073INOX	A06I1350-X1	N.	38,50	44,79
INOX STAINLESS-STEEL HOSEL=1400 MM. WITH 2 B15073INOX	A06I1400	N.	39,50	45,96
COATED INOX STAINLESS-STEEL HOSE L=1400 MM. WITH 2 B15073INOX	A06I1400-X1	N.	39,50	45,96
INOX STAINLESS-STEEL HOSEL=1450 MM. WITH 2 B15073INOX	A06I1450	N.	40,50	47,12
COATED INOX STAINLESS-STEEL HOSE L=1450 MM. WITH 2 B15073INOX	A06I1450-X1	N.	40,50	47,12
INOX STAINLESS-STEEL HOSEL=1500 MM. WITH 2 B15073INOX	A06I1500	N.	41,50	48,29
COATED INOX STAINLESS-STEEL HOSE L=1500 MM. WITH 2 B15073INOX	A06I1500-X1	N.	41,50	48,29
INOX STAINLESS-STEEL HOSEL=1550 MM. WITH 2 B15073INOX	A06I1550	N.	42,00	48,87
COATED INOX STAINLESS-STEEL HOSE L=1550 MM. WITH 2 B15073INOX	A06I1550-X1	N.	42,00	48,87
INOX STAINLESS-STEEL HOSEL=1600 MM. WITH 2 B15073INOX	A06I1600	N.	43,00	50,03
COATED INOX STAINLESS-STEEL HOSE L=1600 MM. WITH 2 B15073INOX	A06I1600-X1	N.	43,00	50,03
INOX STAINLESS-STEEL HOSEL=1650 MM. WITH 2 B15073INOX	A06I1650	N.	44,00	51,19
COATED INOX STAINLESS-STEEL HOSE L=1650 MM. WITH 2 B15073INOX	A06I1650-X1	N.	44,00	51,19
INOX STAINLESS-STEEL HOSEL=1700 MM. WITH 2 B15073INOX	A06I1700	N.	45,00	52,36
COATED INOX STAINLESS-STEEL HOSE L=1700 MM. WITH 2 B15073INOX	A06I1700-X1	N.	45,00	52,36
INOX STAINLESS-STEEL HOSEL=1750 MM. WITH 2 B15073INOX	A06I1750	N.	46,00	53,52
COATED INOX STAINLESS-STEEL HOSE L=1750 MM. WITH 2 B15073INOX	A06I1750-X1	N.	46,00	53,52
INOX STAINLESS-STEEL HOSEL=1800 MM. WITH 2 B15073INOX	A06I1800	N.	47,00	54,68
COATED INOX STAINLESS-STEEL HOSE L=1800 MM. WITH 2 B15073INOX	A06I1800-X1	N.	47,00	54,68
INOX STAINLESS-STEEL HOSEL=1850 MM. WITH 2 B15073INOX	A06I1850	N.	48,00	55,85
COATED INOX STAINLESS-STEEL HOSE L=1850 MM. WITH 2 B15073INOX	A06I1850-X1	N.	48,00	55,85

INOX STAINLESS-STEEL HOSEL=1900 MM. WITH 2 B15073INOX	A06I1900	N.	49,00	57,01
COATED INOX STAINLESS-STEEL HOSE L=1900 MM. WITH 2 B15073INOX	A06I1900-X1	N.	49,00	57,01
INOX STAINLESS-STEEL HOSEL=1950 MM. WITH 2 B15073INOX	A06I1950	N.	50,00	58,18
COATED INOX STAINLESS-STEEL HOSE L=1950 MM. WITH 2 B15073INOX	A06I1950-X1	N.	50,00	58,18
INOX STAINLESS-STEEL HOSEL=2000 MM. WITH 2 B15073INOX	A06I2000	N.	51,00	59,34
COATED INOX STAINLESS-STEEL HOSE L=2000 MM. WITH 2 B15073INOX	A06I2000-X1	N.	51,00	59,34
INOX STAINLESS-STEEL HOSEL=2050 MM. WITH 2 B15073INOX	A06I2050	N.	52,00	60,50
COATED INOX STAINLESS-STEEL HOSE L=2050 MM. WITH 2 B15073INOX	A06I2050-X1	N.	52,00	60,50
INOX STAINLESS-STEEL HOSEL=2100 MM. WITH 2 B15073INOX	A06I2100	N.	53,00	61,67
COATED INOX STAINLESS-STEEL HOSE L=2100 MM. WITH 2 B15073INOX	A06I2100-X1	N.	53,00	61,67
INOX STAINLESS-STEEL HOSEL=2150 MM. WITH 2 B15073INOX	A06I2150	N.	54,00	62,83
COATED INOX STAINLESS-STEEL HOSE L=2150 MM. WITH 2 B15073INOX	A06I2150-X1	N.	54,00	62,83
INOX STAINLESS-STEEL HOSEL=2200 MM. WITH 2 B15073INOX	A06I2200	N.	55,00	63,99
COATED INOX STAINLESS-STEEL HOSE L=2200 MM. WITH 2 B15073INOX	A06I2200-X1	N.	55,00	63,99
INOX STAINLESS-STEEL HOSEL=2300 MM. WITH 2 B15073INOX	A06I2300	N.	57,00	66,32
COATED INOX STAINLESS-STEEL HOSE L=2300 MM. WITH 2 B15073INOX	A06I2300-X1	N.	57,00	66,32

SYSTEM WITH ADAPTERS FOR BRAKES - CATEGORY 183**KEVLAR BRAIDED HOSE WITH STAINLESS STEEL FITTINGS**

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
KEVLAR HOSE L=100 MM. WITH 2 B15073 INOX	A06KI0100	N.	22,50	26,18
KEVLAR HOSE L=125 MM. WITH 2 B15073 INOX	A06KI0125	N.	22,80	26,53
KEVLAR HOSE L=130 MM. WITH 2 B15073 INOX	A06KI0130	N.	23,00	26,76
KEVLAR HOSE L=150 MM. WITH 2 B15073 INOX	A06KI0150	N.	23,50	27,34
KEVLAR HOSE L=175 MM. WITH 2 B15073 INOX	A06KI0175	N.	24,00	27,92
KEVLAR HOSE L=200 MM. WITH 2 B15073 INOX	A06KI0200	N.	25,00	29,09
KEVLAR HOSE L=225 MM. WITH 2 B15073 INOX	A06KI0225	N.	25,50	29,67
KEVLAR HOSE L=250 MM. WITH 2 B15073 INOX	A06KI0250	N.	25,80	30,02
KEVLAR HOSE L=275 MM. WITH 2 B15073 INOX	A06KI0275	N.	26,50	30,83
KEVLAR HOSE L=300 MM. WITH 2 B15073 INOX	A06KI0300	N.	27,00	31,41
KEVLAR HOSE L=325 MM. WITH 2 B15073 INOX	A06KI0325	N.	27,60	32,11
KEVLAR HOSE L=350 MM. WITH 2 B15073 INOX	A06KI0350	N.	28,00	32,58
KEVLAR HOSE L=375 MM. WITH 2 B15073 INOX	A06KI0375	N.	29,50	34,32
KEVLAR HOSE L=400 MM. WITH 2 B15073 INOX	A06KI0400	N.	29,50	34,32
KEVLAR HOSE L=425 MM. WITH 2 B15073 INOX	A06KI0425	N.	30,00	34,91
KEVLAR HOSE L=450 MM. WITH 2 B15073 INOX	A06KI0450	N.	31,00	36,07
KEVLAR HOSE L=475 MM. WITH 2 B15073 INOX	A06KI0475	N.	31,50	36,65
KEVLAR HOSE L=500 MM. WITH 2 B15073 INOX	A06KI0500	N.	32,00	37,23
KEVLAR HOSE L=525 MM. WITH 2 B15073 INOX	A06KI0525	N.	32,50	37,81
KEVLAR HOSE L=550 MM. WITH 2 B15073 INOX	A06KI0550	N.	33,00	38,40
KEVLAR HOSE L=575 MM. WITH 2 B15073 INOX	A06KI0575	N.	34,00	39,56
KEVLAR HOSE L=600 MM. WITH 2 B15073 INOX	A06KI0600	N.	34,50	40,14
KEVLAR HOSE L=625 MM. WITH 2 B15073 INOX	A06KI0625	N.	35,00	40,72

KEVLAR HOSE L=650 MM. WITH 2 B15073 INOX	A06KI0650	N.	35,50	41,30
KEVLAR HOSE L=675 MM. WITH 2 B15073 INOX	A06KI0675	N.	36,00	41,89
KEVLAR HOSE L=700 MM. WITH 2 B15073 INOX	A06KI0700	N.	37,00	43,05
KEVLAR HOSE L=725 MM. WITH 2 B15073 INOX	A06KI0725	N.	37,50	43,63
KEVLAR HOSE L=750 MM. WITH 2 B15073 INOX	A06KI0750	N.	38,00	44,21
KEVLAR HOSE L=775 MM. WITH 2 B15073 INOX	A06KI0775	N.	38,50	44,79
KEVLAR HOSE L=800 MM. WITH 2 B15073 INOX	A06KI0800	N.	39,00	45,38
KEVLAR HOSE L=825 MM. WITH 2 B15073 INOX	A06KI0825	N.	40,00	46,54
KEVLAR HOSE L=850 MM. WITH 2 B15073 INOX	A06KI0850	N.	40,50	47,12
KEVLAR HOSE L=875 MM. WITH 2 B15073 INOX	A06KI0875	N.	41,00	47,70
KEVLAR HOSE L=900 MM. WITH 2 B15073 INOX	A06KI0900	N.	41,50	48,29
KEVLAR HOSE L=925 MM. WITH 2 B15073 INOX	A06KI0925	N.	42,00	48,87
KEVLAR HOSE L=950 MM. WITH 2 B15073 INOX	A06KI0950	N.	42,50	49,45
KEVLAR HOSE L=975 MM. WITH 2 B15073 INOX	A06KI0975	N.	43,50	50,61
KEVLAR HOSE L=1000 MM WITH 2 B15073 INOX	A06KI1000	N.	44,00	51,19
KEVLAR HOSE L=1050 MM. WITH 2 B15073 INOX	A06KI1050	N.	45,00	52,36
KEVLAR HOSE L=1100 MM. WITH 2 B15073 INOX	A06KI1100	N.	46,50	54,10
KEVLAR HOSE L=1150 MM. WITH 2 B15073 INOX	A06KI1150	N.	47,50	55,27
KEVLAR HOSE L=1200 MM. WITH 2 B15073 INOX	A06KI1200	N.	49,00	57,01
KEVLAR HOSE L=1250 MM. WITH 2 B15073 INOX	A06KI1250	N.	50,00	58,18
KEVLAR HOSE L=1300 MM. WITH 2 B15073 INOX	A06KI1300	N.	51,00	59,34
KEVLAR HOSE L=1350 MM. WITH 2 B15073 INOX	A06KI1350	N.	52,50	61,08
KEVLAR HOSE L=1400 MM. WITH 2 B15073 INOX	A06KI1400	N.	53,50	62,25
KEVLAR HOSE L=1450 MM. WITH 2 B15073 INOX	A06KI1450	N.	55,00	63,99
KEVLAR HOSE L=1500 MM. WITH 2 B15073 INOX	A06KI1500	N.	56,00	65,16
KEVLAR HOSE L=1550 MM. WITH 2 B15073 INOX	A06KI1550	N.	57,00	66,32
KEVLAR HOSE L=1600 MM. WITH 2 B15073 INOX	A06KI1600	N.	59,00	68,65
KEVLAR HOSE L=1650 MM. WITH 2 B15073 INOX	A06KI1650	N.	60,00	69,81
KEVLAR HOSE L=1700 MM. WITH 2 B15073 INOX	A06KI1700	N.	61,50	71,56

KEVLAR HOSE L=1750 MM. WITH 2 B15073 INOX	A06KI1750	N.	62,50	72,72
KEVLAR HOSE L=1800 MM. WITH 2 B15073 INOX	A06KI1800	N.	64,00	74,46
KEVLAR HOSE L=1850 MM. WITH 2 B15073 INOX	A06KI1850	N.	65,00	75,63
KEVLAR HOSE L=1900 MM. WITH 2 B15073 INOX	A06KI1900	N.	66,00	76,79
TUBO KEKLAR L=1950 MM. WITH 2 B15073 INOX	A06KI1950	N.	67,50	78,54
KEVLAR HOSE L=2000 MM. WITH 2 B15073 INOX	A06KI2000	N.	68,50	79,70
KEVLAR HOSE L=2050 MM. WITH 2 B15073 INOX	A06KI2050	N.	70,50	82,03
KEVLAR HOSE L=2100 MM. WITH 2 B15073 INOX	A06KI2100	N.	71,50	83,19
KEVLAR HOSE L=2150 MM. WITH 2 B15073 INOX	A06KI2150	N.	73,00	84,94
KEVLAR HOSE L=2200 MM. WITH 2 B15073 INOX	A06KI2200	N.	74,00	86,10
KEVLAR HOSE L=2300 MM. WITH 2 B15073 INOX	A06KI2300	N.	76,50	89,01

SYSTEM WITH ADAPTERS FOR BRAKES - CATEGORY 304**CARBOTECH HOSE WITH STAINLESS STEEL FITTINGS**

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
CARBOTECH HOSE L=100 MM WITH 2 B15073INOX	A09I0100	N.	30,00	34,91
CARBOTECH HOSE L=125 MM WITH 2 B15073INOX	A09I0125	N.	30,70	35,72
CARBOTECH HOSE L=130 MM WITH 2 B15073INOX	A09I0130	N.	31,00	36,07
CARBOTECH HOSE L=150 MM WITH 2 B15073INOX	A09I0150	N.	31,50	36,65
CARBOTECH HOSE L=175 MM WITH 2 B15073INOX	A09I0175	N.	32,10	37,35
CARBOTECH HOSE L=200 MM WITH 2 B15073INOX	A09I0200	N.	33,00	38,40
CARBOTECH HOSE L=225 MM WITH 2 B15073INOX	A09I0225	N.	34,00	39,56
CARBOTECH HOSE L=250 MM WITH 2 B15073INOX	A09I0250	N.	34,70	40,37
CARBOTECH HOSE L=275 MM WITH 2 B15073INOX	A09I0275	N.	35,50	41,30
CARBOTECH HOSE L=300 MM WITH 2 B15073INOX	A09I0300	N.	36,20	42,12
CARBOTECH HOSE L=325 MM WITH 2 B15073INOX	A09I0325	N.	37,10	43,17
CARBOTECH HOSE L=350 MM WITH 2 B15073INOX	A09I0350	N.	37,80	43,98
CARBOTECH HOSE L=375 MM WITH 2 B15073INOX	A09I0375	N.	38,50	44,79
CARBOTECH HOSE L=400 MM WITH 2 B15073INOX	A09I0400	N.	39,60	46,07
CARBOTECH HOSE L=425 MM WITH 2 B15073INOX	A09I0425	N.	40,00	46,54
CARBOTECH HOSE L=450 MM WITH 2 B15073INOX	A09I0450	N.	41,10	47,82
CARBOTECH HOSE L=475 MM WITH 2 B15073INOX	A09I0475	N.	41,60	48,40
CARBOTECH HOSE L=500 MM WITH 2 B15073INOX	A09I0500	N.	42,60	49,57
CARBOTECH HOSE L=525 MM WITH 2 B15073INOX	A09I0525	N.	43,10	50,15
CARBOTECH HOSE L=550 MM WITH 2 B15073INOX	A09I0550	N.	44,20	51,43
CARBOTECH HOSE L=575 MM WITH 2 B15073INOX	A09I0575	N.	44,70	52,01
CARBOTECH HOSE L=600 MM WITH 2 B15073INOX	A09I0600	N.	46,00	53,52
CARBOTECH HOSE L=625 MM WITH 2 B15073INOX	A09I0625	N.	46,50	54,10

CARBOTECH HOSE L=650 MM WITH 2 B15073INOX	A09I0650	N.	47,60	55,38
CARBOTECH HOSE L=675 MM WITH 2 B15073INOX	A09I0675	N.	48,50	56,43
CARBOTECH HOSE L=700 MM WITH 2 B15073INOX	A09I0700	N.	49,10	57,13
CARBOTECH HOSE L=725 MM WITH 2 B15073INOX	A09I0725	N.	49,70	57,83
CARBOTECH HOSE L=750 MM WITH 2 B15073INOX	A09I0750	N.	50,80	59,11
CARBOTECH HOSE L=775 MM WITH 2 B15073INOX	A09I0775	N.	51,50	59,92
CARBOTECH HOSE L=800 MM WITH 2 B15073INOX	A09I0800	N.	52,50	61,08
CARBOTECH HOSE L=825 MM WITH 2 B15073INOX	A09I0825	N.	53,00	61,67
CARBOTECH HOSE L=850 MM WITH 2 B15073INOX	A09I0850	N.	54,00	62,83
CARBOTECH HOSE L=875 MM WITH 2 B15073INOX	A09I0875	N.	54,50	63,41
CARBOTECH HOSE L=900 MM WITH 2 B15073INOX	A09I0900	N.	55,60	64,69
CARBOTECH HOSE L=925 MM WITH 2 B15073INOX	A09I0925	N.	56,10	65,27
CARBOTECH HOSE L=950 MM WITH 2 B15073INOX	A09I0950	N.	57,50	66,90
CARBOTECH HOSE L=975 MM WITH 2 B15073INOX	A09I0975	N.	57,80	67,25
CARBOTECH HOSE L=1000 MM WITH 2 B15073INOX	A09I1000	N.	59,00	68,65
CARBOTECH HOSE L=1050 MM WITH 2 B15073INOX	A09I1050	N.	60,60	70,51
CARBOTECH HOSE L=1100 MM WITH 2 B15073INOX	A09I1100	N.	62,00	72,14
CARBOTECH HOSE L=1150 MM WITH 2 B15073INOX	A09I1150	N.	63,60	74,00
CARBOTECH HOSE L=1200 MM WITH 2 B15073INOX	A09I1200	N.	65,50	76,21
CARBOTECH HOSE L=1250 MM WITH 2 B15073INOX	A09I1250	N.	67,00	77,95
CARBOTECH HOSE L=1300 MM WITH 2 B15073INOX	A09I1300	N.	68,50	79,70
CARBOTECH HOSE L=1350 MM WITH 2 B15073INOX	A09I1350	N.	70,50	82,03
CARBOTECH HOSE L=1400 MM WITH 2 B15073INOX	A09I1400	N.	72,00	83,77
CARBOTECH HOSE L=1450 MM WITH 2 B15073INOX	A09I1450	N.	73,50	85,52
CARBOTECH HOSE L=1500 MM WITH 2 B15073INOX	A09I1500	N.	75,00	87,26
CARBOTECH HOSE L=1550 MM WITH 2 B15073INOX	A09I1550	N.	76,70	89,24
CARBOTECH HOSE L=1600 MM WITH 2 B15073INOX	A09I1600	N.	78,50	91,33
CARBOTECH HOSE L=1650 MM WITH 2 B15073INOX	A09I1650	N.	80,10	93,20
CARBOTECH HOSE L=1700 MM WITH 2 B15073INOX	A09I1700	N.	82,00	95,41

CARBOTECH HOSE L=1750 MM WITH 2 B15073INOX	A09I1750	N.	83,50	97,15
CARBOTECH HOSE L=1800 MM WITH 2 B15073INOX	A09I1800	N.	85,50	99,48
CARBOTECH HOSE L=1850 MM WITH 2 B15073INOX	A09I1850	N.	87,00	101,22
CARBOTECH HOSE L=1900 MM WITH 2 B15073INOX	A09I1900	N.	89,00	103,55
CARBOTECH HOSE L=1950 MM WITH 2 B15073INOX	A09I1950	N.	90,50	105,30
CARBOTECH HOSE L=2000 MM WITH 2 B15073INOX	A09I2000	N.	92,00	107,04
CARBOTECH HOSE L=2050 MM WITH 2 B15073INOX	A09I2050	N.	94,00	109,37
CARBOTECH HOSE L=2100 MM WITH 2 B15073INOX	A09I2100	N.	95,50	111,11
CARBOTECH HOSE L=2150 MM WITH 2 B15073INOX	A09I2150	N.	97,00	112,86
CARBOTECH HOSE L=2200 MM WITH 2 B15073INOX	A09I2200	N.	99,00	115,19
CARBOTECH HOSE L=2300 MM WITH 2 B15073INOX	A09I2300	N.	102,10	118,79



SYSTEM WITH ADAPTERS FOR BRAKES: CROSS/ENDURO MODELS - CATEGORY 185

STAINLESS STEEL BRAIDED HOSE, TRANSPARENT COATED WITH STAINLESS STEEL FITTINGS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
	X1 = TRANSPARENT COATED	CURRENT EXCHANGE RATE €/\$ = 1,1635		
COMPLETED OF Ø 10 BLACK RIGID SLEEVE AND 2 B21015				
COATED INOX STAINLESS-STEEL L=500 G=380 WITH 2 B15073INOX	A06-CRI0500X1	N.	27,50	32,00
COATED INOX STAINLESS-STEEL L=500 G=380 WITH 2 B15073INOX	A06-CRI0550X1	N.	28,30	32,93
COATED INOX STAINLESS-STEEL L=580 G=380 WITH 2 B15073INOX	A06-CRI0580X1	N.	28,50	33,16
COATED INOX STAINLESS-STEEL L=610 G=420 WITH 2 B15073INOX	A06-CRI0610X1	N.	28,80	33,51
COATED INOX STAINLESS-STEEL L=640 G=420 WITH 2 B15073INOX	A06-CRI0640X1	N.	29,70	34,56
COATED INOX STAINLESS-STEEL L=670 G=380 WITH 2 B15073INOX	A06-CRI0670X1	N.	30,00	34,91
COATED INOX STAINLESS-STEEL L=700 G=420 WITH 2 B15073INOX	A06-CRI0700X1	N.	30,50	35,49
COATED INOX STAINLESS-STEEL L=750 G=420 WITH 2 B15073INOX	A06-CRI0750X1	N.	31,50	36,65
COATED INOX STAINLESS-STEEL L=800 G=420 WITH 2 B15073INOX	A06-CRI0800X1	N.	32,30	37,58
COATED INOX STAINLESS-STEEL L=850 G=420 WITH 2 B15073INOX	A06-CRI0850X1	N.	33,00	38,40
COATED INOX STAINLESS-STEEL L=1150 G=620 WITH 2 B15073INOX	A06-CRI1150X1	N.	39,50	45,96
COATED INOX STAINLESS-STEEL L=1200 G=660 WITH 2 B15073INOX	A06-CRI1200X1	N.	40,50	47,12
COATED INOX STAINLESS-STEEL L=1250 G=660 WITH 2 B15073INOX	A06-CRI1250X1	N.	41,00	47,70
COATED INOX STAINLESS-STEEL L=1300 G=700 WITH 2 B15073INOX	A06-CRI1300X1	N.	42,00	48,87
COATED INOX STAINLESS-STEEL L=1350 G=720 WITH 2 B15073INOX	A06-CRI1350X1	N.	42,80	49,80
COATED INOX STAINLESS-STEEL L=1400 G=830 WITH 2 B15073INOX	A06-CRI1400X1	N.	43,70	50,84
COATED INOX STAINLESS-STEEL L=1450 G=850 WITH 2 B15073INOX	A06-CRI1450X1	N.	44,60	51,89
COATED INOX STAINLESS-STEEL L=1500 G=910 WITH 2 B15073INOX	A06-CRI1500X1	N.	45,50	52,94
COATED INOX STAINLESS-STEEL L=1540 G=910 WITH 2 B15073INOX	A06-CRI1540X1	N.	46,20	53,75
COATED INOX STAINLESS-STEEL L=1600 G=940 WITH 2 B15073INOX	A06-CRI1600X1	N.	47,50	55,27

* L = HOSE LENGTH: HOSES LONGER THAN 1150 MM. ARE SUPPLIED WITH ONE RUBBER CAP B21031.

* G = RIGID SLEEVE LENGTH: THE SLEEVE CAN BE EASILY SHORTENED ON ONE SIDE.

SYSTEM WITH ADAPTERS FOR BRAKES: CROSS/ENDURO MODELS - CATEGORY 186

KEVLAR BRAIDED HOSE WITH STAINLESS STEEL FITTINGS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
	X1 = TRANSPARENT COATED		CURRENT EXCHANGE RATE €/\$ = 1,1635	
COMPLETED OF Ø 10 BLACK RIGID SLEEVE AND 2 B21015				
KEVLAR HOSE L=500 MM. G=380 WITH 2 B15073INOX	A06K-CRI0500	N.	35,00	40,72
KEVLAR HOSE L=550 MM. G=380 WITH 2 B15073INOX	A06K-CRI0550	N.	36,00	41,89
KEVLAR HOSE L=580 MM. G=380 WITH 2 B15073INOX	A06K-CRI0580	N.	36,60	42,58
KEVLAR HOSE L=610 MM. G=420 WITH 2 B15073INOX	A06K-CRI0610	N.	37,20	43,28
KEVLAR HOSE L=640 MM. G=420 WITH 2 B15073INOX	A06K-CRI0640	N.	38,50	44,79
KEVLAR HOSE L=670 MM. G=420 WITH 2 B15073INOX	A06K-CRI0670	N.	39,00	45,38
KEVLAR HOSE L=700 MM. G=420 WITH 2 B15073INOX	A06K-CRI0700	N.	39,70	46,19
KEVLAR HOSE K=750 MM. G=420 WITH 2 B15073INOX	A06K-CRI0750	N.	40,50	47,12
KEVLAR HOSE L=800 MM. G=420 WITH 2 B15073INOX	A06K-CRI0800	N.	42,30	49,22
KEVLAR HOSE L=850 MM. G=420 WITH 2 B15073INOX	A06K-CRI0850	N.	43,50	50,61
KEVLAR HOSE L=1150 MM. G=620 WITH 2 B15073INOX	A06K-CRI1150	N.	51,00	59,34
KEVLAR HOSE L=1200 MM. G=660 WITH 2 B15073INOX	A06K-CRI1200	N.	52,20	60,73
KEVLAR HOSE L=1250 MM. G=660 WITH 2 B15073INOX	A06K-CRI1250	N.	53,50	62,25
KEVLAR HOSE L=1300 MM. G=700 WITH 2 B15073INOX	A06K-CRI1300	N.	54,50	63,41
KEVLAR HOSE L=1350 MM. G=720 WITH 2 B15073INOX	A06K-CRI1350	N.	55,70	64,81
KEVLAR HOSE L=1400 MM. G=830 WITH 2 B15073INOX	A06K-CRI1400	N.	56,90	66,20
KEVLAR HOSE L=1450 MM. G=850 WITH 2 B15073INOX	A06K-CRI1450	N.	58,20	67,72
KEVLAR HOSE L=1500 MM. G=910 WITH 2 B15073INOX	A06K-CRI1500	N.	59,30	69,00
KEVLAR HOSE L=1540 MM. G=910 WITH 2 B15073INOX	A06K-CRI1540	N.	60,50	70,39
KEVLAR HOSE L=1600 G=940 WITH 2 B15073INOX	A06K-CRI1600	N.	61,00	70,97

* L = HOSE LENGTH: HOSES LONGER THAN 1150 MM. ARE SUPPLIED WITH ONE RUBBER CAP B21031.

* G = RIGID SLEEVE LENGTH: THE SLEEVE CAN BE EASILY SHORTENED ON ONE SIDE.

SYSTEM WITH ADAPTERS FOR BRAKES: CROSS/ENDURO MODELS - CATEGORY 187

CARBON BRAIDED HOSE, TRANSPARENT COVERED

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
	X1 = TRANSPARENT COATED	CURRENT EXCHANGE RATE €/\$ = 1,1635		
COMPLETED OF Ø 10 BLACK RIGID SLEEVE AND 2 B21015				
CARBON FIBRE HOSE L=500 MM. G=380 WITH 2 B15073INOX	A09C-CRI0500	N.	47,50	55,27
CARBON FIBRE HOSE L=550 MM. G=380 WITH 2 B15073INOX	A09C-CRI0550	N.	49,00	57,01
CARBON FIBRE HOSE L=580 MM. G=380 WITH 2 B15073INOX	A09C-CRI0580	N.	49,50	57,59
CARBON FIBRE HOSE L=610 MM. G=420 WITH 2 B15073INOX	A09C-CRI0610	N.	50,50	58,76
CARBON FIBRE HOSE L=640 MM. G=420 WITH 2 B15073INOX	A09C-CRI0640	N.	52,50	61,08
CARBON FIBRE HOSE L=670 MM. G=420 WITH 2 B15073INOX	A09C-CRI0670	N.	53,00	61,67
CARBON FIBRE HOSE L=700 MM. G=420 WITH 2 B15073INOX	A09C-CRI0700	N.	54,00	62,83
CARBON FIBRE HOSE L=750 MM. G=420 WITH 2 B15073INOX	A09C-CRI0750	N.	55,00	63,99
CARBON FIBRE HOSE L=800 MM. G=420 WITH 2 B15073INOX	A09C-CRI0800	N.	57,00	66,32
CARBON FIBRE HOSE L=850 MM. G=420 WITH 2 B15073INOX	A09C-CRI0850	N.	59,00	68,65
CARBON FIBRE HOSE L=1150 MM. G=620 WITH 2 B15073INOX	A09C-CRI1150	N.	69,00	80,28
CARBON FIBRE HOSE L=1200 MM. G=660 WITH 2 B15073INOX	A09C-CRI1200	N.	71,00	82,61
CARBON FIBRE HOSE L=1250 MM. G=660 WITH 2 B15073INOX	A09C-CRI1250	N.	73,00	84,94
CARBON FIBRE HOSE L=1300 MM. G=700 WITH 2 B15073INOX	A09C-CRI1300	N.	74,00	86,10
CARBON FIBRE HOSE L=1350 MM. G=720 WITH 2 B15073INOX	A09C-CRI1350	N.	76,00	88,43
CARBON FIBRE HOSE L=1400 MM. G=830 WITH 2 B15073INOX	A09C-CRI1400	N.	77,00	89,59
CARBON FIBRE HOSE L=1450 MM. G=850 WITH 2 B15073INOX	A09C-CRI1450	N.	79,00	91,92
CARBON FIBRE HOSE L=1500 MM. G=910 WITH 2 B15073INOX	A09C-CRI1500	N.	80,00	93,08
CARBON FIBRE HOSE L=1540 MM. G=910 WITH 2 B15073INOX	A09C-CRI1540	N.	82,00	95,41
CARBON FIBRE HOSE L=1600 MM. G=940 WITH 2 B15073INOX	A09C-CRI1600	N.	83,00	96,57

* L = HOSE LENGTH: HOSES LONGER THAN 1150 MM. ARE SUPPLIED WITH ONE RUBBER CAP B21031.

* G = RIGID SLEEVE LENGTH: THE SLEEVE CAN BE EASILY SHORTENED ON ONE SIDE.

SYSTEM WITH ADAPTERS FOR TUBE WITH INSIDE Ø 1/2" - OIL AND FUELS - CATEGORY 79

CARBOTECH BRAIDED HOSE WITH ALUMINIUM ALLOY FITTINGS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
CARBOTECH HOSE 1/2 L=100 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0100	N.	45,00	52,36
CARBOTECH HOSE 1/2 L=150 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0150	N.	46,50	54,10
CARBOTECH HOSE 1/2 L=200 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0200	N.	48,00	55,85
CARBOTECH HOSE 1/2 L=220 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0220	N.	49,00	57,01
CARBOTECH HOSE 1/2 L=250 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0250	N.	50,00	58,18
CARBOTECH HOSE 1/2 L=300 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0300	N.	52,00	60,50
CARBOTECH HOSE 1/2 L=320 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0320	N.	55,00	63,99
CARBOTECH HOSE 1/2 L=350 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0350	N.	56,00	65,16
CARBOTECH HOSE 1/2 L=400 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0400	N.	60,00	69,81
CARBOTECH HOSE 1/2 L=425 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0425	N.	62,00	72,14
CARBOTECH HOSE 1/2 L=450 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0450	N.	63,50	73,88
CARBOTECH HOSE 1/2 L=500 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0500	N.	67,00	77,95
CARBOTECH HOSE 1/2 L=525 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0525	N.	70,00	81,45
CARBOTECH HOSE 1/2 L=550 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0550	N.	71,00	82,61
CARBOTECH HOSE 1/2 L=600 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0600	N.	75,00	87,26
CARBOTECH HOSE 1/2 L=625 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0625	N.	77,00	89,59
CARBOTECH HOSE 1/2 L=650 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0650	N.	78,50	91,33
CARBOTECH HOSE 1/2 L=700 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0700	N.	82,00	95,41
CARBOTECH HOSE 1/2 L=725 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0725	N.	84,00	97,73
CARBOTECH HOSE 1/2 L=750 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0750	N.	85,50	99,48
CARBOTECH HOSE 1/2 L=800 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0800	N.	89,00	103,55
CARBOTECH HOSE 1/2 L=850 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0850	N.	95,00	110,53
CARBOTECH HOSE 1/2 L=900 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0900	N.	100,00	116,35

CARBOTECH HOSE 1/2 L=950 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C0950	N.	102,50	119,26
CARBOTECH HOSE 1/2 L=1000 MM. WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21C1000	N.	105,00	122,17

SYSTEM WITH ADAPTERS FOR TUBE WITH INSIDE Ø 1/2" - OIL AND FUELS - CATEGORY 80**CARBOFLEX HOSE AND ALUMINIUM ALLOY FITTINGS**

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
CARBOFLEX HOSE 1/2" L=100 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0100	N.	54,00	62,83
CARBOFLEX HOSE 1/2" L=150 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0150	N.	56,00	65,16
CARBOFLEX HOSE 1/2" L=200 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0200	N.	58,00	67,48
CARBOFLEX HOSE 1/2" L=220 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0220	N.	59,00	68,65
CARBOFLEX HOSE 1/2" L=250 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0250	N.	60,00	69,81
CARBOFLEX HOSE 1/2" L=300 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0300	N.	63,00	73,30
CARBOFLEX HOSE 1/2" L=320 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0320	N.	66,00	76,79
CARBOFLEX HOSE 1/2" L=350 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0350	N.	67,00	77,95
CARBOFLEX HOSE 1/2" L=400 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0400	N.	72,00	83,77
CARBOFLEX HOSE 1/2" L=425 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0425	N.	75,00	87,26
CARBOFLEX HOSE 1/2" L=450 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0450	N.	76,00	88,43
CARBOFLEX HOSE 1/2" L=500 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0500	N.	80,00	93,08
CARBOFLEX HOSE 1/2" L=525 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0525	N.	84,00	97,73
CARBOFLEX HOSE 1/2" L=550 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0550	N.	85,00	98,90
CARBOFLEX HOSE 1/2" L=600 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0600	N.	90,00	104,72
CARBOFLEX HOSE 1/2" L=625 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0625	N.	92,00	107,04
CARBOFLEX HOSE 1/2" L=650 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0650	N.	94,00	109,37
CARBOFLEX HOSE 1/2" L=700 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0700	N.	98,00	114,02
CARBOFLEX HOSE 1/2" L=750 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0750	N.	102,00	118,68
CARBOFLEX HOSE 1/2" L=800 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0800	N.	107,00	124,49
CARBOFLEX HOSE 1/2" L=825 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0825	N.	100,00	116,35
CARBOFLEX HOSE 1/2" L=850 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0850	N.	114,00	132,64
CARBOFLEX HOSE 1/2" L=900 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0900	N.	120,00	139,62

CARBOFLEX HOSE 1/2" L=950 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX0950	N.	125,00	145,44
CARBOFLEX HOSE 1/2" L=1000 WITH 2 B15900AL-NE / BLACK ALUMINIUM	A21CX1000	N.	126,00	146,60

ADAPTERS

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/\$ = 1,1635				
JOINT 3/4" 16 UNF ALUMINIUM NERO - JOINT, BLACK	B17020AL-NE	N.	8,00	9,31
JOINT M/F 90° 3/4" 16 UNF ALLUM.NERO - JOINT, BLACK	B17023AL-NE	N.	20,00	23,27

HOSES AND RE-USABLE FITTINGS SUITABLE FOR MOTORCYCLE CLUTCH CIRCUITS AND BICYCLE BRAKING SYSTEM

SMALL BORE HOSES Ø 2X5,5

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/€ = 1,1635				
INOX STAINLESS-STEEL BRAIDED HOSE 2X5,5 WITH TRANSPARENT COVERING	A04020/2-N	N.	10,00	11,64
CARBOTECH BRAIDED HOSE 2X5,5 WITH TRANSPARENT COVERING	A02309/2	N.	15,00	17,45

RE-USABLE FITTINGS, ALUMINIUM ALLOY

DESCRIPTION	REFERENCE CODE	UNIT OF MEASURE	PRICE €	PRICE US \$
CURRENT EXCHANGE RATE €/€ = 1,1635				
O-RING 7X1 EP851	B50100	N.	0,50	0,58
ALUMINIUM BOLT M 6X1	B50106AL	N.	3,00	3,49
STRAIGHT BANJO FITTING Ø 6 ALUMINIUM	B50200AL	N.	8,00	9,31
RE-USABLE ASSEMBLY NUT - CH8 / ALUMINIUM	B50210AL	N.	3,50	4,07



VARIOUS MATERIALS PRICE LIST

EDITION 06/2018 - NOVEMBER 2018